

UTAH BIG GAME ANNUAL REPORT

2006



Publication No. 07-22



UTAH BIG GAME ANNUAL REPORT

2006

Prepared by:

Kent R. Hersey
Big Game Project Leader

and

Anis Aoude
Big Game Program Coordinator

Publication Number 07-22

Annual Performance Report for Federal Aid Project W-65-M, segments 54 and 55

State of Utah
Department of Natural Resources
DIVISION OF WILDLIFE RESOURCES

An Equal Opportunity Employer

James F. Karpowitz
Director, 2005–2007

TABLE OF CONTENTS

ANNUAL PERFORMANCE REPORT	1
INTRODUCTION.....	2
METHODS	2
MANAGEMENT UNIT BOUNDARIES.....	4
DEER	
Harvest	10
Population trend data	45
ELK	
Harvest	66
Population trend data	102
PRONGHORN	
Harvest	118
Population trend data	131
MOOSE	
Harvest	141
Population trend data	150
BISON	
Harvest	156
Population trend data	159
DESERT BIGHORN	
Harvest	163
Population trend data	167
ROCKY MOUNTAIN BIGHORN	
Harvest	172
Population trend data	175
ROCKY MOUNTAIN GOAT	
Harvest	178
Population trend data	183

ANNUAL PERFORMANCE REPORT

BIG GAME INVESTIGATIONS AND MANAGEMENT RECOMMENDATIONS

State: Utah

Grant No: W-65-M

Grant Title: Utah Division of Wildlife Resources, Wildlife Management Program Federal Aid Grant Proposal

Grant Agreement Period: October 1, 2002 through September 30, 2007

Objective: The present mission statement of the Utah Division of Wildlife Resources was developed for our first Strategic Plan in 1987 and was revisited and publicly reviewed again for our current Strategic Plan:

“The mission of the Division of Wildlife Resources is to assure the future of protected wildlife for its intrinsic, scientific, educational, and recreational values through protection, propagation, management, conservation, and distribution throughout the state.”

In 2000, the DWR completed a strategic plan that used a public process to establish goals and objectives for wildlife in Utah. The plan contains 7 goals and 25 objectives. The Strategic Plan also contains an assessment of wildlife and wildlife issues. Sections then identify strategies and performance measures to guide the work carried out by the Division. The final goals contained in the plan are:

- Goal A: Conserve, protect, enhance and manage Utah's Wildlife.
- Goal B: Conserve, protect, enhance and manage Utah's ecosystems.
- Goal C: Enhance wildlife recreational experiences consistent with other DWR goals.
- Goal D: Provide for a broad base of economic benefits from wildlife consistent with other DWR goals.
- Goal E: Ensure broad-based public involvement in the management of Utah wildlife and ecosystems.
- Goal F: Foster an atmosphere which maximizes effectiveness, productivity, and quality within the Division.
- Goal G: Secure new and stabilize current funding sources to improve/enhance wildlife management and to benefit a broad base of traditional and new constituencies.

Abstract: Annual information pertaining to Utah's big game herds was gathered and will be presented in a 2006 Big Game Annual Report (attached).

In addition to current data, all information collected for several years is compiled, allowing the maximum benefit to be obtained from trend studies. Data and information collected prior to this time can be found in previous Big Game Annual Report publications.

Harvest and hunting pressure trends are presented for each of the deer, elk, antelope, moose, bighorn, buffalo and mountain goat herd units.

Other investigative studies conducted to aid in the completion of the management program include ocular range studies, game-counting trend studies, preseason, postseason and spring classification counts, classification of harvest and highway mortality.

Location: Statewide

INTRODUCTION

This report is a summary of big game harvest information and monitoring efforts for eight species (mule deer, Rocky Mountain elk, pronghorn, Shiras moose, American bison, desert bighorn sheep, Rocky Mountain bighorn sheep, and Rocky Mountain goat) in the state of Utah. Those species are managed based on species management plans that have been developed through a public review process and approved by Utah's Wildlife Board. This report represents the big game portion of Federal Aid Project W-65-M, segments 54 and 55, grant agreement periods October 1, 2005 through September 30, 2006 and October 1, 2006 through September 30, 2007, respectively. This Federal Aid project covers the 2006–2007 hunting seasons and reports statewide trends for all big game species.

METHODS

Annual Harvest Surveys

Annual general season deer and elk harvest and antlerless deer, elk, pronghorn, and moose harvest were determined through telephone surveys. Limited entry harvest for all big game species were determined by mandatory online reporting. For the telephone surveys, random, statistically valid samples of approximately 25% of the total license holders were used to estimate harvest statistics.

Based on results from the surveys and online reports, harvest data were projected by the total number of permits to obtain estimates of the number of animals harvested, number of hunters afield, and number of days hunted. To minimize error, harvest data for individual units, regions, and statewide totals were projected separately. As such, the sum of unit estimates and region estimates may not always equal the statewide totals. Additionally, success rates are calculated from the raw data and may not always equal the projected harvest divided by the projected number of hunters afield.

Harvest Sex and Age Composition

For limited entry units, the average age of harvested animals is obtained from counts of annual rings on teeth submitted by hunters. During general season hunts, check stations are used to gather information on age and antler size. The sex composition of harvested animals is determined through questions on telephone and online surveys.

Population Sex and Age Composition

Population sex and age composition is determined through the use of ground and/or aerial classification counts. Ground classification is done using a random process during early morning and evening hours, whereas aerial trend counts occur when counting conditions are favorable and cover all appropriate fall, winter and/or spring use areas. Data collected during classification and trend counts are used to determine annual production and survival of young (doe: fawn, cow: calf ratios), as well as the ratio of bucks or bulls to females in the herds. For deer, annual ground classification counts are conducted immediately after the general season harvest and again during spring. For the remaining species, a combination of ground classification counts and aerial trend counts are used to determine population sex and age composition.

Population Modeling

All of the data collected on harvest, survival, recruitment, and population structure are used in computer modeling applications for big game populations in Utah. Computer models are used to help determine the current status of the population (i.e., growing, declining, stable), the future structure of the population under various harvest scenarios, and the number of permits to be allocated.

Big Game Movements and Seasonal Distribution

Ground observations are used to determine movements and seasonal distribution of big game species. Trapping and marking projects are carried on periodically where needed to determine direction and extent of herd movements. That information is obtained simply by tagging and use of color markers, or by using radio or GPS collars to help track movements. Those data are used to design hunts to ensure proper harvest. Ground observations are also used to determine movements and seasonal distribution of big game species.

MANAGEMENT UNIT BOUNDARIES

Utah has thirty wildlife management units that serve as the basis for big game management recommendations. Locations and boundary descriptions follow.

Unit 1: Box Elder

Box Elder, Tooele, Salt Lake, Davis and Weber counties - Boundary begins at the Utah-Idaho state line and I-15; west along this state line to the Utah-Nevada state line, south along this state line to I-80, east on I-80 to I-15, north on I-15 to the Utah-Idaho state line.

Unit 2: Cache

Cache, Rich, Weber, and Box Elder counties - Boundary begins at the Utah-Idaho state line and I-15; south on I-15 to US-91; northeast on US-91 to SR-101; east on SR-101 to Hardware Ranch and USFS Road 054 (Ant Flat); south on USFS 054 to SR-39; east on SR-39 to SR-16; southeast on SR-16 to the Utah-Wyoming state line; north along this state line to the Utah-Idaho state line; west along this state line to I-15.

Unit 3: Ogden

Weber, Box Elder, Cache, and Morgan counties - Boundary begins at Hyrum and SR-101; east on SR-101 to the Ant Flat Road (at Hardware Ranch); south on this road to SR-39; west on SR-39 to SR-167 (Trappers Loop Road); south on SR-167 to I-84; west on I-84 to I-15; north on I-15 to Exit 364 and U.S.-91: northeast on US-91 to SR-101; east on SR-101 to Hyrum.

Unit 4: Morgan-South Rich

Morgan, Rich, Summit, and Weber counties - Boundary begins at the junction of I-80 and I-84 near Echo, Utah; east on I-80 to the Utah-Wyoming state line; north along this state line to SR-16; north on SR-16 to SR-39 near Woodruff; west along SR-39 to SR-167 (Trappers Loop road); south on SR-167 to SR-30 at Mountain Green; west on SR-30 to I-84; east on I-84 to I-80.

Unit 5: East Canyon

Morgan, Summit, Salt Lake, and Davis counties - Boundary begins at the junction of I-80 and I-84 (Echo Junction); southwest on I-80 to I-15; north on I-15 to its junction with I-84 near Ogden; east on I-84 to Echo Junction and I-80.

Unit 6: Chalk Creek

Summit and Duchesne counties - Boundary begins at the junction of I-84 and I-80 near Echo; northeasterly on I-80 to the Utah-Wyoming state line; southeast along this state line to SR-150; south on SR-150 to Pass Lake and the Weber River Trail head; west on this trail to Holiday Park and the Weber River road; west on this road to SR-32; northwest on SR-32 to I-80 and Wanship; north on I-80 to I-84 near Echo.

Unit 7: Kamas

Summit and Wasatch counties - Boundary begins at the junction of I-80 and SR-32 (Wanship); south on SR-32 to the Weber Canyon Road at Oakley; east on this road to Holiday Park and the Weber River Trail; east on the Weber River Trail to SR-150 near Pass Lake; south on SR-150 to the North Fork of the Provo river; south along this river to the Provo River; south along this river to SR-35; west on SR-35 to Francis and SR-32; west on SR-32 to US-40 near Jordanelle; north on US-40 to I-80; north on I-80 to SR-32 (Wanship).

Unit 8: North Slope

Summit and Daggett counties - Boundary begins at the junction of SR-150 and the Summit-Duchesne county line (summit of the Uinta Mountains); north along SR-150 to the Utah-Wyoming state line; east along this state line to the Utah-Wyoming-Colorado state line (Three Corners); south along the Utah-Colorado state line to the Green River; west along the Green River to Flaming Gorge Reservoir; west along the south shoreline of this reservoir to Cart Creek; south along Cart Creek to US-191; south along US-191 to the Uintah-Daggett County line (summit of the Uinta Mountains); west along the summit of the Uinta mountains to SR-150.

Unit 9: South Slope

Wasatch, Summit, Daggett, Uintah, and Duchesne counties - Boundary begins at the junction of US-40 and SR-87 in Duchesne; north on SR-87 to SR-35; northwest on SR-35 to the Provo River; north along the Provo River to the North Fork Provo River; north along the North Fork Provo River to SR-150; north along SR-150 to the Summit/Duchesne county line (summit of the Uinta Mountains); east along the summit of the Uinta Mountains to US-191; north along US-191 to Cart Creek; north along Cart Creek to Flaming Gorge Reservoir; east along Flaming Gorge Reservoir to the Green River; east along the Green River to the Utah-Colorado state line; south along the Utah-Colorado state line to the White River; west along the White River to the Green River; north along the Green River to the Duchesne River; west along the Duchesne River to US-40 at Myton; west along US-40 to SR-87.

Unit 10: Book Cliffs

Uintah and Grand counties - Boundary begins at I-70 and the Green River (in Green River); northeast along the Green River to the White River; east along the White River to the Utah-Colorado state line; south along the Utah-Colorado state line to I-70; southwest along I-70 to the Green River. Inclusive of subunits 10a (Bitter Creek), 10b (Book Cliffs South) and 10c (Little Creek). **EXCLUDING ALL INDIAN TRUST LANDS.** USGS 1:100,000 maps: Westwater, Seep Ridge.

Unit 11: Anthro/Range Creek

Duchesne, Uintah, Carbon, and Emery counties - Boundary begins at Duchesne and US 191; southwest on US 191 to US 6; south on US 6 to I-70; east on I-70 to the Green River; north on the Green River to the Duchesne River; west along this river to Highway US-40; west on US-40 to Duchesne and US 191.

Unit 12: San Rafael

Carbon, Emery, Wayne, and Garfield counties - Boundary begins in Price at the junction of SR-10 and US-6; east on US-6 to I-70; east on I-70 to the Green River; south along the Green River to the Colorado River; south on the Colorado River and the west shore of Lake Powell to SR-95; north on SR-95 to SR-24; west on SR-24 to the Caineville to Fremont Junction Road; north on this road to the junction of I-70 and SR-10; north on SR-10 to Price.

Unit 13: La Sal

Grand and San Juan counties - Boundary begins at the junction of I-70 and the Green River; south on the Green River to the Colorado River; north on the Colorado River to US-191; south on US-191 to the Big Indian Road; east on this road to the Lisbon Valley Road; east on this road to the Island Mesa Road; east on this road to the Colorado State Line; north on this line to I-70; west on I-70 to the Green River.

Unit 14: San Juan

San Juan County - Boundary begins at the confluence of the San Juan and Colorado rivers; north along the Colorado river to US-191; south on this road to the Big Indian road; east on this road to the Lisbon Valley road; southeast on this road to the Island Mesa road; east on this road to the Colorado state line; south on this line to the Navajo Indian Reservation boundary; southwest along this boundary to the San Juan River; west on this river to the Colorado River.

Unit 15: Henry Mountains

Wayne and Garfield counties - Boundary begins in Hanksville at the junction of SR-24 and SR-95; south on SR-95 to Lake Powell; south along the west shore of Lake Powell to SR-276 at Bullfrog; north along SR-276 to the Bullfrog to Notom Road; north along this road to SR-24; east on SR-24 to Hanksville.

Unit 16: Central Mountains

Utah, Carbon, Emery, Juab, Sevier, and Sanpete counties - Boundary begins at the junction of US-6 and I-15 in Spanish Fork; southeast on US-6 to Price and SR-10; south on SR-10 to I-70; west on I-70 to US-89; north on US-89 to SR-28 at Gunnison; north on SR-28 to I-15 at Nephi; north on I-15 to US-6 in Spanish Fork.

Unit 17: Wasatch Mountains

Salt Lake, Summit, Wasatch, Duchesne, Carbon, and Utah counties - Boundary begins at the junction of I-15 and I-80 in Salt Lake City; east on I-80 to US-40; south on US-40 to SR-32; east on SR-32 to SR-35; southeast on SR-35 to SR-87; south on SR-87 to Duchesne and US-191; south on US-191 to US-6; northeast on US-6 to I-15; north on I-15 to I-80 in Salt Lake City.

Unit 18: Oquirrh-Stansbury

Salt Lake, Utah, and Tooele counties - Boundary begins at the junction of I-15 and I-80; south on I-15 to SR-73; west on SR-73 to SR-36; south on SR-36 to the Pony Express road located just south of Faust; west on this road to the Skull Valley-Dugway-Timpie Road; north on this road to I-80 at Rowley Junction; east on I-80 to I-15

Unit 19: West Desert

Tooele, Utah, Juab, and Millard counties - Boundary begins at the Utah-Nevada state line and I-80 in Wendover; east on I-80 to the Dugway road at Rowley Junction; south on this road to the Pony Express Road; east on this road to SR-36; north on SR-36 to SR-73; east on SR-73 to I-15; south on I-15 to SR-132 at Nephi; west on SR-132 to US-6; southwest on US-6 to its junction with US-50 near Delta; west on US-50 & 6 to the Utah-Nevada state line; north along this state line to I-80 at Wendover.

Unit 20: Southwest Desert

Beaver, Iron, and Millard counties - Boundary begins at US-50&6 and the Utah-Nevada state line; east on US-50&6 to SR-257; south on SR-257 to SR-21; south on SR-21 to SR-130; south on SR-130 to I-15; south on I-15 to SR-56; west on SR-56 to the Lund Highway; northwest on the Lund Highway to the Union Pacific railroad tracks at Lund; southwest on the Union Pacific railroad tracks to the Utah-Nevada state line; north on this state line to US-50&6.

Unit 21: Fillmore

Millard, Sevier, Sanpete, and Juab counties - Boundary begins at I-70 and I-15; north on I-15 to the Black Rock road; west on the Black Rock road to SR-257; north on SR-257 to US-50 and 6; east on US-50 and 6 to US-6; north on US-6 to SR-132; east on SR-132 to SR-28; south on SR-28 to US-89; south on US-89 to I-70; west on I-70 to I-15.

Unit 22: Beaver

Iron, Garfield, Piute, Beaver, and Millard counties - Boundary begins at SR-130 and I-15; north on SR-130 to SR-21; north on SR-21 to SR-257; north on SR-257 to the Black Rock road; east on the Black Rock road to I-15; south on I-15 to I-70; east on I-70 to US-89; south on US-89 to SR-20; west on SR-20 to I-15; south on I-15 to SR-130.

Unit 23: Monroe

Piute and Sevier counties - Boundary begins at I-70 and US-89; south on US-89 to SR-62; northeast on SR-62 to SR-24; north on SR-24 to US-89; north on US-89 to I-70.

Unit 24: Mt. Dutton

Garfield and Piute counties - Boundary begins at US-89 and SR-62; south on US-89 to SR-12; east on SR-12 to the Widtsoe-Antimony Road; north on the Widtsoe-Antimony Road to SR-22; north on SR-22 to SR-62; west on SR-62 to US-89.

Unit 25: Plateau

Sevier, Garfield, Piute, and Wayne counties - Boundary begins at SR-24 and US-89 at Sigurd; south on SR-24 to SR-62; south on SR-62 to SR-22; south on SR-22 to the Widtsoe-Antimony road; south on the Widtsoe-Antimony road to SR-12; east on SR-12 to the Burr Trail at Boulder; east on the Burr Trail to the Notom Road; north on the Notom Road to SR-24; east on SR-24 to the Caineville Wash road; north on the Caineville Wash road to I-70; west on I-70 to US-89; south on US-89 to SR-24.

Unit 26: Kaiparowits

Kane and Garfield counties - Boundary begins at the Paria River and the Utah-Arizona state line; north along the Paria River to SR-12; east on SR-12 to the Burr Trail at Boulder; southeast on the Burr Trail to Lake Powell; southwest along the shore of Lake Powell to the Utah-Arizona state line; west along this state line to the Paria River.

Unit 27: Paunsaugunt

Garfield and Kane counties - Boundary begins at US-89A and the Utah-Arizona state line; north on US-89A to US-89; north on US-89 to SR-12; east on SR-12 to the Paria River; south along the Paria River to the Utah-Arizona state line; west along this state line to US-89A.

Unit 28: Panguitch Lake

Garfield, Iron, and Kane counties - Boundary begins SR-14 and US-89; north on US-89 to SR-20; west on SR-20 to I-15; south on I-15 to SR-14; east on SR-14 to US-89.

Unit 29: Zion

Iron, Kane and Washington counties - Boundary begins at I-15 and the Utah-Arizona state line; north on I-15 to SR-14; east on SR-14 to US-89; south on US-89 to US-89A; south on US-89A to the Utah-Arizona state line; west on the Utah-Arizona state line to I-15.


Unit 30: Pine Valley

Iron and Washington counties - Boundary begins at I-15 and the Utah-Arizona state line; north on I-15 to SR-56; west on SR-56 to the Lund Highway; northwest along the Lund Highway to the Union Pacific railroad tracks at Lund; southwest on the Union Pacific railroad tracks to the Utah-Nevada state line; south on this state line to the Utah-Arizona state line; west on this state line to I-15.

MULE DEER



Statewide trends of deer harvest statistics, Utah 1925–2006.



Statewide deer harvest statistics, Utah 1925–1975.

Year	Regular license harvest				Control permit harvest				Archery harvest				Total harvest			
	Buck	Doe	Total	Hunters afield	Buck	Doe	Total	Hunters afield	Buck	Doe	Total	Hunters afield	Buck	Doe	Total	Hunters afield
1925	1400	—	1400	5650	—	—	—	—	—	—	—	—	1400	—	1400	5650
1926	2000	—	2000	7000	—	—	—	—	—	—	—	—	2000	—	2000	7000
1927	3200	—	3200	9100	—	—	—	—	—	—	—	—	3200	—	3200	9100
1928	4400	—	4400	11300	—	—	—	—	—	—	—	—	4400	—	4400	11300
1929	5000	—	5000	12800	—	—	—	—	—	—	—	—	5000	—	5000	12800
1930	6400	—	6400	15600	—	—	—	—	—	—	—	—	6400	—	6400	15600
1931	7800	—	7800	19500	—	—	—	—	—	—	—	—	7800	—	7800	19500
1932	7113	—	7113	16600	—	—	—	—	—	—	—	—	7113	—	7113	16600
1933	8019	—	8019	17700	—	—	—	—	—	—	—	—	8019	—	8019	17700
1934	11271	—	11271	21485	—	825	825	928	—	—	—	—	11271	825	12096	22413
1935	9640	—	9640	23000	—	2008	2008	2598	—	—	—	—	9640	2008	11648	25598
1936	13800	—	13800	29500	—	—	—	—	—	—	—	—	13800	—	13800	29500
1937	21000	—	21000	38900	—	—	—	—	—	—	—	—	21000	—	21000	38900
1938	25572	—	25572	50000	—	2428	2428	4500	—	—	—	—	25572	2428	28000	54500
1939	28552	—	28552	60000	—	9448	9448	10612	—	—	—	—	28552	9448	38000	70612
1940	32300	—	32300	60000	—	11700	11700	14437	—	—	—	—	32300	11700	44000	74437
1941	34460	—	34460	60000	—	15540	15540	21461	—	—	—	—	34460	15540	50000	81461
1942	35723	—	35723	65000	1058	26799	27857	33823	3	26	29	61	36784	26825	63609	98884
1943	39690	—	39690	75000	450	15556	16006	21242	0	12	12	186	40140	15568	55708	96428
1944	40743	—	40743	64672	—	11027	11027	16320	0	7	7	75	40743	11034	51777	81067
1945	37235	—	37235	71734	1730	10924	12654	16160	1	0	1	110	38966	10924	49890	88004
1946	41580	—	41580	89753	1685	10044	11729	16355	12	50	62	248	43277	10094	53371	106356
1947	46940	—	46940	88401	2608	12274	14882	17224	9	41	50	296	49557	12315	61872	105921
1948	53526	—	53526	95073	2222	13052	15274	18961	18	77	95	382	55766	13129	68895	114416
1949	45414	—	45414	86124	2513	12579	15092	19862	5	23	28	244	47932	12602	60534	106230
1950	49879	—	49879	93232	4496	19021	23517	28624	9	12	21	231	54384	19033	73417	122087

Statewide deer harvest statistics, Utah 1925–1975 (cont.).

Year	Regular license harvest				Control permit harvest				Archery harvest				Total harvest			
	Buck	Doe	Total	Hunters afield	Buck	Doe	Total	Hunters afield	Buck	Doe	Total	Hunters afield	Buck	Doe	Total	Hunters afield
1951	63030	31244	94274	112911	4265	3041	7306	8530	34	23	57	316	67329	34308	101637	121757
1952	52655	26296	78951	115887	3940	7228	11168	12358	12	30	42	429	56607	33554	90161	128674
1953	52082	23196	75278	119958	3106	7403	10509	12419	26	66	92	613	65214	30665	95879	132990
1954	65117	28327	93444	123231	2493	11959	14452	19176	69	108	177	745	67679	40394	108073	143152
1955	72267	21274	93541	129303	2923	15163	18086	23121	129	161	290	1733	75319	36598	111917	154157
1956	72947	21923	94870	133676	5191	21917	27108	29382	366	241	607	3159	78504	44081	122585	166217
1957	55121	19757	74878	132797	5993	24111	30104	36289	361	256	617	4570	61475	44124	105599	173656
1958	66933	23718	90651	141551	4477	21232	25709	27501	455	426	881	5605	71865	45376	117241	174657
1959	72850	25450	98300	149908	2948	23830	26778	31298	683	554	1237	7440	76481	49834	126315	188646
1960	74802	25959	100761	150401	3271	25087	28358	41034	919	907	1826	8831	78992	51953	130945	200266
1961	71979	24397	96376	155037	5809	27915	33724	37379	1219	959	2178	9889	79007	53271	132278	202305
1962	69778	27876	97654	163072	4454	16308	30762	36161	1232	908	2140	11546	75464	55092	130556	210779
1963	63043	27013	90056	165531	3290	14013	17303	20920	1059	981	2040	12768	67392	42007	109399	199219
1964	68612	29937	98549	169178	3658	11405	15063	18680	1088	900	1988	10910	73358	42242	115600	198768
1965	51181	24869	76050	171466	1496	8822	10318	14195	1009	666	1675	12635	53686	34357	88043	198296
1966	57915	30043	87958	161529	1043	1444	2487	3224	1271	1224	2495	12190	60229	32711	92940	176943
1967	53261	31610	84871	156404	1356	1759	3115	4072	1181	886	2067	12108	55798	34255	90053	172584
1968	60700	30846	91546	161209	519	498	1017	1272	1494	1104	2598	14164	62713	32448	95161	176645
1969	50297	27218	77515	162265	640	1354	1994	2804	1350	1062	2412	14902	52287	29634	81921	179971
1970	68243	30510	98753	178005	345	883	1228	1853	1819	1189	3008	16775	70407	32582	102989	196633
1971	62924	31351	94275	185105	557	607	1164	1876	1913	1913	3826	18276	65394	33381	98775	205257
1972	68712	34351	103063	197173	1085	1027	2112	3391	1834	1409	3243	20047	71631	36787	108418	220611
1973	51587	30732	82319	198726	435	315	750	1841	1961	1540	3501	25156	53983	32587	86570	225723
1974	45306	7537	52843	187711	169	254	423	1103	807	560	1367	16218	46282	8351	54633	205032
1975	41356	—	41356	177056	1064	1667	2731	5869	1314	—	1314	17625	43734	1667	45401	200550

Statewide deer harvest statistics, Utah 1976–2006.

Year	General season harvest			Restricted harvest			Total harvest		
	Bucks	Antlerless	Hunters afield	Bucks	Antlerless	Hunters afield	Bucks	Antlerless	Hunters afield
1976	56640	—	185661	288	95	1789	56928	95	187450
1977	67164	—	205104	500	751	3657	67664	751	208761
1978	65142	—	212201	55	3085	4750	65197	3085	216951
1979	60755	—	213547	121	5387	8580	60876	5387	222127
1980	65444	—	208154	—	9796	14388	65444	9796	222542
1981	80627	—	211467	—	10182	13706	80627	10182	225173
1982	75065	—	222305	29	10890	15531	75094	10890	237836
1983	82552	—	228907	—	13164	16711	82552	13164	245618
1984	63044	—	193662	—	4233	5766	63044	4233	199428
1985	59045	—	210313	37	5171	6801	59082	5171	217114
1986	60610	—	193977	103	6371	8572	60713	6371	202549
1987	65969	953	200746	546	6807	9770	66515	7760	210516
1988	68125	1057	222372	378	21178	26313	68503	22235	248685
1989	57381	1169	208031	350	19473	27681	57731	20642	235712
1990	57220	1021	207241	1588	15954	24191	58808	16975	231432
1991	51415	1337	203625	1927	12197	19356	53342	13534	222981
1992	54804	1266	213937	1729	11866	14810	56533	13132	228747
1993	24763	2192	140701	1261	2104	5307	26024	4296	146008
1994	27699	—	86121	1528	699	3859	29227	699	89980
1995	24594	—	97823	1818	1418	5248	26412	1418	103071
1996	32939	28	103892	1638	2554	5502	34577	2582	109394
1997	28144	—	105088	1656	3247	7303	29800	3246	112391
1998	30216	187	106201	1997	2688	6188	32213	2875	112389
1999	29583	139	93290	1880	2831	6561	31463	2970	99851
2000	30728	126	94304	2303	4394	9032	33031	4520	103336
2001	25355	112	88798	2157	4039	7726	27512	4151	96524
2002	21954	53	95264	2409	3092	7454	24363	3145	102718
2003	20906	89	85553	1619	2435	5217	22525	2524	90770
2004	25954	85	81260	1975	2154	5245	27929	2239	86505
2005	19688	138	81204	1832	1813	4727	21520	1951	85931
2006	28396	122	83710	2152	1734	4742	30548	1856	88452

*In 2002, total hunters afield were estimated.

Total deer harvest by management unit, Utah 2006.

Management unit	Buck harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	1433	123	1556	4204	4.1	36.2
Cache	1410	72	1482	7130	4.2	20.4
Ogden	624	16	640	2475	4.0	25.7
Morgan-South Rich	701	15	716	2134	4.4	33.5
East Canyon	857	311	1168	4000	5.3	28.7
Chalk Creek	887	135	1022	2060	3.9	47.4
Kamas	584	44	628	3172	4.4	19.5
North Slope	816	9	825	2539	4.4	32.4
South Slope	2306	310	2616	6336	5.6	40.2
Book Cliffs	463	0	463	515	4.1	89.9
Nine Mile	472	24	496	1267	4.4	38.4
San Rafael	215	53	268	765	4.7	32.8
La Sal	808	5	813	1702	4.2	47.6
San Juan	1358	20	1378	2733	4.3	50.0
Henry Mountains	28	0	28	28	3.9	100.0
Central Mountains	4443	281	4724	16631	4.4	28.0
Wasatch Mountains	2799	46	2845	12682	4.7	22.3
Oquirrh-Stansbury	883	82	965	3064	4.3	30.8
West Desert	549	56	605	1975	4.4	29.2
Southwest Desert	169	25	194	631	4.6	29.2
Fillmore	713	60	773	2628	4.7	28.9
Beaver	1142	23	1165	3524	4.7	32.8
Monroe	798	109	907	2668	4.5	33.5
Mt Dutton	254	0	254	695	4.1	36.5
Plateau	1655	16	1671	4507	4.3	37.0
Kaiparowits	73	3	76	198	4.4	38.4
Paunsaugunt	160	0	160	203	6.1	78.8
Panguitch Lake	1041	4	1045	3402	5.1	30.7
Zion	1019	0	1019	2500	4.2	40.8
Pine Valley	1575	14	1589	4392	3.9	36.1
Unidentified	313	0	313	1151	4.2	27.2
Statewide totals	30548	1856	32404	88452	5.2	35.3

*Statewide totals for hunters afield do not equal the sum of the columns because some hunters could hunt multiple units.

General season any weapon deer harvest by management unit / subunit, Utah 2006.

	Unit	Subunit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder	A West Box Elder	678	1756	3.7	38.6
		B East Box Elder	349	929	3.5	37.6
		C South Box Elder	55	311	3.5	17.7
		Unit totals	1082	2996	3.3	36.1
2	Cache	A Cache	575	2911	3.8	19.8
		B North Rich	256	1457	3.8	17.6
		C Wellsville	226	754	3.5	30.0
		Unit totals	1057	5122	3.8	20.6
3	Ogden	A Ogden	494	1692	3.4	29.2
4	Morgan-South Rich	A Morgan-South Rich	358	1227	3.6	29.2
5	East Canyon	A East Canyon	626	2016	3.4	31.1
6	Chalk Creek	A Chalk Creek	588	1104	3.0	53.3
7	Kamas	A Kamas	409	1930	3.6	21.2
8	North Slope	A Summit	107	435	3.8	24.6
		B West Daggett	268	648	3.8	41.4
		C Three Corners	245	450	3.4	54.4
		Unit totals	620	1533	3.6	40.4
9	South Slope	A Yellowstone	617	1498	3.5	41.2
		B Vernal	695	1432	3.4	48.5
		D Bonanza	70	151	3.3	46.4
		Unit totals	1382	3081	3.5	44.9
11	Nine Mile	A Anthro	97	229	2.8	42.4
		B Range Creek	185	442	2.6	41.9
		Unit totals	282	671	2.7	42.0
12	San Rafael	A San Rafael	160	415	2.9	38.6
13	La Sal	A La Sal Mountains	400	860	3.1	46.5
14	San Juan	A San Juan	728	1480	3.1	49.2
16	Central Mountains	A Nebo	1264	3181	3.4	39.7
		B North Manti	568	1675	2.9	33.9
		C South Manti	1111	2949	2.9	37.7
		Unit totals	2943	7805	3.1	37.7
17	Wasatch Mountains	A Diamond Fork	299	1301	3.6	23.0
		A Heber	602	1918	3.4	31.4
		A Salt Lake	0	0	—	—
		A Timpanogos	235	751	3.1	31.3
		B Currant Creek	582	2073	3.7	28.1
		C Avintaquin	171	404	3.6	42.3
		Unit totals	1889	6447	3.5	29.3

General season any weapon deer harvest by management unit / subunit, Utah 2006 (cont.).

	Unit	Subunit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
18	Oquirrh-Stansbury	A Oquirrh-Stansbury	614	1754	3.7	35.0
19	West Desert	A West Desert	158	474	3.8	33.3
		C Tintic	158	663	3.7	23.8
		Unit totals	316	1137	3.7	27.8
20	Southwest Desert	A Southwest Desert	115	269	3.0	42.8
21	Fillmore	A Oak Creek	376	1015	3.6	37.0
		B Pahvant	23	50	3.5	46.0
		Unit totals	399	1065	3.6	37.5
22	Beaver	A Beaver	587	1389	3.1	42.3
23	Monroe	A Monroe	464	1043	2.9	44.5
24	Mt Dutton	A Mt Dutton	146	288	3.4	50.7
25	Plateau	A Fish Lake	487	875	2.6	55.7
		C Boulder	460	867	2.9	53.1
		Unit totals	947	1742	2.7	54.4
26	Kaiparowits	A Kaiparowits	54	107	3.0	50.5
28	Panguitch Lake	A Panguitch Lake	549	1197	2.9	45.9
29	Zion	A Zion	660	1350	3.1	48.9
30	Pine Valley	A Pine Valley	932	1918	2.8	48.6
	Unidentified	Unidentified	226	684	3.6	33.0
Region totals		Central	2912	7804	3.9	37.3
		Northeastern	3155	8360	3.7	37.7
		Northern	4769	15848	3.8	30.1
		Southeastern	3183	7772	3.0	41.0
		Southern	4995	10297	3.0	48.5
Statewide totals			19027	50081	3.5	38.0

*Region totals are not the sum of management units because some units are in multiple regions.

**Region and statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season muzzleloader deer harvest by management unit / subunit, Utah 2006.

	Unit	Subunit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder	A West Box Elder	72	339	4.1	21.2
		B East Box Elder	30	137	3.7	21.9
		C South Box Elder	4	11	4.2	36.4
		Unit totals	106	487	3.9	21.8
2	Cache	A Cache	103	575	4.1	17.9
		B North Rich	88	407	4.5	21.6
		C Wellsville	42	118	3.8	35.6
		Unit totals	233	1100	4.2	21.2
3	Ogden	A Ogden	49	266	4.3	18.4
4	Morgan-South Rich	A Morgan-South Rich	61	282	3.7	21.6
5	East Canyon	A East Canyon	38	171	3.4	22.2
6	Chalk Creek	A Chalk Creek	69	244	3.9	28.3
7	Kamas	A Kamas	99	472	4.1	21.0
8	North Slope	A Summit	53	320	4.4	16.6
		B West Daggett	36	132	4.3	27.3
		C Three Corners	43	79	3.5	54.4
		Unit totals	132	531	4.2	24.9
9	South Slope	A Yellowstone	172	436	4.4	39.4
		B Vernal	257	497	3.8	51.7
		D Bonanza	4	11	3.5	36.4
		Unit totals	433	944	4.1	45.9
11	Nine Mile	A Anthro	21	29	3.4	72.4
		B Range Creek	16	95	4.7	16.8
		Unit totals	37	124	4.4	29.8
12	San Rafael	A San Rafael	28	91	4.3	30.8
13	La Sal	A La Sal Mountains	201	300	4.0	67.0
14	San Juan	A San Juan	319	446	3.9	71.5
16	Central Mountains	A Nebo	157	625	4.0	25.1
		B North Manti	189	588	4.2	32.1
		C South Manti	327	1290	4.1	25.3
		Unit totals	673	2503	4.1	26.9
17	Wasatch Mountains	A Diamond Fork	83	403	4.2	20.6
		A Heber	90	458	4.1	19.7
		A Salt Lake	0	0	—	—
		A Timpanogos	40	142	4.0	28.2
		B Currant Creek	82	543	4.0	15.1
		C Avintaquin	25	125	5.6	20.0
		Unit totals	320	1671	4.2	19.2

General season muzzleloader deer harvest by management unit / subunit, Utah 2006 (cont.).

	Unit	Subunit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
18	Oquirrh-Stansbury	A Oquirrh-Stansbury	96	284	3.8	33.8
19	West Desert	A West Desert	17	50	4.2	34.0
		C Tintic	40	93	4.0	43.0
		Unit totals	57	143	4.1	39.9
20	Southwest Desert	A Southwest Desert	15	22	4.1	68.2
21	Fillmore	A Oak Creek	55	150	4.0	36.7
		B Pahvant	4	11	4.3	36.4
		Unit totals	59	161	4.0	36.6
22	Beaver	A Beaver	163	330	4.3	49.4
23	Monroe	A Monroe	98	312	4.6	31.4
24	Mt Dutton	A Mt Dutton	25	44	4.5	56.8
25	Plateau	A Fish Lake	98	254	4.4	38.6
		C Boulder	91	214	4.4	42.5
		Unit totals	189	468	4.4	40.4
26	Kaiparowits	A Kaiparowits	7	11	5.6	63.6
28	Panguitch Lake	A Panguitch Lake	145	367	4.5	39.5
29	Zion	A Zion	105	214	4.0	49.1
30	Pine Valley	A Pine Valley	134	345	3.6	38.8
	Unidentified	Unidentified	41	180	4.2	22.8
Region totals		Central	410	1355	4.3	30.3
		Northeastern	754	2406	4.2	31.3
		Northern	712	3243	4.3	22.0
		Southeastern	1096	2780	4.2	39.4
		Southern	951	2270	4.4	41.9
Statewide totals			3932	12054	4.3	32.6

*Region totals are not the sum of management units because some units are in multiple regions.

**Region and statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season archery deer harvest by management unit / subunit, Utah 2006.

Unit	Subunit	Buck harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
1 Box Elder	A West Box Elder	12	0	12	84	7.8	14.3
	B East Box Elder	16	0	16	88	6.4	18.2
	C South Box Elder	4	0	4	16	14.8	25.0
	Unit totals	32	0	32	188	6.4	17.0
2 Cache	A Cache	24	0	24	224	9.2	10.7
	B North Rich	12	0	12	168	7.5	7.1
	C Wellsville	16	0	16	56	9.4	28.6
	Unit totals	52	0	52	448	8.6	11.6
3 Ogden	A Ogden	16	4	20	248	6.6	8.1
4 Morgan-South Rich	A Morgan-South Rich	8	0	8	184	9.4	4.3
5 East Canyon	A East Canyon	72	60	132	992	9.4	13.3
6 Chalk Creek	A Chalk Creek	16	0	16	124	8.9	12.9
7 Kamas	A Kamas	48	0	48	468	7.3	10.3
8 North Slope	A Summit	4	0	4	136	7.1	2.9
	B West Daggett	16	0	16	76	6.7	21.1
	C Three Corners	32	4	36	132	7.5	27.3
	Unit totals	52	4	56	344	7.2	16.3
9 South Slope	A Yellowstone	104	12	116	536	12.6	21.6
	B Vernal	212	28	240	956	9.5	25.1
	D Bonanza	24	0	24	56	9.9	42.9
	Unit totals	340	40	380	1548	10.6	24.5
11 Nine Mile	A Anthro	28	0	28	68	14.2	41.2
	B Range Creek	40	0	40	124	6.6	32.3
	Unit totals	68	0	68	192	9.3	35.4
12 San Rafael	A San Rafael	12	0	12	124	11.2	9.7
13 La Sal	A La Sal Mountains	152	0	152	348	6.7	43.7
14 San Juan	A San Juan	196	0	196	568	7.4	34.5
16 Central Mountains	A Nebo	72	0	72	416	8.0	17.3
	B North Manti	100	0	100	748	7.5	13.4
	C South Manti	156	0	156	1316	8.0	11.9
	Unit totals	328	0	328	2480	7.8	13.2
17 Wasatch Mountains	A Diamond Fork	64	0	64	520	6.8	12.3
	A Heber	96	0	96	792	8.2	12.1
	A Salt Lake	20	4	24	224	7.4	10.7
	A Timpanogos	64	4	68	364	8.3	18.7
	B Currant Creek	24	0	24	316	8.0	7.6
	C Avintaquin	12	0	12	44	7.0	27.3
	Unit totals	280	8	288	2260	7.8	12.7

General season archery deer harvest by management unit / subunit, Utah 2006 (cont.).

Unit	Subunit	Buck harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
18 Oquirrh-Stansbury	A Oquirrh-Stansbury	64	0	64	300	6.9	21.3
19 West Desert	A West Desert	8	0	8	60	7.3	13.3
	C Tintic	24	0	24	140	8.8	17.1
	Unit totals	32	0	32	200	8.4	16.0
20 Southwest Desert	A Southwest Desert	16	0	16	64	8.8	25.0
21 Fillmore	A Oak Creek	24	0	24	172	7.2	14.0
	B Pahvant	96	0	96	408	6.6	23.5
	Unit totals	120	0	120	580	6.8	20.7
22 Beaver	A Beaver	216	0	216	724	7.8	29.8
23 Monroe	A Monroe	104	0	104	508	8.2	20.5
24 Mt Dutton	A Mt Dutton	24	0	24	104	6.6	23.1
25 Plateau	A Fish Lake	96	0	96	540	7.3	17.8
	C Boulder	108	0	108	308	7.5	35.1
	Unit totals	204	0	204	848	7.4	24.1
26 Kaiparowits	A Kaiparowits	0	0	0	16	5.0	0.0
28 Panguitch Lake	A Panguitch Lake	232	0	232	1000	7.7	23.2
29 Zion	A Zion	128	0	128	404	8.0	31.7
30 Pine Valley	A Pine Valley	160	0	160	600	6.6	26.7
Unidentified	Unidentified	12	0	12	100	7.7	12.0
Statewide totals		2984	116	3100	14020	9.2	22.1

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

Dedicated hunter any weapon deer harvest by management unit / subunit, Utah 2006.

	Unit	Subunit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder	A West Box Elder	0	18	4.3	0.0
		B East Box Elder	3	6	2.5	50.0
		C South Box Elder	3	6	5.7	50.0
		Unit totals	6	30	3.1	20.0
2	Cache	A Cache	25	86	3.3	29.1
		B North Rich	6	25	3.1	24.0
		C Wellsville	0	21	4.5	0.0
		Unit totals	31	132	3.5	23.5
3	Ogden	A Ogden	3	49	3.6	6.1
4	Morgan-South Rich	A Morgan-South Rich	15	31	3.3	48.4
5	East Canyon	A East Canyon	37	101	3.3	36.6
6	Chalk Creek	A Chalk Creek	21	61	3.7	34.4
7	Kamas	A Kamas	9	61	4.4	14.8
8	North Slope	A Summit	3	9	2.8	33.3
		B West Daggett	6	15	3.4	40.0
		C Three Corners	0	6	3.5	0.0
		Unit totals	9	30	3.2	30.0
9	South Slope	A Yellowstone	18	48	3.2	37.5
		B Vernal	12	45	3.9	26.7
		D Bonanza	0	3	1.0	0.0
		Unit totals	30	96	3.5	31.3
11	Nine Mile	A Anthro	0	6	5.0	0.0
		B Range Creek	22	70	2.7	31.4
		Unit totals	22	76	2.9	28.9
12	San Rafael	A San Rafael	6	22	3.4	27.3
13	La Sal	A La Sal Mountains	10	45	3.2	22.2
14	San Juan	A San Juan	6	22	3.2	27.3
16	Central Mountains	A Nebo	132	606	3.5	21.8
		B North Manti	25	194	3.1	12.9
		C South Manti	92	359	2.9	25.6
		Unit totals	249	1159	3.2	21.5
17	Wasatch Mountains	A Diamond Fork	31	190	3.2	16.3
		A Heber	44	187	4.1	23.5
		A Salt Lake	0	0	—	—
		A Timpanogos	22	139	3.0	15.8
		B Currant Creek	21	57	3.2	36.8
		C Avintaquin	3	15	4.0	20.0
		Unit totals	121	588	3.4	20.6

Dedicated hunter any weapon deer harvest by management unit / subunit, Utah 2006 (cont.).

	Unit	Subunit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
18	Oquirrh-Stansbury	A Oquirrh-Stansbury	50	214	3.6	23.4
19	West Desert	A West Desert	3	60	3.4	5.0
		C Tintic	16	79	4.0	20.3
		Unit totals	19	139	3.7	13.7
20	Southwest Desert	A Southwest Desert	8	87	3.8	9.2
21	Fillmore	A Oak Creek	52	172	3.7	30.2
		B Pahvant	24	63	3.4	38.1
		Unit totals	76	235	3.6	32.3
22	Beaver	A Beaver	99	399	3.5	24.8
23	Monroe	A Monroe	71	233	3.1	30.5
24	Mt Dutton	A Mt Dutton	20	95	2.9	21.1
25	Plateau	A Fish Lake	59	217	3.1	27.2
		C Boulder	95	253	3.0	37.5
		Unit totals	154	470	3.0	32.8
26	Kaiparowits	A Kaiparowits	4	20	4.2	20.0
28	Panguitch Lake	A Panguitch Lake	43	249	3.2	17.3
29	Zion	A Zion	59	233	3.0	25.3
30	Pine Valley	A Pine Valley	221	581	2.8	38.0
	Unidentified	Unidentified	14	69	3.4	20.3
Region totals		Central	265	1154	3.9	23.0
		Northeastern	63	259	3.4	24.3
		Northern	126	458	3.7	27.5
		Southeastern	165	709	3.0	23.3
		Southern	798	2733	3.3	29.2
Statewide totals			1413	5313	3.4	26.6

*Region totals are not the sum of management units because some units are in multiple regions.

**Region and statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

Dedicated hunter muzzleloader deer harvest by management unit / subunit, Utah 2006.

	Unit	Subunit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder	A West Box Elder	9	28	3.5	32.1
		B East Box Elder	0	6	4.2	0.0
		C South Box Elder	0	6	7.2	0.0
		Unit totals	9	40	3.1	22.5
2	Cache	A Cache	3	86	3.4	3.5
		B North Rich	3	25	3.0	12.0
		C Wellsville	3	21	4.0	14.3
		Unit totals	9	132	3.4	6.8
3	Ogden	A Ogden	9	58	3.3	15.5
4	Morgan-South Rich	A Morgan-South Rich	3	15	4.1	20.0
5	East Canyon	A East Canyon	3	64	3.5	4.7
6	Chalk Creek	A Chalk Creek	3	52	3.4	5.8
7	Kamas	A Kamas	12	77	4.4	15.6
8	North Slope	A Summit	0	12	3.8	0.0
		B West Daggett	3	12	4.3	25.0
		C Three Corners	0	6	3.0	0.0
		Unit totals	3	30	3.8	10.0
9	South Slope	A Yellowstone	3	42	3.9	7.1
		B Vernal	6	42	3.9	14.3
		D Bonanza	0	0	—	—
		Unit totals	9	84	3.9	10.7
11	Nine Mile	A Anthro	0	9	3.3	0.0
		B Range Creek	6	51	4.1	11.8
		Unit totals	6	60	4.0	10.0
12	San Rafael	A San Rafael	6	26	3.4	23.1
13	La Sal	A La Sal Mountains	0	51	4.5	0.0
14	San Juan	A San Juan	6	38	4.7	15.8
16	Central Mountains	A Nebo	44	518	4.1	8.5
		B North Manti	29	229	4.0	12.7
		C South Manti	51	416	4.2	12.3
		Unit totals	124	1163	4.1	10.7
17	Wasatch Mountains	A Diamond Fork	16	200	3.6	8.0
		A Heber	25	168	3.8	14.9
		A Salt Lake	0	0	—	—
		A Timpanogos	6	129	3.4	4.7
		B Currant Creek	6	57	4.1	10.5
		C Avintaquin	0	6	5.5	0.0
		Unit totals	53	560	3.7	9.5

Dedicated hunter muzzleloader deer harvest by management unit / subunit, Utah 2006 (cont.).

	Unit	Subunit	Buck harvest	Hunters afield	Mean days hunted	Success rate (%)
18	Oquirrh-Stansbury	A Oquirrh-Stansbury	41	240	3.9	17.1
19	West Desert	A West Desert	13	44	3.4	29.5
		C Tintic	6	85	3.9	7.1
		Unit totals	19	129	3.7	14.7
20	Southwest Desert	A Southwest Desert	12	111	4.9	10.8
21	Fillmore	A Oak Creek	16	154	4.3	10.4
		B Pahvant	8	59	3.4	13.6
		Unit totals	24	213	4.0	11.3
22	Beaver	A Beaver	63	423	4.7	14.9
23	Monroe	A Monroe	47	272	4.3	17.3
24	Mt Dutton	A Mt Dutton	36	115	4.1	31.3
25	Plateau	A Fish Lake	36	253	4.4	14.2
		C Boulder	47	229	4.1	20.5
		Unit totals	83	482	4.2	17.2
26	Kaiparowits	A Kaiparowits	8	24	5.8	33.3
28	Panguitch Lake	A Panguitch Lake	51	312	4.6	16.3
29	Zion	A Zion	39	170	3.6	22.9
30	Pine Valley	A Pine Valley	107	596	3.9	18.0
	Unidentified	Unidentified	11	67	4.4	16.4
Region totals		Central	126	1110	3.9	11.4
		Northeastern	30	259	4.0	11.6
		Northern	49	445	3.7	11.0
		Southeastern	102	788	4.3	12.9
		Southern	490	2776	4.5	17.7
Statewide totals			796	5378	4.3	14.8

*Region totals are not the sum of management units because some units are in multiple regions.

**Region and statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

Dedicated hunter archery deer harvest by management unit / subunit, Utah 2006.

Unit	Subunit	Buck harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
1 Box Elder	A West Box Elder	0	0	0	17	9.2	0.0
	B East Box Elder	0	0	0	7	13.4	0.0
	C South Box Elder	0	0	0	10	9.8	0.0
	Unit totals	0	0	0	34	7.4	0.0
2 Cache	A Cache	0	0	0	70	7.2	0.0
	B North Rich	7	0	7	35	3.5	20.0
	C Wellsville	3	0	3	21	5.3	14.3
	Unit totals	10	0	10	126	5.8	7.9
3 Ogden	A Ogden	3	0	3	77	7.0	3.9
4 Morgan-South Rich	A Morgan-South Rich	7	0	7	38	7.4	18.4
5 East Canyon	A East Canyon	3	3	7	213	12.4	3.3
6 Chalk Creek	A Chalk Creek	0	0	0	59	7.9	0.0
7 Kamas	A Kamas	7	0	7	112	7.8	6.3
8 North Slope	A Summit	0	0	0	38	7.8	0.0
	B West Daggett	0	0	0	17	4.5	0.0
	C Three Corners	0	0	0	14	10.2	0.0
	Unit totals	0	0	0	69	7.5	0.0
9 South Slope	A Yellowstone	3	0	3	63	8.6	4.8
	B Vernal	7	0	7	77	12.8	9.1
	D Bonanza	0	0	0	3	11.7	0.0
	Unit totals	10	0	10	143	10.9	7.0
11 Nine Mile	A Anthro	0	0	0	7	11.4	0.0
	B Range Creek	0	0	0	45	9.3	0.0
	Unit totals	0	0	0	52	9.6	0.0
12 San Rafael	A San Rafael	3	0	3	45	5.8	6.7
13 La Sal	A La Sal Mountains	0	0	0	38	6.5	0.0
14 San Juan	A San Juan	0	0	0	38	5.1	0.0
16 Central Mountains	A Nebo	3	0	3	266	7.3	1.1
	B North Manti	10	0	10	248	7.2	4.0
	C South Manti	28	0	28	570	8.1	4.9
	Unit totals	41	0	41	1084	7.7	3.8
17 Wasatch Mountains	A Diamond Fork	3	0	3	259	7.6	1.2
	A Heber	7	0	7	238	8.0	2.9
	A Salt Lake	7	3	10	234	9.1	4.3
	A Timpanogos	7	0	7	98	6.7	7.1
	B Currant Creek	3	0	3	101	7.3	3.0
	C Avintaquin	3	0	3	28	8.9	10.7
	Unit totals	30	3	33	958	8.0	3.4

Dedicated hunter archery deer harvest by management unit / subunit, Utah 2006 (cont.).

Unit	Subunit	Buck harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
18 Oquirrh-Stansbury	A Oquirrh-Stansbury	7	0	7	185	7.5	3.8
19 West Desert	A West Desert	0	0	0	10	5.9	0.0
	C Tintic	3	0	3	59	7.1	5.1
	Unit totals	3	0	3	69	6.9	4.3
20 Southwest Desert	A Southwest Desert	3	0	3	56	9.9	5.4
21 Fillmore	A Oak Creek	3	0	3	105	5.9	2.9
	B Pahvant	0	0	0	140	7.7	0.0
	Unit totals	3	0	3	245	6.9	1.2
22 Beaver	A Beaver	14	0	14	238	6.8	5.9
23 Monroe	A Monroe	14	0	14	175	6.3	8.0
24 Mt Dutton	A Mt Dutton	3	0	3	49	5.3	6.1
25 Plateau	A Fish Lake	10	0	10	192	6.1	5.2
	C Boulder	10	0	10	154	7.2	6.5
	Unit totals	20	0	20	346	6.6	5.8
26 Kaiparowits	A Kaiparowits	0	0	0	17	10.7	0.0
28 Panguitch Lake	A Panguitch Lake	21	0	21	273	8.8	7.7
29 Zion	A Zion	14	0	14	115	7.7	12.2
30 Pine Valley	A Pine Valley	21	0	21	336	7.0	6.3
Unidentified	Unidentified	7	0	7	49	6.9	14.3
Statewide totals		244	6	251	4307	9.4	5.8

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

Limited entry buck deer harvest, Utah 2006.

Hunt type	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Archery	Henry Mountains	5	6	5	7.6	100.0
	Paunsaugunt	21	33	31	8.1	66.7
	South Slope, Diamond Mountain	11	16	15	5.5	73.3
	Book Cliffs	65	80	80	5.6	81.1
	San Juan, Elk Ridge	7	9	9	5.1	75.0
	West Desert, Vernon	7	23	21	9.2	35.0
	Fillmore, Oak Creek	0	10	4	10.3	0.0
	Plateau, Thousand Lakes	4	7	7	7.9	57.1
Any weapon	Henry Mountains	17	18	17	3.3	100.0
	Paunsaugunt	78	99	96	5.6	80.9
	South Slope, Diamond Mountain	74	87	83	2.9	89.2
	Book Cliffs	337	365	356	3.7	94.6
	La Sal, Dolores Triangle	10	10	10	3.6	100.0
	San Juan, Elk Ridge	17	24	24	3.8	71.4
	West Desert, Vernon	73	82	80	3.1	90.9
	Fillmore, Oak Creek	19	32	28	4.7	69.2
	Plateau, Thousand Lakes	18	24	23	3.6	80.0
	Statewide Sportsman / Conservation	2	2	2	7.5	100.0
Muzzleloader	Henry Mountains	6	6	6	2.7	100.0
	Paunsaugunt	37	51	50	6.8	73.5
	Cache, Crawford Mountain	15	16	16	5.7	92.9
	South Slope, Diamond Mountain	17	23	18	2.9	93.3
	Book Cliffs	61	80	79	4.1	77.6
	La Sal, Dolores Triangle	9	11	11	5.4	77.8
	San Juan, Elk Ridge	7	7	7	4.3	100.0
	West Desert, Vernon	21	27	26	5.2	80.0
	Fillmore, Oak Creek	7	10	9	4.2	75.0
	Plateau, Thousand Lakes	6	7	7	4.6	85.7
Totals	Archery	120	184	172	6.7	69.8
	Any weapon	645	743	719	3.8	89.7
	Muzzleloader	186	238	229	4.9	81.2
	Statewide	951	1165	1120	4.5	84.9

Limited entry antlerless deer harvest, Utah 2006.

Unit	Hunt	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
		Doe	Fawn	Total				
1	Box Elder, West Bear River (early)	33	3	36	80	68	5.6	52.2
1	Box Elder, West Bear River (late)	8	3	11	30	16	3.0	66.7
5	East Canyon, Davis-North Salt Lake	2	2	4	30	22	3.4	18.2
5	East Canyon, Lewis Peak (early)	10	0	10	50	40	2.7	25.0
5	East Canyon, Lewis Peak (late)	48	3	51	60	60	1.9	85.0
5	East Canyon, Porterville (early)	33	0	33	50	48	2.9	68.4
5	East Canyon, Porterville (late)	32	5	37	50	50	2.1	73.7
5	East Canyon, West Morgan	26	3	29	50	43	3.1	66.7
6	Chalk Creek, East Coalville*	63	0	63	50	45	2.9	76.5
7	Kamas, West Hills	21	0	21	30	30	2.4	71.4
9	South Slope, Ashley Valley-Deep Creek	53	3	56	100	88	4.7	64.3
16	Central Mtns, Gunnison Valley*	66	3	69	75	69	5.3	65.2
16	Central Mtns, Levan	35	0	35	75	63	4.5	54.5
16	Central Mtns, Sanpete Valley	20	5	25	50	48	5.0	52.6
21	Fillmore, Nephi	11	2	13	25	17	3.5	75.0
21	Fillmore, Delta-Sevier River	23	0	23	50	45	4.8	50.0
23	Monroe-Plateau, Sevier Valley	56	12	68	100	88	3.4	76.7
Statewide totals		540	44	584	955	840	3.8	63.2

*2 doe permits. Success rates are per hunter.

CWMU buck deer harvest, Utah 2006.

CWMU	Unit	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Blue Spring Hills	1	9	16	15	8.3	58.3
Boot Jack	1	4	8	8	8.8	50.0
Cotton Thomas	1	12	17	17	3.6	71.4
Dove Creek	1	8	11	11	3.5	75.0
Engineer Springs	1	—	1	—	—	—
Fort Ranch	1	1	4	4	3.3	33.3
Golden Spike	1	4	5	5	4.0	80.0
Ingham Peak	1	15	33	32	3.6	48.3
Junction Valley	1	20	25	25	4.1	78.3
North Promontory	1	7	10	9	4.6	83.3
Park Valley Hereford	1	25	39	39	3.3	63.3
Pocatello Valley	1	4	10	10	3.3	37.5
Promontory Point	1	4	5	5	3.6	75.0
Rattlesnake Pass	1	21	23	23	4.9	90.5
Twin Peaks	1	19	33	31	6.4	62.1
Washakie	1	10	10	10	3.4	100.0
West Hills	1	12	21	20	4.2	60.0
Whites Valley	1	23	27	26	2.9	90.5
Chournos-Legacy	2	3	9	9	9.4	28.6
Bear Spring	3	2	2	2	1.5	100.0
Broadmouth	3	11	20	20	3.1	56.3
Coldwater Ranch	3	13	17	16	5.1	83.3
Green Canyon	3	5	9	9	6.0	55.6
Mt. Pisgah	3	10	13	13	4.2	77.8
South Canyon	3	9	16	16	7.4	57.1
Cedar Canyon	4	20	20	20	5.1	100.0
Coal Hollow Bench	4	14	17	17	5.1	81.3
Deseret	4	99	158	156	5.8	63.6
Dry Bread	4	7	10	10	4.1	66.7
Durst Mountain	4	16	20	20	5.6	78.9
Folley Ridge	4	21	28	26	4.0	82.6
Guildersleeve	4	27	36	36	3.3	75.0
Hell Canyon	4	13	14	14	4.5	91.7
Middle Ridge Deer	4	11	15	15	7.0	71.4
Skull Crack	4	9	9	9	3.7	100.0
Woodruff Creek	4	12	19	19	4.3	61.1
Big Mountain	5	24	30	30	3.7	80.8
Hardscrabble	5	16	27	27	5.8	60.0
Jacobs Creek	5	4	9	9	2.6	42.9
Lone Tree-Taylor Hollow	5	34	43	42	2.8	81.6
Clark Canyon	6	29	30	30	3.0	95.8

CWMU buck deer harvest, Utah 2006 (cont.).

CWMU	Unit	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
East Fork Chalk Creek	6	22	27	27	4.0	82.6
Ensign Ranches	6	25	30	30	3.9	82.4
Grass Valley	6	33	37	37	4.8	89.3
State Corner	6	27	39	39	6.6	68.6
Stillman Creek Ranch	6	5	32	32	6.5	16.7
Two Bear	6	12	20	20	5.5	60.0
Weber-Florence Creek	6	37	81	80	4.6	46.8
Antelope Creek	11	2	3	3	8.3	66.7
Magnificent Seven	11	5	6	6	6.3	83.3
Minnie Maud Ridge	11	23	32	31	7.0	74.1
Pace Canyon	11	6	10	10	9.7	57.1
Pagano Ranch	11	19	20	20	3.6	94.7
Preston Nutter Ranch	11	2	3	3	2.7	66.7
Castle Valley Outdoors	16	5	7	7	3.3	66.7
JB Ranch	13	13	20	19	3.7	66.7
Redd Ranches	13	13	17	17	3.6	78.6
Piute Springs	14	2	9	7	8.1	33.3
Spring Creek-Dodge	14	58	70	70	4.2	82.8
Summit Point	14	12	16	16	5.3	73.3
Bear Mountain	16	4	5	5	4.8	80.0
Crab Creek	16	3	5	5	5.0	66.7
Heartland West	16	8	10	10	2.0	77.8
Hiawatha	16	5	8	8	19.0	60.0
Oak Ranch	16	23	24	23	2.7	100.0
Old Women Plateau	16	5	15	15	3.9	30.8
Scofield Canyons	16	20	26	26	5.1	75.0
Scofield West	16	7	10	10	4.0	66.7
Soldier Summit	16/17	9	13	13	4.0	70.0
Coyote-Little Pole	17	19	20	20	5.7	93.8
Deer Creek	17	2	10	10	4.7	16.7
Double R Ranch	17	4	8	8	5.1	50.0
Emma Park	17	17	30	30	4.2	56.5
Little Red Creek	17	21	24	23	2.1	94.4
Mill Hollow	17	8	9	9	1.9	85.7
Moon Ranch	17	12	16	15	2.6	80.0
Three C	17	18	19	19	3.6	92.9
Wallsburg	17	1	5	5	5.0	20.0
Heaston East	18	11	12	12	2.8	90.0
West Lake	19	2	2	2	6.0	100.0
Missouri Flat	21	6	11	11	3.7	50.0

CWMU buck deer harvest, Utah 2006 (cont.).

CWMU	Unit	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Bar J Ranch	25	4	19	19	3.1	18.8
Boobe Hole	25	13	19	19	3.8	69.2
Grazing Pasture	25	9	24	23	3.5	40.9
Johnson Mountain Ranch	25	4	18	17	4.9	21.4
Alton	27	24	26	26	4.3	91.3
Mt. Carmel	29	14	14	14	6.3	100.0
Statewide totals		1201	1750	1726	4.7	69.6

CWMU antlerless deer harvest, Utah 2006.

CWMU	Unit	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
		Doe	Fawn	Total				
Big Mountain*	5	5	5	10	5	5	1.0	100.0
Hardscrabble*	5	8	2	10	10	8	2.7	100.0
Lone Tree Taylor Hollow	5	10	0	10	10	10	1.0	100.0
Clark Canyon*	6	—	—	—	5	—	—	—
East Fork Chalk Creek*	6	10	0	10	5	5	2.0	100.0
Grass Valley*	6	0	0	0	5	3	1.0	0.0
Stillman Creek Ranch*	6	1	0	1	5	5	1.3	25.0
Weber Florence Creek	6	4	0	4	10	10	1.4	42.9
Heaston East*	18	32	0	32	16	16	1.4	100.0
Statewide totals		70	7	77	71	62	1.5	79.0

*2 doe permits. Success rates are per hunter.

Free mitigation deer harvest by management unit / subunit, Utah 2006.

Unit	Subunit	Permits	Antlerless harvest			Hunters afield	Mean days hunted	Success rate (%)
			Doe	Fawn	Total			
1 Box Elder	A West Box Elder	71	46	0	46	27	6.8	83.3
	B East Box Elder	68	25	0	25	23	14.6	66.7
	C South Box Elder	—	—	—	—	—	—	—
	Unit totals	139	71	0	71	50	10.4	75.7
2 Cache	A Cache	5	0	0	0	0	0.0	0.0
	B North Rich	27	14	0	14	14	7.0	100.0
	C Wellsville	53	44	0	44	16	10.3	100.0
	Unit totals	85	58	0	58	30	8.8	100.0
3 Ogden	A Ogden	33	10	0	10	7	3.0	100.0
4 Morgan-South Rich	A Morgan Rich	15	7	0	7	7	6.8	75.0
5 East Canyon	A East Canyon	49	21	0	21	13	3.4	80.0
6 Chalk Creek	A Chalk Creek	66	35	0	35	31	2.3	75.0
7 Kamas	A Kamas	39	23	0	23	12	4.8	100.0
8 North Slope	A Summit	—	—	—	—	—	—	—
	B West Daggett	17	5	0	5	2	3.0	100.0
	C Three Corners	—	—	—	—	—	—	—
	Unit totals	17	5	0	5	2	3.0	100.0
9 South Slope	A Yellowstone	427	141	19	160	163	6.3	65.4
	B Vernal	150	47	0	47	63	7.1	51.9
	C Diamond Mtn	—	—	—	—	—	—	—
	D Bonanza	2	2	0	2	1	2.0	100.0
	Unit totals	579	190	19	209	227	6.5	61.8
10 Book Cliffs	A Bitter Creek	—	—	—	—	—	—	—
	B South	—	—	—	—	—	—	—
	C Little Creek	—	—	—	—	—	—	—
	Unit totals	—	—	—	—	—	—	—
11 Nine Mile	A Anthro	53	23	0	23	18	1.9	71.4
	B Range Creek	—	—	—	—	—	—	—
	Unit totals	53	23	0	23	18	1.9	71.4
12 San Rafael	A San Rafael North	87	41	11	52	41	3.4	85.7
	B San Rafael South	—	—	—	—	—	—	—
	Unit totals	87	41	11	52	41	3.4	85.7
13 La Sal	A La Sal Mtn	5	5	0	5	3	2.0	100.0
	B Dolores Triangle	—	—	—	—	—	—	—
	Unit totals	5	5	0	5	3	2.0	100.0
14 San Juan	A Abajo	18	18	0	18	6	3.0	100.0
	B Elk Ridge	—	—	—	—	—	—	—
	Unit totals	18	18	0	18	6	3.0	100.0
15 Henry Mountains	A Henry Mountains	—	—	—	—	—	—	—

*Some hunters had multiple permits. Success rates are per hunter.

Free mitigation deer harvest by management unit / subunit, Utah 2006 (cont.).

Unit	Subunit	Permits	Antlerless harvest			Hunters afield	Mean days hunted	Success rate (%)
			Doe	Fawn	Total			
16 Central Mountains	A Nebo	120	49	0	49	40	2.7	66.7
	B North Manti	53	12	0	12	19	6.7	50.0
	C South Manti	77	47	0	47	30	1.3	93.3
	Unit totals	250	108	0	108	89	3.1	72.1
17 Wasatch Mountains	A Wasatch West	54	17	0	17	17	7.5	75.0
	B Currant Creek	59	12	0	12	27	1.8	33.3
	C Avintaquin	12	2	0	2	5	13.5	50.0
	Unit totals	125	31	0	31	49	5.0	49.5
18 Oquirrh-Stansbury	A Oquirrh-Stansbury	14	14	0	14	9	1.5	100.0
19 West Desert	A West Desert	35	31	0	31	9	3.5	100.0
	B Vernon	—	—	—	—	—	—	—
	C Tintic	25	13	0	13	8	1.3	75.0
	Unit totals	60	44	0	44	17	2.4	88.2
20 Southwest Desert	A Southwest Desert	34	17	0	17	14	1.8	50.0
21 Fillmore	A Oak Creek	55	23	0	23	14	4.3	66.7
	B Pahvant	5	0	0	0	0	0.0	0.0
	Unit totals	60	23	0	23	14	4.3	66.7
22 Beaver	A Beaver	44	23	0	23	21	3.0	71.4
23 Monroe	A Monroe	89	35	0	35	31	5.8	75.0
24 Mt Dutton	A Mount Dutton	—	—	—	—	—	—	—
25 Plateau	A Fish Lake	17	0	0	0	9	2.0	0.0
	B Thousand Lakes	20	6	0	6	3	1.0	100.0
	C Boulder	76	10	0	10	24	10.2	40.0
	Unit totals	113	16	0	16	36	7.4	35.0
26 Kaiparowits	A Kaiparowits	3	3	0	3	3	1.0	100.0
27 Paunsaugunt	A Paunsaugunt	—	—	—	—	—	—	—
28 Panguitch Lake	A Panguitch Lake	4	4	0	4	4	1.0	100.0
29 Zion	A Zion	—	—	—	—	—	—	—
30 Pine Valley	A Pine Valley	23	14	0	14	12	1.8	75.0
Statewide totals		2004	839	30	869	746	5.2	69.5

*Some hunters had multiple permits. Success rates are per hunter.

Fee mitigation deer harvest by management unit / subunit, Utah 2006.

Unit	Subunit	Permits	Antlerless harvest			Hunters afield	Mean days hunted	Success rate (%)
			Doe	Fawn	Total			
1 Box Elder	A West Box Elder	5	5	0	5	5	1.0	100.0
	B East Box Elder	4	0	0	0	0	—	—
	C South Box Elder	—	—	—	—	—	—	—
	Unit totals	9	5	0	5	5	1.0	100.0
2 Cache	A Cache	—	—	—	—	—	—	—
	B North Rich	11	6	2	8	9	1.0	83.3
	C Wellsville	6	6	0	6	6	3.0	100.0
	Unit totals	17	12	2	14	15	1.8	93.3
3 Ogden	A Ogden	2	2	0	2	2	1.0	100.0
4 Morgan-South Rich	A Morgan Rich	8	8	0	8	8	1.0	100.0
5 East Canyon	A East Canyon	36	30	3	33	36	2.9	90.9
6 Chalk Creek	A Chalk Creek	24	22	0	22	22	2.4	100.0
7 Kamas	A Kamas	10	0	0	0	10	3.0	0.0
8 North Slope	A Summit	—	—	—	—	—	—	—
	B West Daggett	—	—	—	—	—	—	—
	C Three Corners	—	—	—	—	—	—	—
	Unit totals	—	—	—	—	—	—	—
9 South Slope	A Yellowstone	9	5	0	5	9	2.8	60.0
	B Vernal	—	—	—	—	—	—	—
	C Diamond Mtn	—	—	—	—	—	—	—
	D Bonanza	—	—	—	—	—	—	—
	Unit totals	9	5	0	5	9	2.8	55.6
10 Book Cliffs	A Bitter Creek	—	—	—	—	—	—	—
	B South	—	—	—	—	—	—	—
	C Little Creek	—	—	—	—	—	—	—
	Unit totals	—	—	—	—	—	—	—
11 Nine Mile	A Anthro	1	1	0	1	1	2.0	100.0
	B Range Creek	—	—	—	—	—	—	—
	Unit totals	1	1	0	1	1	2.0	100.0
12 San Rafael	A San Rafael North	1	1	0	1	1	1.0	100.0
	B San Rafael South	—	—	—	—	—	—	—
	Unit totals	1	1	0	1	1	1.0	100.0
13 La Sal	A La Sal Mtn	—	—	—	—	—	—	—
	B Dolores Triangle	—	—	—	—	—	—	—
	Unit totals	—	—	—	—	—	—	—
14 San Juan	A Abajo	3	2	0	2	2	1.0	100.0
	B Elk Ridge	—	—	—	—	—	—	—
	Unit totals	3	2	0	2	2	1.0	100.0
15 Henry Mountains	A Henry Mountains	—	—	—	—	—	—	—

Fee mitigation deer harvest by management unit / subunit, Utah 2006 (cont.).

Unit	Subunit	Permits	Antlerless harvest			Hunters afield	Mean days hunted	Success rate (%)
			Doe	Fawn	Total			
16 Central Mountains	A Nebo	38	28	2	30	35	1.4	85.7
	B North Manti	10	3	2	5	8	1.3	66.7
	C South Manti	9	9	0	9	9	3.5	100.0
	Unit totals	57	40	4	44	52	1.8	84.6
17 Wasatch Mountains	A Wasatch West	—	—	—	—	—	—	—
	B Currant Creek	6	4	0	4	4	1.0	100.0
	C Avintaquin	1	0	0	0	0	0.0	0.0
	Unit totals	7	4	0	4	4	1.0	100.0
18 Oquirrh-Stansbury	A Oquirrh-Stansbury	50	36	0	36	50	5.0	71.4
19 West Desert	A West Desert	12	12	0	12	12	1.2	100.0
	B Vernon	—	—	—	—	—	—	—
	C Tintic	—	—	—	—	—	—	—
	Unit totals	12	12	0	12	12	1.2	100.0
20 Southwest Desert	A Southwest Desert	8	8	0	8	8	2.0	100.0
21 Fillmore	A Oak Creek	2	0	0	0	0	0.0	0.0
	B Pahvant	1	1	0	1	1	1.0	100.0
	Unit totals	3	1	0	1	1	1.0	100.0
22 Beaver	A Beaver	—	—	—	—	—	—	—
23 Monroe	A Monroe	6	6	0	6	6	2.8	100.0
24 Mt Dutton	A Mount Dutton	—	—	—	—	—	—	—
25 Plateau	A Fish Lake	—	—	—	—	—	—	—
	B Thousand Lakes	—	—	—	—	—	—	—
	C Boulder	—	—	—	—	—	—	—
	Unit totals	—	—	—	—	—	—	—
26 Kaiparowits	A Kaiparowits	—	—	—	—	—	—	—
27 Paunsaugunt	A Paunsaugunt	—	—	—	—	—	—	—
28 Panguitch Lake	A Panguitch Lake	—	—	—	—	—	—	—
29 Zion	A Zion	—	—	—	—	—	—	—
30 Pine Valley	A Pine Valley	4	0	0	0	4	3.5	0.0
Statewide totals		267	195	9	204	248	2.7	82.3

Total buck deer harvest by subunit, Utah 1999–2006.

	Unit	Subunit	1999	2000	2001	2002	2003	2004	2005	2006
1	Box Elder	A West Box Elder	1058	1226	569	574	467	550	682	870
1	Box Elder	B East Box Elder	1134	594	554	348	294	339	343	497
1	Box Elder	C South Box Elder	—	—	—	—	—	—	—	66
2	Cache	A Cache	1548*	827	780	332	871	863	637	730
2	Cache	B North Rich	—	574	429	398	412	322	206	390
2	Cache	C Wellsville	—	489	442	144	273	234	193	290
3	Ogden	A Ogden	595	772	688	412	529	662	412	624
4	Morgan-South Rich	A Morgan-South Rich	1167	1112	789	642	748	818	622	701
5	East Canyon	A East Canyon	903	1177	978	642	875	858	770	857
6	Chalk Creek	A Chalk Creek	701	1067	719	767	749	926	694	887
7	Kamas	A Kamas	393	487	481	583	544	480	449	584
8	North Slope	A Summit	137	362	86	164	134	191	86	167
8	North Slope	B West Daggett	206	339	205	295	123	334	218	329
8	North Slope	C Three Corners	100	195	103	161	83	198	213	320
9	South Slope	A Yellowstone	942	1344	904	819	583	818	746	917
9	South Slope	B Vernal	1163	1505	914	889	636	1054	793	1189
9	South Slope	C Diamond Mountain	155	114	141	138	120	95	98	102
9	South Slope	D Bonanza	56	116	48	84	43	87	48	98
10	Book Cliffs	— All	290	323	412	396	347	391	412	463
11	Nine Mile	A Anthro	105	160	121	108	60	127	65	148
11	Nine Mile	B Range Creek	253	383	267	228	193	202	217	324
12	San Rafael	A North San Rafael	122	124	202	182	130	146	174	184
12	San Rafael	B South San Rafael	—	—	—	—	—	—	—	31
13	La Sal	A La Sal Mountains	623	710	421	500	571	562	499	789
13	La Sal	B Dolores Triangle	25	53	44	40	26	18	17	19
14	San Juan	A Abajo	857	1005	836	648	414	712	812	1327
14	San Juan	B Elk Ridge	103	107	81	86	43	41	37	31
15	Henry Mountains	A Henry Mountains	0	19	20	20	22	21	22	28

*Harvest is for the entire unit.

Total buck deer harvest by subunit, Utah 1999–2006 (cont.).

	Unit		Subunit	1999	2000	2001	2002	2003	2004	2005	2006
16	Central Mountains	A	Nebo	2211	1113	1296	1135	966	1526	859	1683
16	Central Mountains	B	North Manti	996	1225	1013	780	767	1151	724	962
16	Central Mountains	C	South Manti	2084	2308	1744	1282	1383	1571	1247	1798
17	Wasatch Mountains	A	Diamond Fork	1852**	1962**	573	560	613	615	473	500
17	Wasatch Mountains	A	Heber	—	—	765	639	770	861	600	904
17	Wasatch Mountains	A	Salt Lake	—	—	185	137	115	104	69	27
17	Wasatch Mountains	A	Timpanogos	—	—	243	420	358	304	187	374
17	Wasatch Mountains	B	Currant Creek	554	1328	818	810	760	1086	640	759
17	Wasatch Mountains	C	Avintaquin	100	214	152	213	159	187	159	235
18	Oquirrh-Stansbury	A	Oquirrh-Stansbury	1440	739	993	721	969	725	677	883
19	West Desert	A	West Desert	1264*	149	263	153	119	85	88	199
19	West Desert	B	Vernon	—	214	193	184	74	79	76	101
19	West Desert	C	Tintic	—	563	650	353	307	396	387	249
20	Southwest Desert	A	Southwest Desert	58	112	90	125	120	129	86	169
21	Fillmore	A	Oak Creek	898*	981*	904*	870*	715*	1113*	177	526
21	Fillmore	A	Oak Creek (LE)	36	35	26	31	31	38	21	26
21	Fillmore	B	Pahvant	—	—	—	—	—	—	479	161
22	Beaver	A	Beaver	1044	1282	920	936	587	1064	677	1142
23	Monroe	A	Monroe	767	1031	731	746	863	884	614	798
24	Mt. Dutton	A	Mt. Dutton	152	264	220	244	154	129	139	254
25	Plateau	A	Fish Lake	836	1078	779	753	709	810	535	816
25	Plateau	B	Thousand Lakes	57	60	63	61	24	22	19	28
25	Plateau	C	Boulder	530	822	711	676	506	671	542	811
26	Kaiparowits	A	Kaiparowits	35	46	28	46	33	31	50	73
27	Paunsaugunt	A	Paunsaugunt	204	254	184	176	118	142	135	160
28	Panguitch Lake	A	Panguitch Lake	992	1088	701	827	657	978	677	1041
29	Zion	A	Zion	983	805	611	576	417	798	623	1019
30	Pine Valley	A	Pine Valley	1282	1221	1174	1095	725	944	798	1575

*Harvest is for the entire unit.

**Harvest for all of 17A.

Total antlerless deer harvest by subunit, Utah 1999–2006.

	Unit	Subunit	1999	2000	2001	2002	2003	2004	2005	2006
1	Box Elder	A West Box Elder	16	14	217	71	5	0	0	51
1	Box Elder	B East Box Elder	166	612	171	99	37	39	31	72
1	Box Elder	C South Box Elder	—	—	—	—	—	—	—	0
2	Cache	A Cache	29*	15	9	6	0	0	0	0
2	Cache	B North Rich	—	5	0	0	0	0	0	22
2	Cache	C Wellsville	—	5	8	38	0	0	0	50
3	Ogden	A Ogden	78	102	73	0	14	0	5	16
4	Morgan-South Rich	A Morgan-South Rich	320	408	376	280	207	186	187	15
5	East Canyon	A East Canyon	209	365	310	290	284	263	209	311
6	Chalk Creek	A Chalk Creek	223	428	469	354	256	280	313	135
7	Kamas	A Kamas	29	23	49	39	49	25	23	44
8	North Slope	A Summit	8	0	0	0	0	0	0	0
8	North Slope	B West Daggett	0	0	4	0	0	0	5	5
8	North Slope	C Three Corners	0	0	37	65	17	5	0	4
9	South Slope	A Yellowstone	103	63	116	9	5	10	30	177
9	South Slope	B Vernal	478	279	380	356	176	201	99	131
9	South Slope	C Diamond Mountain	0	0	35	72	0	0	0	0
9	South Slope	D Bonanza	0	0	0	0	0	0	0	2
10	Book Cliffs	— All	0	0	11	17	10	0	0	0
11	Nine Mile	A Anthro	0	0	0	0	0	0	0	24
11	Nine Mile	B Range Creek	0	0	0	0	0	0	0	0
12	San Rafael	A San Rafael	0	0	0	0	0	0	0	53
12	San Rafael	B South San Rafael	—	—	—	—	—	—	—	0
13	La Sal	A La Sal Mountains	30	39	31	0	0	0	0	5
13	La Sal	B Dolores Triangle	0	0	0	0	0	0	0	0
14	San Juan	A Abajo	0	32	47	22	0	0	0	20
14	San Juan	B Elk Ridge	0	0	0	0	0	0	0	0
15	Henry Mountains	A Henry Mountains	0	0	0	0	0	0	0	0

*Harvest is for the entire unit.

**Harvest does not include mitigation permits.

Total antlerless deer harvest by subunit, Utah 1999–2006 (cont.).

	Unit		Subunit	1999	2000	2001	2002	2003	2004	2005	2006
16	Central Mountains	A	Nebo	0	124	164	116	109	131	107	208
16	Central Mountains	B	North Manti	0	0	0	0	0	0	0	17
16	Central Mountains	C	South Manti	95	167	36	0	0	0	0	56
17	Wasatch Mountains	A	Diamond Fork	43*	21*	0	0	0	5	0	17
17	Wasatch Mountains	A	Heber	—	—	0	0	0	0	0	0
17	Wasatch Mountains	A	Salt Lake	—	—	22	22	23	23	23	7
17	Wasatch Mountains	A	Timpanogos	—	—	0	57	0	115	0	4
17	Wasatch Mountains	B	Currant Creek	186	365	715	700	55	5	0	16
17	Wasatch Mountains	C	Avintaquin	0	0	0	0	0	0	0	2
18	Oquirrh-Stansbury	A	Oquirrh-Stansbury	0	0	0	0	40	0	21	82
19	West Desert	A	West Desert	0	0	0	0	0	0	0	43
19	West Desert	B	Vernon	0	0	0	0	0	0	0	0
19	West Desert	C	Tintic	0	0	0	0	0	0	0	13
20	Southwest Desert	A	Southwest Desert	0	0	0	0	0	0	0	25
21	Fillmore	A	Oak Creek	161*	58*	92*	86*	43*	8*	17	59
21	Fillmore	A	Oak Creek (LE)	0	0	0	0	0	0	0	0
21	Fillmore	B	Pahvant	—	—	—	—	—	—	0	1
22	Beaver	A	Beaver	120	224	123	59	0	0	0	23
23	Monroe	A	Monroe	0	155	144	118	101	42	38	109
24	Mt. Dutton	A	Mt. Dutton	0	0	0	0	0	0	0	0
25	Plateau	A	Fish Lake	0	0	0	0	0	0	0	0
25	Plateau	B	Thousand Lakes	0	0	0	0	0	0	0	6
25	Plateau	C	Boulder	132	170	131	104	0	0	0	10
26	Kaiparowits	A	Kaiparowits	0	0	0	0	0	0	0	3
27	Paunsaugunt	A	Paunsaugunt	240	319	225	100	112	0	0	0
28	Panguitch Lake	A	Panguitch Lake	132	242	62	31	0	0	0	4
29	Zion	A	Zion	0	174	0	0	0	0	0	0
30	Pine Valley	A	Pine Valley	0	107	94	34	38	0	0	14

*Harvest for all of 17A.

**Harvest does not include mitigation permits.

Total buck deer hunters afield by subunit, Utah 1999–2006.

	Unit	Subunit	1999	2000	2001	2002	2003	2004	2005	2006
1	Box Elder	A West Box Elder	3434	4360	2479	2617	1926	2003	2645	2397
1	Box Elder	B East Box Elder	2062	1707	1559	1453	1024	1177	808	1308
1	Box Elder	C South Box Elder	—	—	—	—	—	—	—	360
2	Cache	A Cache	8575*	4237	4373	3405	5221	4470	4565	3952
2	Cache	B North Rich	—	2903	2728	3129	2245	2103	1976	2142
2	Cache	C Wellsville	—	1359	1236	788	817	990	859	991
3	Ogden	A Ogden	2491	3142	2881	3267	2417	2681	2371	2466
4	Morgan-South Rich	A Morgan-South Rich	3638	2865	2725	2596	2098	2357	2213	2119
5	East Canyon	A East Canyon	3236	4353	4006	3893	3353	3294	4015	3665
6	Chalk Creek	A Chalk Creek	1797	2247	1784	2118	1754	1772	1898	1939
7	Kamas	A Kamas	2415	2333	2581	3320	2985	2836	2890	3120
8	North Slope	A Summit	934	694	681	1076	801	844	705	950
8	North Slope	B West Daggett	992	1133	947	883	875	833	942	900
8	North Slope	C Three Corners	326	456	434	458	383	428	432	687
9	South Slope	A Yellowstone	3847	3866	2991	3131	2599	2539	2832	2623
9	South Slope	B Vernal	3568	3993	2746	2723	2187	2921	2535	3049
9	South Slope	C Diamond Mountain	159	130	154	154	155	117	119	116
9	South Slope	D Bonanza	171	253	189	198	122	238	135	224
10	Book Cliffs	— All	356	351	508	446	405	442	471	515
11	Nine Mile	A Anthro	305	406	372	359	328	425	272	351
11	Nine Mile	B Range Creek	572	763	816	883	682	920	779	897
12	San Rafael	A San Rafael	299	340	512	658	499	582	653	588
12	San Rafael	B South San Rafael	—	—	—	—	—	—	—	135
13	La Sal	A La Sal Mountains	1499	1575	1405	1631	1724	1418	1469	1678
13	La Sal	B Dolores Triangle	49	72	53	47	30	20	20	21
14	San Juan	A Abajo	2030	2082	2137	2239	2050	1699	2139	2685
14	San Juan	B Elk Ridge	112	117	87	93	47	44	45	40
15	Henry Mountains	A Henry Mountains	0	23	24	24	23	25	24	28

*Hunters afield is for the entire unit.

Total buck deer hunters afield by subunit, Utah 1999–2006 (cont.).

	Unit		Subunit	1999	2000	2001	2002	2003	2004	2005	2006
16	Central Mountains	A	Nebo	6029	3400	4806	4620	4320	4572	4409	5627
16	Central Mountains	B	North Manti	3294	3726	3941	4201	3866	4153	4063	3738
16	Central Mountains	C	South Manti	7117	7566	6737	6794	6842	6050	6595	6945
17	Wasatch Mountains	A	Diamond Fork	7821**	7990**	2709	3500	3453	3499	3257	2881
17	Wasatch Mountains	A	Heber	—	—	3160	2751	3656	3525	3780	3815
17	Wasatch Mountains	A	Salt Lake	—	—	1468	1466	1131	889	1270	458
17	Wasatch Mountains	A	Timpanogos	—	—	878	1657	1382	1350	1158	1623
17	Wasatch Mountains	B	Currant Creek	2780	4653	4077	4193	3765	3344	3751	3194
17	Wasatch Mountains	C	Avintaquin	476	665	591	789	675	545	640	658
18	Oquirrh-Stansbury	A	Oquirrh-Stansbury	3087	1986	3220	3036	3317	3053	2815	2989
19	West Desert	A	West Desert	3277*	512	874	713	522	546	512	698
19	West Desert	B	Vernon	—	287	241	219	139	128	119	127
19	West Desert	C	Tintic	—	1446	2622	1841	1512	1653	1667	1121
20	Southwest Desert	A	Southwest Desert	153	338	352	786	443	447	533	609
21	Fillmore	A	Oak Creek	1952*	2178*	2713*	3443*	2999*	3533*	633	1768
21	Fillmore	A	Oak Creek (LE)	39	47	62	62	56	59	41	41
21	Fillmore	B	Pahvant	—	—	—	—	—	—	2736	742
22	Beaver	A	Beaver	2574	2627	3115	3992	3182	3472	3374	3503
23	Monroe	A	Monroe	1637	2178	2128	2743	2576	2913	2505	2543
24	Mt. Dutton	A	Mt. Dutton	413	627	778	1150	824	571	622	695
25	Plateau	A	Fish Lake	1738	2103	2645	2640	2757	2779	2571	2409
25	Plateau	B	Thousand Lakes	84	98	100	94	42	38	37	37
25	Plateau	C	Boulder	975	1330	1697	2160	1846	1772	1900	2025
26	Kaiparowits	A	Kaiparowits	81	129	126	153	174	160	174	195
27	Paunsaugunt	A	Paunsaugunt	285	338	319	269	178	200	199	203
28	Panguitch Lake	A	Panguitch Lake	2251	2304	2596	3536	3206	3273	2962	3398
29	Zion	A	Zion	2109	1642	1912	2356	1692	2021	2193	2500
30	Pine Valley	A	Pine Valley	2773	2491	2993	3793	3346	3694	4000	4376

*Hunters afield is for the entire unit.

**Hunters afield for all of 17A.

Total antlerless deer hunters afield by subunit, Utah 1999–2006.

	Unit	Subunit	1999	2000	2001	2002	2003	2004	2005	2006
1	Box Elder	A West Box Elder	22	19	124	78	0	0	0	32
1	Box Elder	B East Box Elder	252	1077	259	204	117	93	73	107
1	Box Elder	C South Box Elder	—	—	—	—	—	—	—	0
2	Cache	A Cache	60*	60	46	42	0	0	0	0
2	Cache	B North Rich	—	0	0	0	0	0	0	23
2	Cache	C Wellsville	—	23	17	71	0	0	0	22
3	Ogden	A Ogden	72	136	82	0	0	0	0	9
4	Morgan-South Rich	A Morgan-South Rich	447	471	281	307	168	147	161	15
5	East Canyon	A East Canyon	301	483	281	330	308	284	303	335
6	Chalk Creek	A Chalk Creek	265	517	329	252	194	177	238	121
7	Kamas	A Kamas	34	31	50	50	50	25	26	52
8	North Slope	A Summit	0	0	0	0	0	0	0	0
8	North Slope	B West Daggett	0	0	0	0	0	0	0	2
8	North Slope	C Three Corners	0	0	40	82	19	0	0	0
9	South Slope	A Yellowstone	89	94	86	0	0	0	0	172
9	South Slope	B Vernal	578	361	567	518	226	182	84	151
9	South Slope	C Diamond Mountain	0	0	38	88	0	0	0	0
9	South Slope	D Bonanza	0	0	0	0	0	0	0	1
10	Book Cliffs	— All	0	0	22	20	17	0	0	0
11	Nine Mile	A Anthro	0	0	0	0	0	0	0	19
11	Nine Mile	B Range Creek	0	0	0	0	0	0	0	0
12	San Rafael	A San Rafael	0	0	0	0	0	0	0	42
12	San Rafael	B South San Rafael	—	—	—	—	—	—	—	0
13	La Sal	A La Sal Mountains	35	48	47	0	0	0	0	3
13	La Sal	B Dolores Triangle	0	0	0	0	0	0	0	0
14	San Juan	A Abajo	0	58	37	23	0	0	0	8
14	San Juan	B Elk Ridge	0	0	0	0	0	0	0	0
15	Henry Mountains	A Henry Mountains	0	0	0	0	0	0	0	0

*Hunters afield is for the entire unit.

**Hunters afield does not include mitigation permits.

Total antlerless deer hunters afield by subunit, Utah 1999–2006 (cont.).

	Unit		Subunit	1999	2000	2001	2002	2003	2004	2005	2006
16	Central Mountains	A	Nebo	0	217	194	174	172	170	195	255
16	Central Mountains	B	North Manti	0	0	0	0	0	0	0	27
16	Central Mountains	C	South Manti	113	182	68	0	0	0	0	39
17	Wasatch Mountains	A	Diamond Fork	15*	0	0	0	0	0	0	17
17	Wasatch Mountains	A	Heber	—	0	0	0	0	0	0	0
17	Wasatch Mountains	A	Salt Lake	—	0	0	0	0	35	0	0
17	Wasatch Mountains	A	Timpanogos	—	0	0	182	0	142	0	0
17	Wasatch Mountains	B	Currant Creek	294	470	950	950	71	0	0	31
17	Wasatch Mountains	C	Avintaquin	0	0	0	0	0	0	0	5
18	Oquirrh-Stansbury	A	Oquirrh-Stansbury	0	0	0	0	23	0	13	75
19	West Desert	A	West Desert	0	0	0	0	0	0	0	21
19	West Desert	B	Vernon	0	0	0	0	0	0	0	0
19	West Desert	C	Tintic	0	0	0	0	0	0	0	8
20	Southwest Desert	A	Southwest Desert	0	0	0	0	0	0	0	22
21	Fillmore	A	Oak Creek	215*	93*	124*	132*	74*	31*	17	76
21	Fillmore	A	Oak Creek (LE)	0	0	0	0	0	0	0	0
21	Fillmore	B	Pahvant	—	—	—	—	—	—	0	1
22	Beaver	A	Beaver	234	273	215	117	0	0	0	21
23	Monroe	A	Monroe	0	214	214	189	184	84	79	125
24	Mt. Dutton	A	Mt. Dutton	0	0	0	0	0	0	0	0
25	Plateau	A	Fish Lake	0	0	0	0	0	0	0	9
25	Plateau	B	Thousand Lakes	0	0	0	0	0	0	0	3
25	Plateau	C	Boulder	192	190	185	187	0	0	0	24
26	Kaiparowits	A	Kaiparowits	0	0	0	0	0	0	0	3
27	Paunsaugunt	A	Paunsaugunt	256	388	209	60	80	0	0	0
28	Panguitch Lake	A	Panguitch Lake	164	278	79	45	0	0	0	4
29	Zion	A	Zion	0	194	0	0	0	0	0	0
30	Pine Valley	A	Pine Valley	0	111	123	48	63	0	0	16

*Hunters afield for 17A.

**Hunters afield does not include mitigation permits.

Deer population estimates and objectives by management unit, Utah 2002–2006.

Management unit	Objective	Winter population estimate				
		2002	2003	2004	2005	2006
Box Elder	20000	12100	9500	10500	11500	13400
Cache	25000	12800	13200	13700	14000	14500
Ogden	11000	5500	5500	5700	6000	6500
Morgan-South Rich	12000	10000	10100	11000	10000	9600
East Canyon	7000	7200	7600	8100	7500	7000
Chalk Creek	10500	14000	10500	10700	9500	10500
Kamas	8000	7400	7500	7500	7500	7500
North Slope	6200	4500	4400	4700	4900	5000
South Slope, Yellowstone	13000	10400	10100	10600	10900	11200
South Slope, Vernal / Diamond Mtn.	13000	11600	10200	9900	10300	10100
Book Cliffs	15000	7100	7350	8000	9700	7200
Nine Mile	8500	3400	4350	3400	2950	2950
San Rafael	1000	—	—	—	—	—
La Sal	19400	7700	8700	9200	9625	10850
San Juan	20500	8000	9500	10700	12650	13700
Henry Mountains	2000	550	580	680	975	900
Centrals Mountains, Manti	38000	26000	28000	29900	32700	26600
Central Mountains, Nebo	22600	14500	15000	15600	17075	21579
Wasatch Mountains, Diamond Fork / Heber / Timpanogos	20600	17600	16300	16700	17300	23004
Wasatch Mountains, Currant Creek	15000	13500	11500	10700	10600	11300
Wasatch Mountains, Avintquin	3200	1750	1600	1600	1600	1700
Wasatch Mountains, Salt Lake	2000	2250	2000	2200	2250	2813
Oquirrh-Stansbury	10600	8850	9100	9400	10250	12521
West Desert	11200	7650	6200	6900	7000	8309
Southwest Desert	3200	900	1700	1700	1250	1400
Fillmore	12500	8200	7400	9700	7800	8000
Beaver	11000	8200	8500	9500	7000	9000
Monroe	7500	7000	4200	5100	6550	7000
Mount Dutton	2700	1700	1800	1900	1700	2000
Plateau	22600	13000	13200	15150	15400	17000
Kaiparowits	1000	400	400	400	400	400
Paunsaugunt	5200	5400	3800	3975	5100	6500
Panguitch Lake	8500	6200	6000	8500	7150	8925
Zion	9000	5000	5000	8300	6600	7000
Pine Valley	12800	10000	7000	8300	11700	12500
Statewide totals	411300	280350	267780	289905	297425	318451

Number of buck deer / 100 does for public land management units, Utah 2004–2006.

Unit	Subunit	Objective	Postseason estimate			3 year average
			2004	2005	2006	
Box Elder	Box Elder	15–20	17	19	19	18.2
Cache	Cache	15–20	20	11	14	15.0
Kamas	Kamas	15–20	22	22	22	22.0
North Slope	Summit	15–20	*	*	*	*
North Slope	West Daggett / Three Corners	15–20	14	17	16	15.6
South Slope	Yellowstone	15–20	10	14	17	13.5
South Slope	Vernal	15–20	9	13	14	12.2
Nine Mile	Anthro	15–20	10	0	19	9.8
Nine Mile	Range Creek	15–20	23	24	31	26.1
San Rafael	San Rafael	15–20	*	*	*	*
La Sal	La Sal Mountains	15–20	12	13	15	13.4
San Juan	Abajo	15–20	14	19	22	18.4
Central Mountains	Nebo	15–20	8	13	12	11.0
Central Mountains	Manti (Central Region)	15–20	8	13	12	10.9
Central Mountains	Manti (Southeastern Region)	15–20	15	17	17	16.5
Wasatch Mountains	DF / Heber / Timpanogos	15–20	13	19	21	17.7
Wasatch Mountains	Salt Lake	15–20	29	37	38	34.7
Wasatch Mountains	Currant Creek	15–20	15	18	17	16.6
Wasatch Mountains	Avintaquin	15–20	7	16	20	14.5
Oquirrh-Stansbury	Oquirrh-Stansbury	15–20	8	13	10	10.5
West Desert	West Desert, Other	15–20	*	15	15	15.2
Southwest Desert	Southwest Desert	15–20	28	15	28	23.7
Fillmore	Pahvant	15–20	12	14	13	13.0
Beaver	Beaver	15–20	14	15	18	15.6
Monroe	Monroe	15–20	7	9	13	9.7
Mt. Dutton	Mt. Dutton	15–20	16	13	19	16.0
Plateau	Fish Lake	15–20	9	18	13	13.2
Plateau	Boulder	15–20	20	20	28	22.7
Kaiparowits	Kaiparowits	15–20	*	*	*	*
Panguitch Lake	Panguitch Lake	15–20	14	25	15	18.2
Zion	Zion	15–20	20	23	21	21.2
Pine Valley	Pine Valley	15–20	17	20	19	18.6
Region averages						
Northern		15–20	19	16	18	17.6
Northeastern		15–20	12	16	16	14.6
Central		15–20	10	15	15	13.4
Southeastern		15–20	15	17	20	17.6
Southern		15–20	15	17	16	15.8

*Insufficient data.

Number of buck deer / 100 does for limited entry and private land management units, Utah
2004–2006.

Unit	Subunit	Objective	Postseason estimate			3 year average
			2004	2005	2006	
Cache	Crawford Mountain	25–35	17	22	11	16.8
Ogden	Ogden	15	16	15	14	15.0
Morgan-South Rich	Morgan-South Rich	15	45	52	46	47.8
East Canyon	East Canyon	15	32	25	28	28.2
Chalk Creek	Chalk Creek	15	37	28	25	30.1
South Slope	Diamond Mountain	25–35	23	31	37	30.3
Book Cliffs	North	25–35	31	37	35	34.5
Book Cliffs	South	25–35	46	47	39	43.9
La Sal	Dolores Triangle	25–35	28	28	17	24.5
San Juan	Elk Ridge	25–35	23	28	28	26.3
Henry Mountains	Henry Mountains	35	41	48	37	42.1
West Desert	Vernon	25–35	31	19	30	26.5
Fillmore	Oak Creek	25–35	17	31	24	23.9
Plateau	Thousand Lakes	25–35	22	13	21	18.7
Paunsaugunt	Paunsaugunt	35	33	46	48	42.3

Number of fawn deer /100 does by management unit, Utah 1999–2006.

Unit	Subunit	Postseason estimate						
		1999	2000	2001	2002	2003	2004	2005
Box Elder	Box Elder	55	42	44	63	65	71	80
Cache	Cache	82	65	71	42	78	88	82
Cache	Crawford Mountain	*	*	*	*	69	92	77
Ogden	Ogden	72	70	76	42	86	75	88
Morgan-South Rich	Morgan-South Rich	73	71	77	60	82	87	70
East Canyon	East Canyon	70	69	86	54	72	90	65
Chalk Creek	Chalk Creek	81	72	63	73	72	81	72
Kamas	Kamas	71	73	86	70	74	76	68
North Slope	Summit	*	*	*	*	*	*	*
North Slope	West Daggett / Three Corners	57	55	51	48	69	71	67
South Slope	Yellowstone	51	64	60	42	60	56	70
South Slope	Vernal	56	54	56	50	63	57	64
South Slope	Diamond Mountain	72	60	59	51	73	60	77
Book Cliffs	North	54	45	44	40	62	54	63
Book Cliffs	South	47	31	23	23	44	53	68
Nine Mile	Anthro	*	*	*	*	45	32	*
Nine Mile	Range Creek	70	57	46	37	50	65	74
San Rafael	San Rafael	*	*	*	*	*	*	*
La Sal	La Sal Mountains	40	45	34	29	56	47	55
La Sal	Dolores Triangle	39	37	32	27	55	42	37
San Juan	Abajo	57	46	40	24	64	61	72
San Juan	Elk Ridge	38	25	24	17	52	47	53
Henry Mountains	Henry Mountains	70	36	36	36	44	84	91

*Insufficient data.

Number of fawn deer /100 does by management unit, Utah 1999–2006 (cont.).

Unit	Subunit	Postseason estimate						
		1999	2000	2001	2002	2003	2004	2005
Central Mountains	Nebo	70	68	73	48	59	65	64
Central Mountains	Manti (Central)	75	70	60	60	65	70	60
Central Mountains	Manti (Southeastern)	65	59	51	52	63	69	75
Wasatch Mountains	Diamond Fork / Heber / Timpanogos	63	70	61	70	71	67	71
Wasatch Mountains	Salt Lake	69	54	71	65	65	58	68
Wasatch Mountains	Currant Creek	80	79	60	51	61	61	74
Wasatch Mountains	Avintaquin	65	56	*	43	67	50	92
Oquirrh-Stansbury	Oquirrh	63	51	57	57	71	65	65
West Desert	Vernon	77	64	55	43	78	75	87
West Desert	West Desert, Other	54	54	*	*	50	*	57
Southwest Desert	Southwest Desert	52	48	40	26	40	44	69
Fillmore	Oak Creek	61	50	44	32	47	54	65
Fillmore	Pahvant	57	40	33	34	35	53	53
Beaver	Beaver	63	53	56	36	55	62	61
Monroe	Monroe	68	58	48	57	64	63	57
Mt Dutton	Mount Dutton	63	64	57	42	57	68	61
Plateau	Fish Lake	78	67	47	44	63	73	82
Plateau	Thousand Lakes	79	72	48	60	59	59	71
Plateau	Boulder	89	70	49	41	49	84	95
Kaiparowits	Kaiparowits	*	*	*	*	*	*	*
Paunsaugunt	Paunsaugunt	70	47	42	30	63	62	72
Panguitch Lake	Panguitch Lake	59	55	58	47	55	57	59
Zion	Zion	60	48	57	54	53	75	61
Pine Valley	Pine Valley	71	58	53	40	58	59	71
Statewide averages		66	59	54	46	63	66	66

*Insufficient data.

Deer classification data by subunit, Utah 1999–2007.

Box Elder

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1604	55	49	14	32	1032	43
2000–2001	1131	42	37	14	29	947	31
2001–2002	1318	44	39	12	49	1002	21
2002–2003	1071	63	56	13	71	1239	48
2003–2004	784	65	58	12	37	—	—
2004–2005	989	71	61	17	54	889	54
2005–2006	1113	80	67	19	43	896	65
2006–2007	809	65	55	19	43	664	48

Cache

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	945	82	74	11	38	1007	67
2000–2001	1794	65	56	16	32	1350	66
2001–2002	1741	71	63	12	37	1157	35
2002–2003	1491	42	37	12	48	1064	38
2003–2004	1733	78	67	16	38	1104	67
2004–2005	1365	88	73	20	61	2123	50
2005–2006	1209	82	74	11	36	1027	53
2006–2007	532	59	52	14	33	619	47

Cache, Crawford Mountain

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	—	—
2001–2002	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—
2003–2004	140	69	61	13	30	—	—
2004–2005	195	92	79	17	44	—	—
2005–2006	101	77	63	22	60	—	—
2006–2007	135	58	52	11	22	—	—

Deer classification data by subunit, Utah 1999–2007 (cont.).

Ogden

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	555	72	65	11	27	735	67
2000–2001	1119	70	59	19	39	981	62
2001–2002	481	76	61	25	42	720	25
2002–2003	674	42	35	18	44	834	38
2003–2004	387	86	74	17	39	333	41
2004–2005	852	75	65	16	45	1070	43
2005–2006	528	88	77	15	38	296	45
2006–2007	537	95	83	14	31	338	73

Morgan-South Rich

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	284	73	59	24	56	1387	48
2000–2001	1069	71	54	31	52	1692	53
2001–2002	1022	77	53	44	60	894	31
2002–2003	1038	60	39	53	69	1449	40
2003–2004	1501	82	57	44	67	481	54
2004–2005	1501	87	60	45	53	1392	58
2005–2006	584	70	46	52	48	565	22
2006–2007	424	83	56	46	65	449	53

East Canyon

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	382	70	62	14	56	1261	56
2000–2001	1838	69	58	18	38	894	50
2001–2002	797	86	69	24	51	619	40
2002–2003	533	54	39	37	69	727	35
2003–2004	756	72	54	33	38	—	—
2004–2005	414	90	68	32	52	511	66
2005–2006	490	65	52	25	43	568	40
2006–2007	402	82	64	28	49	412	60

Deer classification data by subunit, Utah 1999–2007 (cont.).

Chalk Creek

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1079	81	67	22	53	1337	60
2000–2001	762	72	57	25	51	699	66
2001–2002	758	63	52	22	51	786	52
2002–2003	716	73	51	42	55	935	45
2003–2004	870	72	52	40	50	1123	48
2004–2005	728	81	59	37	39	1037	54
2005–2006	579	72	56	28	53	536	52
2006–2007	618	77	61	25	55	486	56

Kamas

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	173	71	63	13	42	577	63
2000–2001	776	73	60	21	48	520	67
2001–2002	801	86	70	22	53	640	64
2002–2003	476	70	58	21	40	667	47
2003–2004	677	74	61	20	39	710	63
2004–2005	373	76	62	22	46	363	56
2005–2006	416	68	56	22	59	363	50
2006–2007	397	77	63	22	55	326	57

North Slope, West Daggett / Three Corners

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	495	57	50	14	46	756	43
2000–2001	452	55	46	18	36	520	36
2001–2002	378	51	44	15	50	726	42
2002–2003	629	48	42	14	40	802	41
2003–2004	789	69	58	20	28	921	49
2004–2005	592	71	62	14	47	1152	57
2005–2006	525	67	57	17	37	1046	47
2006–2007	902	51	44	16	44	989	31

Deer classification data by subunit, Utah 1999–2007 (cont.).

South Slope, Yellowstone

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	651	51	42	21	46	852	63
2000–2001	915	64	55	15	30	1356	50
2001–2002	788	60	51	15	55	1049	39
2002–2003	813	42	39	8	36	792	33
2003–2004	1115	60	53	12	41	911	38
2004–2005	1525	56	51	10	26	1351	40
2005–2006	1124	70	61	14	32	1382	53
2006–2007	1449	65	55	17	38	1304	49

South Slope, Vernal / Bonanza

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	673	56	53	6	35	816	46
2000–2001	460	54	51	7	47	1276	48
2001–2002	374	56	53	6	36	422	46
2002–2003	792	50	46	9	38	935	41
2003–2004	692	63	55	14	37	783	43
2004–2005	464	57	52	9	21	885	45
2005–2006	618	64	57	13	20	992	51
2006–2007	775	55	48	14	30	849	40

South Slope, Diamond Mountain

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1068	72	59	23	24	676	49
2000–2001	890	60	48	24	31	1124	43
2001–2002	522	59	46	27	41	828	42
2002–2003	1160	51	42	22	45	804	37
2003–2004	1172	73	60	21	43	823	48
2004–2005	932	60	49	23	45	1099	44
2005–2006	885	77	59	31	48	1198	57
2006–2007	795	55	40	37	37	809	38

Deer classification data by subunit, Utah 1999–2007 (cont.).

Book Cliffs, North

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	870	54	38	42	52	1018	30
2000–2001	1551	45	32	40	60	1161	26
2001–2002	1013	44	32	38	64	1536	27
2002–2003	865	40	30	32	59	1064	28
2003–2004	889	62	48	31	55	1113	46
2004–2005	762	54	42	31	40	1267	39
2005–2006	1034	63	46	37	52	1995	43
2006–2007	714	62	46	35	47	1673	37

Book Cliffs, South

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	323	47	33	44	—	—	29
2000–2001	415	31	21	43	47	688	14
2001–2002	370	23	17	35	80	567	12
2002–2003	599	23	16	41	58	358	13
2003–2004	405	44	31	40	73	422	23
2004–2005	401	53	36	46	57	422	35
2005–2006	623	68	47	47	60	689	40
2006–2007	506	60	43	39	43	741	33

Nine Mile, Anthro

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	37	—	—	—	—	205	30
2000–2001	55	—	—	—	—	47	—
2001–2002	34	—	—	—	—	156	43
2002–2003	45	—	—	—	—	45	—
2003–2004	45	45	41	10	33	85	35
2004–2005	102	32	29	10	29	85	35
2005–2006	—	—	—	—	—	47	52
2006–2007	70	75	63	19	43	143	43

Deer classification data by subunit, Utah 1999–2007 (cont.).

Nine Mile, Range Creek

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	325	70	57	22	—	—	49
2000–2001	501	57	44	29	41	1373	32
2001–2002	284	46	40	17	47	929	20
2002–2003	373	37	31	17	41	545	21
2003–2004	371	50	40	25	56	904	28
2004–2005	495	65	53	23	48	904	46
2005–2006	440	74	59	24	58	1207	45
2006–2007	587	66	51	31	48	1213	36

La Sal, La Sal Mountains

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	407	40	37	10	43	—	30
2000–2001	669	45	41	9	44	1210	31
2001–2002	563	34	30	14	36	644	24
2002–2003	866	29	26	11	36	789	21
2003–2004	711	56	49	13	62	724	43
2004–2005	757	47	42	12	42	724	39
2005–2006	684	55	48	13	46	962	48
2006–2007	641	50	43	15	47	867	40

La Sal, Dolores Triangle

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	404	39	32	22	45	—	29
2000–2001	368	37	30	24	62	592	28
2001–2002	502	32	26	19	58	559	23
2002–2003	432	27	23	17	53	422	20
2003–2004	321	55	48	15	53	605	31
2004–2005	305	42	33	28	46	605	27
2005–2006	333	37	29	28	61	358	46
2006–2007	169	47	40	17	50	250	52

Deer classification data by subunit, Utah 1999–2007 (cont.).

San Juan, Abajo

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1159	57	52	10	29	—	42
2000–2001	1032	46	39	16	26	1659	26
2001–2002	549	40	34	17	41	983	22
2002–2003	844	24	21	12	49	1351	18
2003–2004	803	64	57	13	38	586	53
2004–2005	602	61	54	14	36	586	52
2005–2006	842	72	60	19	37	1121	57
2006–2007	1234	62	51	22	34	941	48

San Juan, Elk Ridge

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	480	38	28	36	49	—	26
2000–2001	359	25	18	38	53	538	13
2001–2002	291	24	19	24	63	481	13
2002–2003	291	17	14	25	64	283	12
2003–2004	386	52	42	24	71	306	35
2004–2005	294	47	39	23	48	306	33
2005–2006	364	53	42	28	54	540	38
2006–2007	517	53	41	28	44	543	34

Henry Mountains

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	126	70	50	40	54	—	47
2000–2001	155	36	25	43	57	208	32
2001–2002	239	36	26	36	58	258	26
2002–2003	288	36	25	46	52	119	17
2003–2004	120	44	53	33	55	154	43
2004–2005	206	84	60	41	61	154	47
2005–2006	252	82	55	48	54	261	55
2006–2007	593	91	66	37	56	197	52

Deer classification data by subunit, Utah 1999–2007 (cont.).

Central Mountains, Nebo

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	721	70	67	5	50	—	—
2000–2001	1562	68	61	12	23	3068	51
2001–2002	782	73	61	19	27	2325	34
2002–2003	1316	48	42	15	37	—	—
2003–2004	1093	59	51	16	30	1793	44
2004–2005	1120	65	60	8	34	—	—
2005–2006	527	64	56	13	28	—	—
2006–2007	789	65	58	12	32	968	36

Central Mountains, North Manti / South Manti (Central Region)

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	660	75	65	16	35	—	—
2000–2001	2041	70	60	16	37	2368	53
2001–2002	856	60	53	14	25	1818	31
2002–2003	685	60	54	10	57	—	—
2003–2004	1457	65	58	13	58	1108	30
2004–2005	1496	70	64	8	37	—	—
2005–2006	1400	60	53	13	28	—	—
2006–2007	1047	65	58	12	32	1330	45

Central Mountains, North Manti / South Manti (Southeastern Region)

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	745	65	54	20	28	4889	48
2000–2001	1588	59	51	17	36	3209	39
2001–2002	1198	51	46	11	27	1864	30
2002–2003	1424	52	46	13	31	—	32
2003–2004	1358	63	53	17	41	2680	41
2004–2005	1551	69	60	15	40	2680	50
2005–2006	1611	75	64	17	35	3622	52
2006–2007	1910	65	55	17	32	3256	42

Deer classification data by subunit, Utah 1999–2007 (cont.).

Wasatch Mountains, Diamond Fork / Heber / Timpanogos

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1416	63	57	10	37	—	—
2000–2001	3513	70	60	17	36	3773	53
2001–2002	2103	61	52	17	37	3369	35
2002–2003	2154	70	62	13	47	—	—
2003–2004	2076	71	59	21	33	2781	52
2004–2005	2582	67	59	13	45	1732	52
2005–2006	1217	71	60	19	38	—	—
2006–2007	1467	78	64	21	40	—	—

Wasatch Mountains, Salt Lake

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	234	69	57	21	31	—	—
2000–2001	498	54	40	35	54	513	63
2001–2002	716	71	56	26	52	252	29
2002–2003	62	65	48	35	91	—	—
2003–2004	130	65	44	45	43	144	37
2004–2005	155	58	45	29	48	—	—
2005–2006	469	68	50	37	52	—	—
2006–2007	282	68	49	38	60	—	—

Wasatch Mountains, Currant Creek

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1275	80	70	14	38	1021	64
2000–2001	1638	79	66	19	44	1884	55
2001–2002	1584	60	50	19	54	1363	42
2002–2003	1729	51	45	14	53	1659	39
2003–2004	1727	61	51	19	43	1232	42
2004–2005	1497	61	53	15	50	1201	37
2005–2006	1137	74	63	18	52	1241	55
2006–2007	1493	75	64	17	45	1200	55

Deer classification data by subunit, Utah 1999–2007 (cont.).

Wasatch Mountains, Avintaquin

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	189	65	56	17	50	605	52
2000–2001	176	56	47	20	20	467	43
2001–2002	40	—	—	—	—	705	35
2002–2003	146	43	39	9	33	163	30
2003–2004	28	67	56	20	67	562	51
2004–2005	135	50	47	7	33	516	47
2005–2006	156	92	79	16	25	740	39
2006–2007	153	64	53	20	41	444	42

Oquirrh-Stansbury

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	199	63	57	11	25	—	—
2000–2001	762	51	44	17	29	742	60
2001–2002	722	57	50	14	34	616	37
2002–2003	383	57	52	9	32	370	38
2003–2004	623	71	61	16	51	923	33
2004–2005	738	65	60	8	36	—	—
2005–2006	425	65	57	13	42	—	—
2006–2007	302	76	69	10	24	—	—

West Desert, Vernon

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	188	77	62	25	48	—	—
2000–2001	704	64	48	34	51	464	54
2001–2002	209*	55*	46	18*	45*	111	34
2002–2003	186	43	34	28	53	—	—
2003–2004	163	78	66	18	67	200	31
2004–2005	264	75	57	31	63	—	—
2005–2006	216	87	73	19	40	—	—
2006–2007	218	60	46	30	32	—	—

*Includes entire West Desert Unit.

Deer classification data by subunit, Utah 1999–2007 (cont.).

West Desert, Other

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	98	54	53	2	100	—	—
2000–2001	383	54	49	10	61	325	38
2001–2002	209*	55*	51	18*	45*	285	31
2002–2003	—	—	—	—	—	—	—
2003–2004	262	50	45	11	44	—	—
2004–2005	—	—	—	—	—	—	—
2005–2006	162	57	50	15	29	—	—
2006–2007	24	69	60	15	50	—	—

*Includes entire West Desert Unit.

Southwest Desert

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	161	52	42	24	54	—	—
2000–2001	260	48	37	31	51	—	—
2001–2002	265	40	31	30	62	176	28
2002–2003	200	26	21	24	66	—	—
2003–2004	249	40	32	24	65	—	—
2004–2005	312	44	34	28	61	—	—
2005–2006	432	69	60	15	66	—	—
2006–2007	230	68	53	28	52	51	44

Fillmore, Oak Creek

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	208	61	45	35	30	209	39
2000–2001	183	50	38	33	39	362	30
2001–2002	375	44	34	29	60	166	38
2002–2003	288	32	25	25	61	137	26
2003–2004	248	47	36	29	59	137	32
2004–2005	276	54	46	17	63	143	40
2005–2006	214	65	50	31	32	271	45
2006–2007	226	60	49	24	52	56	40

Deer classification data by subunit, Utah 1999–2007 (cont.).

Fillmore, Pahvant

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1012	57	47	22	35	1501	42
2000–2001	1356	40	34	16	44	1590	30
2001–2002	836	33	28	18	47	817	18
2002–2003	1133	34	29	18	56	903	24
2003–2004	702	35	31	15	61	967	36
2004–2005	758	53	47	12	50	937	36
2005–2006	688	53	46	14	46	885	45
2006–2007	855	56	50	13	42	686	40

Beaver

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1399	63	52	21	31	2424	44
2000–2001	2257	53	45	19	46	1699	39
2001–2002	1254	56	47	19	45	941	24
2002–2003	1217	36	32	12	46	1162	19
2003–2004	567	55	49	12	63	1365	39
2004–2005	947	62	55	14	40	779	46
2005–2006	964	61	53	15	48	2141	46
2006–2007	571	62	53	18	41	57	46

Monroe

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1835	68	60	13	27	1230	64
2000–2001	3315	58	50	15	39	1139	37
2001–2002	3408	48	41	17	37	1125	28
2002–2003	1038	57	48	18	37	1686	40
2003–2004	789	64	57	12	54	1064	53
2004–2005	978	63	59	7	27	926	56
2005–2006	782	57	52	9	38	865	42
2006–2007	2389	61	54	13	33	695	44

Deer classification data by subunit, Utah 1999–2007 (cont.).

Mt. Dutton

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	654	63	53	20	29	1025	56
2000–2001	795	64	55	16	36	1138	41
2001–2002	500	57	50	13	41	850	39
2002–2003	351	42	37	14	47	485	26
2003–2004	413	57	50	14	65	492	54
2004–2005	383	68	59	16	27	486	50
2005–2006	309	61	54	13	35	373	50
2006–2007	314	95	79	19	61	546	67

Plateau, Fish Lake

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	2074	78	67	17	46	1326	70
2000–2001	1895	67	58	16	43	2336	43
2001–2002	2804	47	42	13	40	1068	37
2002–2003	846	44	37	18	61	1841	40
2003–2004	990	63	55	15	65	640	62
2004–2005	723	73	67	9	40	1362	57
2005–2006	729	82	70	18	31	1249	63
2006–2007	2880	68	61	13	29	826	53

Plateau, Thousand Lakes

Year	Post					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1061	79	65	21	47	882	64
2000–2001	1024	72	61	19	45	677	30
2001–2002	588	48	41	17	55	571	40
2002–2003	381	60	51	18	42	733	33
2003–2004	624	59	50	25	76	233	58
2004–2005	267	59	48	22	55	266	59
2005–2006	181	71	63	13	31	290	60
2006–2007	105	81	67	21	18	301	50

Deer classification data by subunit, Utah 1999–2007 (cont.).

Plateau, Boulder

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1112	89	73	22	45	955	70
2000–2001	1066	70	58	20	50	1427	39
2001–2002	571	49	40	22	52	728	38
2002–2003	569	41	35	17	58	1026	32
2003–2004	432	49	42	16	67	738	49
2004–2005	784	84	70	20	52	802	61
2005–2006	504	95	79	20	40	1442	67
2006–2007	524	82	64	28	54	1189	59

Paunsaugunt

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	681	70	56	25	51	887	38
2000–2001	550	47	34	38	60	831	37
2001–2002	616	42	30	39	63	722	35
2002–2003	608	30	22	37	60	562	20
2003–2004	547	63	47	35	73	484	59
2004–2005	364	62	47	33	53	340	39
2005–2006	434	72	49	46	63	642	48
2006–2007	373	60	41	48	56	391	49

Panguitch Lake

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	992	59	51	16	28	1135	45
2000–2001	1189	55	48	15	25	1549	38
2001–2002	391	58	50	15	15	372	30
2002–2003	677	47	42	12	45	1099	36
2003–2004	555	55	50	7	31	763	52
2004–2005	877	57	50	14	38	1160	49
2005–2006	602	59	47	25	31	2009	58
2006–2007	957	71	61	15	30	1469	53

Deer classification data by subunit, Utah 1999–2007 (cont.).

Zion

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	1542	60	53	13	28	1227	29
2000–2001	1170	48	43	11	54	1353	28
2001–2002	702	57	51	11	34	863	28
2002–2003	683	54	49	11	30	970	43
2003–2004	776	53	47	12	49	465	42
2004–2005	995	75	63	20	32	1161	69
2005–2006	781	61	50	23	41	1064	46
2006–2007	668	63	53	21	57	388	41


Pine Valley

Year	Post				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
1999–2000	2128	71	60	18	26	1137	52
2000–2001	1172	58	45	29	35	1313	34
2001–2002	1194	53	43	22	41	858	41
2002–2003	1427	40	33	20	37	945	30
2003–2004	1540	58	50	17	67	712	48
2004–2005	1263	59	50	17	53	891	49
2005–2006	707	71	59	20	37	1074	54
2006–2007	1534	70	59	19	40	1740	55

ELK



Statewide trends of elk harvest statistics, Utah 1931–2006.



Statewide elk harvest statistics, Utah 1931–1970.

Year	Permits issued				Hunters afield	Harvest				Success rate (%)	
	Bull	Cow	Hunter's choice	Total		Bull	Cow	Calf	Hunter's choice		
1931	184	—	75	259	256	99	—	—	26	125	49
1932	191	—	58	249	246	140	—	—	49	189	77
1933	201	—	150	351	346	162	2	—	71	235	68
1934	143	—	281	424	418	179	44	—	96	292	70
1935	60	—	297	357	352	146	37	—	22	205	58
1936	60	—	160	220	217	92	49	—	12	153	70
1937	151	53	47	251	248	119	69	—	—	188	76
1938	193	172	150	515	508	186	195	—	49	430	85
1939	328	408	—	736	726	261	380	—	—	641	88
1940	522	406	—	928	916	455	383	—	—	838	91
1941	419	378	74	871	860	390	391	—	—	781	91
1942	426	394	146	966	954	374	385	—	—	759	80
1943	429	291	112	832	821	303	261	—	—	564	69
1944	262	123	195	580	572	172	90	—	170	432	76
1945	335	145	220	700	691	312	250	—	—	562	81
1946	395	215	450	1060	1031	483	362	—	—	845	82
1947	260	125	850	1235	1208	502	563	—	—	1065	88
1948	25	10	875	910	902	307	481	—	—	788	87
1949	175	95	655	925	914	374	343	—	—	717	78
1950	305	70	1305	1680	1669	754	649	—	—	1403	84
1951	350	136	1335	1821	1807	803	704	—	—	1507	83
1952	310	120	1330	1760	1750	641	682	—	—	1323	76
1953	210	115	1172	1497	1491	471	496	—	—	967	65
1954	190	—	1160	1350	1332	423	425	—	—	848	64
1955	281	—	1192	1473	1461	413	345	92	—	850	58
1956	357	—	1063	1420	1407	434	298	85	—	817	58
1957	513	—	1299	1812	1768	487	356	89	—	932	53
1958	580	—	1460	2040	2019	563	416	96	—	1075	53
1959	680	10	1493	2183	2176	638	462	120	—	1220	56
1960	830	—	1451	2281	2253	649	423	101	—	1173	52
1961	1020	—	1550	2570	2526	643	393	82	—	1118	44
1962	1130	—	1392	2522	2478	697	383	93	—	1173	47
1963	1191	—	1373	2564	2519	647	338	60	—	1045	41
1964	1228	—	1233	2461	2418	632	334	67	—	1033	43
1965	1386	—	1119	2505	2480	678	271	48	—	997	40
1966	1545	—	798	2343	2302	657	226	27	—	910	40
1967	4195	—	260	4455	4278	964	52	13	—	1029	24
1968	6086	—	176	6262	6036	1286	49	17	—	1352	22
1969	5005	—	457	5462	5215	1173	149	19	—	1341	26
1970	9639	—	715	10354	10008	1762	203	30	—	1995	20

Statewide elk harvest statistics, Utah 1971–2006.

Year	General season harvest			Restricted harvest			Total harvest		
	Bulls	Antlerless	Hunters afield	Bulls	Antlerless	Hunters afield	Bulls	Antlerless	Hunters afield
1971	1443	—	9371	—	—	—	1443	—	9371
1972	1896	—	15929	—	—	—	1896	—	15929
1973	1919	—	23895	—	—	—	1919	—	23895
1974	1675	—	17652	—	—	—	1675	—	17652
1975	1747	—	18904	—	—	—	1747	—	18904
1976	1750	4	19021	—	—	—	1750	4	19021
1977	2426	16	29573	—	—	—	2426	16	29573
1978	3091	17	33544	—	—	—	3091	17	33544
1979	2610	20	38069	—	—	—	2610	20	38069
1980	2051	25	19621	—	—	—	2051	25	19621
1981	2725	22	21425	—	—	—	2725	22	21425
1982	3069	24	22342	—	—	—	3069	24	22342
1983	3537	24	21659	—	—	—	3537	24	21659
1984	4115	34	29008	—	—	—	4115	34	29008
1985	4785	42	29287	—	—	—	4785	42	29287
1986	4001	31	29483	—	—	—	4001	31	29483
1987	4629	20	31758	—	—	—	4629	20	31758
1988	6434	45	37930	—	—	—	6434	45	37930
1989	6422	22	38861	—	—	—	6422	22	38861
1990	6405	31	43263	—	—	—	6405	31	43263
1991	6199	71	47082	—	—	—	6199	71	47082
1992	7341	104	47924	—	—	—	7341	104	47924
1993	6066	192	48372	—	—	—	6066	192	48372
1994	5902	101	50976	—	—	—	5902	101	50976
1995	4084	488	34928	1241	3987	8670	5325	4475	43598
1996	4699	761	34207	677	3916	6867	5376	4677	41074
1997	5268	565	33696	1212	6920	13674	6480	7485	47370
1998	3944	518	33014	1311	7550	13847	5255	8068	46861
1999	5044	462	36725	1156	6526	15912	6200	6988	52637
2000	5515	664	34347	1057	7251	15558	6572	7915	49905
2001	4136	531	31195	872**	6502	13981**	5008	7033	45176
2002	3212	533	29822	1177	4851	13342	4389	5384	43164
2003	3785	561	31496	1250	5596	14602	5035	6157	46098
2004	3729	387	31624	1677	4946	12627	5406	5333	44251
2005	3267	332	29751	1768	3876	10864	5035	4208	40615
2006	4176	432	31656	2062	3668	10319	6238	4100	41975

*In 2001 and 2002, hunters afield were estimated.

**In 2001, not all CWMU bull elk hunt data was available.

Total elk harvest by management unit, Utah 2006.

Management unit	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	41	9	50	118	6.6	42.4
Cache	245	174	419	2127	5.6	19.6
Ogden	54	74	128	916	5.6	13.8
Morgan-South Rich	306	664	970	2266	3.9	42.7
East Canyon	175	201	376	1460	5.8	25.8
Chalk Creek	212	144	356	1287	5.1	27.3
Kamas	155	48	203	1658	5.0	12.2
North Slope	333	77	410	3217	5.7	12.7
South Slope	1127	214	1341	7100	5.9	18.7
Book Cliffs	148	60	208	270	4.5	75.9
Nine Mile	187	197	384	1396	5.6	27.5
San Rafael	28	7	35	280	5.5	12.5
La Sal	114	108	222	748	6.1	29.5
San Juan	70	207	277	454	7.2	60.4
Henry Mountains	4	2	6	100	5.1	6.0
Central Mountains	1083	835	1918	7861	5.5	24.2
Wasatch Mountains	674	482	1156	5707	5.5	20.1
Oquirrh-Stansbury	44	87	131	164	3.2	79.9
West Desert	32	36	68	204	5.2	33.3
Southwest Desert	44	102	146	199	5.0	73.4
Fillmore	118	70	188	520	5.4	36.2
Beaver	139	83	222	1049	5.7	21.2
Monroe	66	12	78	95	4.5	82.1
Mt. Dutton	92	51	143	406	6.6	35.2
Plateau	526	48	574	2445	5.1	23.4
Paunsaugunt	20	4	24	43	6.6	55.8
Panguitch Lake	61	63	124	233	5.7	53.2
Zion	76	33	109	1055	5.9	10.3
Pine Valley	33	4	37	444	4.3	8.3
Unidentified	31	4	35	368	5.0	9.5
Statewide totals	6238	4100	10338	41975	5.8	24.5

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season spike bull elk harvest by management unit / subunit, Utah 2006.

	Unit	Subunit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
2 Cache	A	North Cache	34	274	5.0	12.4
	B	South Cache	94	676	4.6	13.9
		Unit totals	128	950	4.7	13.5
12 San Rafael	B	South	0	19	4.9	0.0
13 La Sal	A	La Sal Mountains	49	334	5.1	14.7
16 Central Mountains	A	Nebo	86	567	4.6	15.2
	B	North Manti	251	1404	4.2	17.9
	C	South Manti	334	1880	4.1	17.8
		Unit totals	671	3851	4.2	17.4
17 Wasatch Mountains	A	Diamond Fork	124	777	4.2	16.0
	A	Heber	79	672	4.1	11.8
	A	Timpanogos	11	79	4.2	13.9
	B	Currant Creek	128	799	4.1	16.0
	C	Avintaquin	26	120	4.9	21.7
		Unit totals	368	2447	4.2	15.0
22 Beaver	A	Beaver	75	514	4.5	14.6
25 Plateau	A	Fish Lake	150	995	4.5	15.1
	B	Thousand Lakes	8	49	3.7	16.3
	C	Boulder	94	484	4.3	19.4
		Unit totals	252	1528	4.4	16.5
Unidentified			0	64	3.6	0.0
	Statewide totals		1543	9412	4.5	16.4

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General season any bull elk harvest by management unit / subunit, Utah 2006.

	Unit		Subunit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder	B	Hansel Mountain	28	59	5.9	47.5
3	Ogden	A	Ogden	28	346	4.6	8.1
4	Morgan-South Rich	A	Morgan-South Rich	106	590	4.1	18.0
5	East Canyon	A	East Canyon	106	350	3.9	30.3
6	Chalk Creek	A	Chalk Creek	90	476	4.7	18.9
7	Kamas	A	Kamas	138	991	4.8	13.9
8	North Slope	A	Summit	130	1365	5.4	9.5
		B	West Daggett	122	893	5.5	13.7
			Unit totals	252	2258	5.5	11.2
9	South Slope	A	Yellowstone	378	1959	5.0	19.3
		B	Vernal	393	2261	5.4	17.4
		D	Bonanza	20	67	4.6	29.9
			Unit totals	791	4287	5.2	18.5
11	Nine Mile	B1	Range Creek North	90	342	4.4	26.3
11	Nine Mile	B2	Range Creek South	8	71	4.6	11.3
			Unit totals	98	413	4.4	23.7
12	San Rafael	A	North	24	94	5.2	25.5
15	Henry Mountains	A	Henry Mountains	4	83	3.6	4.8
19	West Desert	BC	East	8	83	4.8	9.6
21	Fillmore	A	Oak Creek North	16	181	5.7	8.8
29	Zion	A	Zion	63	629	5.1	10.0
30	Pine Valley	A	Pine Valley	20	295	4.0	6.8
	Unidentified			20	173	4.8	11.6
	Statewide totals			1792	10847	5.2	16.5

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General muzzleloader spike bull elk harvest by management unit / subunit, Utah 2006.

Unit	Subunit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
2 Cache	A North Cache	3	30	4.2	10.0
	B South Cache	10	64	4.4	15.6
	Unit totals	13	94	4.4	13.8
12 San Rafael	B South	0	3	2.3	0.0
13 La Sal	A La Sal Mountains	0	20	6.4	0.0
16 Central Mountains	A Nebo	13	47	3.0	27.7
	B North Manti	0	60	4.3	0.0
	C South Manti	33	201	4.5	16.4
	Unit totals	46	308	4.2	14.9
17 Wasatch Mountains	A Diamond Fork	7	97	3.9	7.2
	A Heber	0	30	4.2	0.0
	A Timpanogos	0	3	1.0	0.0
	B Currant Creek	3	64	5.1	4.7
	C Avintaquin	0	10	3.7	0.0
	Unit totals	10	204	4.3	4.9
22 Beaver	A Beaver	7	90	5.4	7.8
25 Plateau	A Fish Lake	64	221	4.4	29.0
	B Thousand Lakes	0	3	4.3	0.0
	C Boulder	7	50	4.5	14.0
	Unit totals	71	274	4.4	25.9
Unidentified		0	3	3.3	0.0
Statewide totals		147	936	4.7	15.7

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General muzzleloader any bull elk harvest by management unit / subunit, Utah 2006.

	Unit		Subunit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder	B	Hansel Mountain	0	21	4.7	0.0
3	Ogden	A	Ogden	3	123	3.7	2.4
4	Morgan-South Rich	A	Morgan-South Rich	24	338	4.0	7.1
5	East Canyon	A	East Canyon	7	99	3.6	7.1
6	Chalk Creek	A	Chalk Creek	7	85	3.5	8.2
7	Kamas	A	Kamas	3	188	4.1	1.6
8	North Slope	A	Summit	10	120	4.3	8.3
		B	West Daggett	7	154	4.4	4.5
			Unit totals	17	274	4.4	6.2
9	South Slope	A	Yellowstone	44	359	5.0	12.3
		B	Vernal	34	338	4.4	10.1
		D	Bonanza	0	21	4.9	0.0
			Unit totals	78	718	4.7	10.9
11	Nine Mile	B1	Range Creek North	3	65	5.4	4.6
11	Nine Mile	B2	Range Creek South	0	7	5.4	0.0
			Unit totals	3	72	5.4	4.2
12	San Rafael	A	North	0	62	4.0	0.0
15	Henry Mountains	A	Henry Mountains	0	7	5.4	0.0
19	West Desert	BC	East	0	10	4.8	0.0
21	Fillmore	A	Oak Creek North	0	27	5.2	0.0
29	Zion	A	Zion	3	62	3.8	4.8
30	Pine Valley	A	Pine Valley	0	17	4.6	0.0
	Unidentified			3	44	3.2	6.8
	Statewide totals			148	2098	4.4	7.1

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General archery elk harvest by management unit / subunit, Utah 2006.

Unit	Subunit	Harvest				Hunters afield	Mean days hunted	Success rate (%)
		Bull	Cow	Calf	Total			
1 Box Elder	B Hansel Mountain	0	0	0	0	8	10.0	0.0
2 Cache	A North Cache	4	0	0	4	133	7.8	3.0
	B South Cache	27	19	4	50	342	7.4	14.6
	Unit totals	31	19	4	54	475	7.5	11.4
3 Ogden	A Ogden	8	0	0	8	141	8.5	5.7
4 Morgan-South Rich	A Morgan-South Rich	23	0	0	23	220	8.4	10.5
5 East Canyon	A East Canyon	11	0	0	11	562	8.8	2.0
6 Chalk Creek	A Chalk Creek	4	0	0	4	156	8.8	2.6
7 Kamas	A Kamas	4	4	0	8	353	5.7	2.3
8 North Slope	A Summit	8	0	0	8	353	7.5	2.3
	B West Daggett	4	4	4	12	152	8.3	7.9
	Unit totals	12	4	4	20	505	7.7	4.0
9 South Slope	A Yellowstone	49	11	4	64	539	7.9	11.9
	B Vernal	65	23	4	92	976	9.4	9.4
	D Bonanza	0	0	0	0	15	3.8	0.0
	Unit totals	114	34	8	156	1530	8.8	10.2
11 Nine Mile	B1 Range Creek North	4	0	0	4	65	7.3	6.2
11 Nine Mile	B2 Range Creek South	0	0	0	0	8	3.8	0.0
	Unit totals	4	0	0	4	73	6.9	5.5
12 San Rafael	A North	4	0	0	4	42	9.2	9.5
	B South	0	0	0	0	34	6.5	0.0
	Unit totals	4	0	0	4	76	8.0	5.3
13 La Sal	A La Sal Mountains	4	11	11	26	122	7.5	21.3
15 Henry Mountains	A Henry Mountains	—	—	—	—	—	—	—
16 Central Mountains	A Nebo	27	15	0	42	391	8.1	10.7
	B North Manti	23	49	4	76	619	7.9	12.3
	C South Manti	38	72	8	118	919	7.8	12.8
	Unit totals	88	136	12	236	1929	7.9	12.2
	A Diamond Fork	23	38	4	65	593	6.6	11.0
17 Wasatch Mountains	A Heber	19	23	0	42	513	7.3	8.2
	A Salt Lake	8	4	0	12	380	8.9	3.2
	A Timpanogos	0	0	0	0	133	7.8	0.0
	B Currant Creek	15	34	8	57	437	7.2	13.0
	C Avintaquin	8	4	0	12	68	8.0	17.6
	Unit totals	73	103	12	188	2124	7.4	8.9
19 West Desert	BC East	4	4	4	12	53	7.7	22.6
21 Fillmore	A Oak Creek North	0	0	0	0	30	7.3	0.0
22 Beaver	A Beaver	19	19	4	42	273	8.0	15.4
25 Plateau	A Fish Lake	15	0	0	15	160	7.2	9.4
	B Thousand Lakes	0	0	0	0	8	8.5	0.0
	C Boulder	4	19	4	27	209	7.9	12.9
	Unit totals	19	19	4	42	377	7.7	11.1
29 Zion	A Zion	8	4	8	20	251	7.4	8.0
30 Pine Valley	A Pine Valley	8	0	0	8	103	4.8	7.8
	Unidentified	4	4	0	8	80	8.0	10.0
	Statewide totals	442	361	71	874	8094	9.2	10.8

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General youth any bull elk harvest by management unit / subunit, Utah 2006

	Unit		Subunit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder	B	Hansel Mountain	—	—	—	—
3	Ogden	A	Ogden	0	12	46	3.8
4	Morgan-South Rich	A	Morgan-South Rich	12	17	58	3.4
5	East Canyon	A	East Canyon	2	2	10	5.0
6	Chalk Creek	A	Chalk Creek	0	12	41	3.4
7	Kamas	A	Kamas	10	34	170	5.0
8	North Slope	A	Summit	2	12	46	3.8
		B	West Daggett	2	7	36	5.1
			Unit totals	4	19	82	4.3
9	South Slope	A	Yellowstone	22	36	137	3.8
		B	Vernal	29	60	230	3.8
		D	Bonanza	—	—	—	—
			Unit totals	51	96	367	3.8
11	Nine Mile	B1	Range Creek North	7	12	29	2.4
11	Nine Mile	B2	Range Creek South	—	—	—	—
			Unit totals	7	12	29	2.4
12	San Rafael	A	North	0	7	24	3.4
15	Henry Mountains	A	Henry Mountains	—	—	—	—
19	West Desert	BC	East	2	2	7	3.5
21	Fillmore	A	Oak Creek North	7	19	86	4.5
29	Zion	A	Zion	2	24	127	5.3
30	Pine Valley	A	Pine Valley	5	14	53	3.8
	Unidentified			2	2	2	1.0
	Statewide totals			104	269	1102	4.1

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

Limited entry archery bull elk harvest, Utah 2006.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Cache, North	0	13	11	11.2	0.0
Cache, South	1	9	9	15.0	14.3
Cache, Meadowville	3	4	4	11.5	75.0
North Slope, Three Corners	5	14	14	12.4	33.3
South Slope, Diamond Mountain	4	20	19	9.2	22.2
Book Cliffs, Bitter Creek-South	11	29	28	11.5	38.5
Book Cliffs, Little Creek (roadless)	10	15	14	6.9	71.4
Nine Mile Anthro	3	6	5	9.4	60.0
Nine Mile, Range Creek South	—	2	—	—	—
La Sal, La Sal Mountains	6	13	13	10.6	45.5
San Juan	6	19	19	14.0	29.4
Central Mountains, Manti	13	68	66	12.7	19.4
Central Mountains, Nebo	5	27	26	14.9	20.0
Wasatch Mountains	20	63	62	11.8	32.2
Oquirrh-Stansbury	5	5	5	10.0	100.0
West Desert, Deep Creek	1	4	3	10.7	33.3
Southwest Desert	6	11	11	13.8	54.5
Fillmore, Pahvant	6	18	17	13.6	33.3
Fillmore, Oak Creek South	2	9	9	9.7	22.2
Beaver	2	15	15	11.8	13.3
Monroe	11	19	19	11.4	58.8
Mt. Dutton	8	29	27	12.7	30.8
Plateau, Fishlake-Thousand Lakes	14	23	23	10.6	59.1
Plateau, Boulder / Kaiparowits	10	17	17	9.6	60.0
Paunsaugunt	0	6	6	9.0	0.0
Panguitch Lake	9	19	19	12.1	47.1
Statewide totals	161	477	461	11.8	34.9

Limited entry any weapon bull elk harvest, Utah 2006.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Pilot Mountain	3	3	3	1.7	100.0
Box Elder, Grouse Creek	2	2	2	4.5	100.0
Cache, North (early)	13	21	21	5.7	63.2
Cache, North (late)	6	9	9	4.2	62.5
Cache, South (early)	12	14	14	4.9	83.3
Cache, South (late)	3	7	7	4.6	42.9
Cache, Meadowville (early)	5	6	6	3.0	83.3
Cache, Meadowville (late)	2	3	3	3.7	66.7
North Slope, Three Corners	37	38	38	3.2	97.3
South Slope, Diamond Mountain	81	96	94	5.9	86.7
Book Cliffs, Bitter Creek-South (early)	52	55	55	4.1	94.1
Book Cliffs, Bitter Creek-South (late)	18	22	21	3.6	85.0
Book Cliffs, Little Creek (roadless)	33	34	34	3.0	96.8
Nine Mile, Anthro (early)	12	13	13	5.3	92.3
Nine Mile, Anthro (late)	3	3	3	3.7	100.0
Nine Mile Range Creek, South (early)	2	2	2	7.5	100.0
Nine Mile Range Creek, South (late)	5	5	5	3.4	100.0
La Sal, La Sal Mountains (early)	16	17	17	3.6	94.1
La Sal, La Sal Mountains (late)	7	11	11	4.5	63.6
La Sal, Dolores Triangle	6	6	6	2.7	100.0
San Juan (early)	26	27	27	5.0	96.3
San Juan (late)	9	17	13	4.8	66.7
Central Mountains, Manti (early)	85	108	105	4.7	81.0
Central Mountains, Manti (late)	38	45	44	4.3	86.0
Central Mountains, Nebo (early)	34	43	42	4.5	80.0
Central Mountains, Nebo (late)	13	19	16	3.0	81.3
Wasatch Mountains (early)	107	130	126	5.1	84.9
Wasatch Mountains (late)	11	12	11	3.3	100.0
Oquirrh-Stansbury (early)	6	6	6	1.7	100.0
Oquirrh-Stansbury (late)	15	16	15	1.5	100.0
West Desert, Deep Creek	15	15	15	4.9	100.0
Southwest Desert (early)	18	18	18	4.6	100.0
Southwest Desert (late)	10	10	10	3.5	100.0

Limited entry any weapon bull elk harvest, Utah 2006 (cont.).

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Fillmore, Pahvant (early)	24	24	24	4.0	100.0
Fillmore, Pahvant (late)	19	20	20	3.2	94.4
Fillmore, Oak Creek South (early)	16	18	18	4.3	88.2
Fillmore, Oak Creek South (late)	9	10	10	3.5	90.0
Beaver (early)	18	20	19	3.8	94.7
Beaver (late)	12	14	14	4.6	85.7
Monroe (early)	26	27	26	2.3	100.0
Monroe (late)	16	18	17	3.4	93.8
Mt. Dutton (early)	37	39	39	3.6	94.4
Mt. Dutton (late)	29	30	30	2.7	96.3
Plateau, Fishlake-Thousand Lake (early)	34	38	36	3.7	94.4
Plateau, Fishlake-Thousand Lake (late)	15	16	16	2.9	93.8
Plateau, Boulder / Kaiparowits (early)	28	28	28	3.6	100.0
Plateau, Boulder / Kaiparowits (late)	11	12	12	3.8	91.7
Paunsaugunt	11	17	17	5.8	62.5
Panguitch Lake (early)	25	25	25	3.9	100.0
Panguitch Lake (late)	17	21	19	3.1	89.5
Statewide Sportsman / Conservation	2	2	2	1.0	100.0
Statewide totals	1054	1212	1184	4.2	89.0

Limited entry muzzleloader bull elk harvest, Utah 2006.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Cache, North	2	8	8	5.5	25.0
Cache, South	3	5	5	6.6	50.0
Cache, Meadowville	3	3	3	4.3	100.0
North Slope, Three Corners	5	7	7	3.3	71.4
South Slope, Diamond Mountain	6	12	12	5.5	50.0
Book Cliffs, Bitter Creek-South	13	18	16	5.1	80.0
Book Cliffs, Little Creek (roadless)	7	9	8	2.0	87.5
Nine Mile Anthro	2	4	4	6.8	50.0
La Sal, La Sal Mountains	5	7	7	5.3	71.4
San Juan	10	11	11	3.9	90.0
Central Mountains, Manti	21	39	39	5.2	53.8
Central Mountains, Nebo	6	14	13	5.7	46.2
Wasatch Mountains	23	36	34	5.1	67.6
Oquirrh-Stansbury	3	3	3	2.3	100.0
West Desert, Deep Creek	2	2	2	2.5	100.0
Southwest Desert	7	7	7	4.7	100.0
Fillmore, Pahvant	9	10	10	5.6	90.0
Fillmore, Oak Creek South	4	5	5	3.0	75.0
Beaver	5	8	8	4.1	62.5
Monroe	11	12	11	3.0	100.0
Mt. Dutton	15	18	18	4.4	81.3
Plateau, Fishlake-Thousand Lake	13	14	14	5.3	92.9
Plateau, Boulder / Kaiparowits	8	11	11	4.5	72.7
Paunsaugunt	4	4	4	5.8	100.0
Panguitch Lake	8	10	10	5.1	80.0
Statewide totals	195	277	270	4.8	72.2

Premium Limited entry bull elk harvest, Utah 2006.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Cache, North	1	1	1	12.2	100.0
Cache, South	1	1	1	12.2	100.0
North Slope, Three Corners	1	1	1	6.0	100.0
South Slope, Diamond Mountain	2	2	2	5.5	100.0
Book Cliffs, Bitter Creek-South	3	3	3	16.0	100.0
Book Cliffs, Little Creek (roadless)	1	2	1	3.0	100.0
Nine Mile, Anthro	1	1	1	12.2	100.0
La Sal, La Sal Mountains	1	1	1	3.0	100.0
San Juan	2	2	2	3.0	100.0
Central Mountains, Manti	7	7	7	13.3	100.0
Central Mountains, Nebo	3	3	3	10.0	100.0
Wasatch Mountains	7	7	7	14.9	100.0
Oquirrh-Stansbury	1	1	1	4.0	100.0
Southwest Desert	3	3	3	12.7	100.0
Fillmore, Pahvant	1	1	1	8.0	100.0
Fillmore, Oak Creek South	1	1	1	12.2	100.0
Beaver	1	1	1	13.0	100.0
Monroe	2	2	2	5.0	100.0
Mt. Dutton	3	3	3	20.7	100.0
Plateau, Fishlake-Thousand Lake	3	3	3	14.3	100.0
Plateau, Boulder / Kaiparowits	2	2	2	5.0	100.0
Paunsaugunt	0	1	1	5.0	0.0
Panguitch Lake	2	2	2	32.0	100.0
Statewide totals	49	51	50	12.2	98.0

Limited entry antlerless elk harvest, Utah 2006.

Unit	Hunt	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
		Cow	Calf	Total				
2	Cache	52	0	52	100	100	4.5	51.5
2	Cache, Beirdneau Peak	0	0	0	30	28	9.1	0.0
2	Cache, Millville Face	21	0	21	92	92	4.8	23.3
2	Cache, Rich	22	0	22	100	94	5.5	23.3
2	Cache, Richmond Hyde Park	12	0	12	110	92	8.0	13.3
3	Ogden	0	3	3	50	47	7.0	5.6
3	Ogden, South	11	6	17	50	50	6.8	33.3
3	Ogden, South	2	0	2	20	20	6.1	10.0
3	Ogden, South Cache	30	6	36	100	100	7.5	36.4
4	Morgan-South Rich, East Lost Creek	16	9	25	60	51	2.8	50.0
4	Morgan-South Rich, Henefer-Echo WMA	26	0	26	40	34	3.3	75.0
4	Morgan-South Rich, Henefer-Echo WMA	23	9	32	40	38	1.9	83.3
4	Morgan-South Rich, Henefer-Echo WMA	29	2	31	50	50	2.8	61.9
4	Morgan-South Rich, South Rich	6	3	9	60	54	5.9	16.7
4	Morgan-South Rich, South Weber	4	0	4	10	6	1.7	66.7
4	Morgan-South Rich, West Lost Creek	9	3	12	50	47	3.3	25.0
5	East Canyon, Davis-North Salt Lake	15	6	21	50	50	5.4	41.2
5	East Canyon, Morgan	26	0	26	70	70	6.0	37.5
5	East Canyon, Summit	21	0	21	100	73	5.3	29.2
6	Chalk Creek, East Coalville	28	6	34	65	62	3.6	55.0
6	Chalk Creek, North	6	3	9	60	54	3.7	16.7
6	Chalk Creek, Private Lands	0	3	3	45	34	4.8	7.7
6	Chalk Creek, South	0	3	3	70	64	5.3	5.0
7	Kamas, Francis	3	0	3	10	10	11.0	25.0
7	Kamas, Oakley	11	3	14	20	20	4.6	71.4
7	Kamas, Oakley	10	0	10	20	20	2.4	50.0
7	Kamas, West Hills	8	0	8	25	23	2.2	36.4
8	North Slope, Henry's Fork-Burnt Fork	6	0	6	15	13	4.0	42.9
8	North Slope, Henry's Fork-Burnt Fork	12	2	14	25	23	3.5	61.5
8	North Slope, Three Corners	26	2	28	33	33	3.2	83.3
9	South Slope, Diamond Mountain	18	0	18	65	62	5.1	28.6
10	Book Cliffs, Bitter Creek-McCook Ridge	9	0	9	25	25	3.2	36.4
10	Book Cliffs, Little Creek	23	2	25	40	38	3.1	65.0
10	Book Cliffs, San Arroyo	14	2	16	20	20	2.3	77.8
11	Nine Mile, Anthro	16	12	28	40	40	3.1	70.0
11	Nine Mile, Range Creek	0	0	0	30	26	3.6	0.0
11	Nine Mile, Range Creek	39	6	45	300	246	8.1	18.3
11	Nine Mile, Range Creek	55	12	67	300	264	4.7	25.3
12	San Rafael, North	2	0	2	15	13	5.9	12.5
13	La Sal, La Sal Mountains	13	2	15	50	48	5.9	31.6
13	La Sal, La Sal Mountains	27	3	30	100	85	9.4	35.7

Limited entry antlerless elk harvest, Utah 2006 (cont.).

Unit	Hunt	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
		Cow	Calf	Total				
14	San Juan	104	15	119	200	197	7.6	60.3
14	San Juan, Montezuma Canyon	0	0	0	30	30	14.8	0.0
15	Henry Mountains	2	0	2	10	10	17.0	20.0
16	Central Mountains, Central Manti	12	0	12	60	60	4.2	20.0
16	Central Mountains, Ferron Canyon	19	6	25	60	54	3.7	47.1
16	Central Mountains, Lower Ferron/Muddy	8	0	8	20	20	10.4	37.5
16	Central Mountains, Gilluly	6	0	6	10	10	7.3	60.0
16	Central Mtns, Gordon Creek-Price Canyon	26	8	34	50	45	6.9	76.5
16	Central Mountains, Horn Mountain	32	0	32	40	40	7.5	80.0
16	Central Mountains, Milburn	28	6	34	80	74	2.9	45.8
16	Central Mountains, Mohrland-Stump Flat	31	14	45	54	49	5.1	90.5
16	Central Mountains, North Manti	79	0	79	200	191	4.1	41.3
16	Central Mountains, Northwest Manti	14	0	14	30	30	5.3	46.2
16	Central Mountains, Northwest Nebo	40	12	52	100	97	8.6	53.1
16	Central Mountains, South Manti	22	0	22	60	60	4.2	36.8
16	Central Mountains, Southwest Nebo	7	0	7	30	23	3.5	30.0
16	Central Mountains, West Manti	18	0	18	50	45	4.7	38.9
16	Central Mountains, West Nebo	56	3	59	100	94	6.9	63.3
17	Wasatch Mountains, Avintaquin	9	0	9	60	51	5.6	17.6
17	Wasatch Mountains, Avintaquin	11	0	11	40	38	5.5	29.4
17	Wasatch Mountains, Currant Creek	25	3	28	40	38	3.8	73.3
17	Wasatch Mtns, Currant Creek S. of US-40	10	0	10	20	20	3.5	50.0
17	Wasatch Mountains, Diamond Fork	14	4	18	20	20	3.8	90.0
17	Wasatch Mountains, East Heber	10	0	10	10	10	2.0	100.0
17	Wasatch Mountains, Park City	0	0	0	20	18	4.6	0.0
17	Wasatch Mountains, Springville	18	4	22	30	30	4.3	73.3
17	Wasatch Mountains, Timpanogos	4	4	8	10	10	1.8	80.0
17	Wasatch Mountains, Wallsburg	24	2	26	50	50	5.3	52.6
17	Wasatch Mountains, Wallsburg	29	6	35	50	44	4.3	80.0
17	Wasatch Mountains, West Heber	3	2	5	10	8	7.2	60.0
18	Oquirrh-Stansbury, South	8	0	8	20	20	4.2	40.0
18	Oquirrh-Stansbury, South	13	0	13	20	20	2.8	66.7
18	Oquirrh-Stansbury, South	24	2	26	30	30	3.3	85.7
18	Oquirrh-Stansbury, South	18	2	20	30	30	3.4	66.7
19	West Desert, Deep Creek	6	3	9	15	15	2.8	60.0
19	West Desert, Deep Creek	7	6	13	15	15	2.4	87.5
20	Southwest Desert	93	9	102	150	150	4.4	68.0
21	Fillmore, Pahvant-South Oak Creek	22	7	29	40	40	5.0	72.2
21	Fillmore, Pahvant-South Oak Creek	30	2	32	40	40	5.5	78.9

Limited entry antlerless elk harvest, Utah 2006 (cont.).

Unit	Hunt	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
		Cow	Calf	Total				
22	Beaver, Manderfield-Sulfurdale	8	2	10	25	20	2.9	50.0
22	Beaver, Marysvale	6	0	6	15	13	6.8	50.0
22	Beaver, Marysvale	8	0	8	15	15	4.2	50.0
24	Mt. Dutton	22	3	25	100	97	4.8	25.8
24	Mt. Dutton	15	9	24	200	182	6.1	13.3
25	Plateau, Deer Creek-Salt Gulch	4	0	4	15	11	4.2	40.0
25	Plateau, Deer Creek-Salt Gulch	7	2	9	15	13	6.7	66.7
28	Panguitch Lake	47	9	56	150	141	5.4	39.6
29	Zion	15	0	15	40	38	10.5	38.9
30	Pine Valley	2	2	4	15	15	6.6	25.0
Statewide totals		1667	255	1922	5049	4690	5.5	41.0

CWMU bull elk harvest, Utah 2006.

CWMU	Unit	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Double Cone	1	4	4	4	7.5	100.0
Grouse Creek	1	1	4	4	13.3	33.3
Twin Peaks	1	3	5	5	5.6	66.7
Chournos-Legacy	2	10	10	10	7.5	100.0
SJ Ranch	2	8	8	8	3.6	100.0
Bear Spring	3	2	2	2	1.5	100.0
Broadmouth	3	2	5	5	3.0	40.0
Coldwater Ranch	3	8	9	9	4.3	85.7
Mt Pisgah	3	1	6	6	7.3	20.0
South Canyon	3	2	10	9	4.4	25.0
Cedar Canyon	4	3	9	8	6.6	42.9
Deseret	4	60	63	63	3.9	94.8
Dry Bread	4	5	7	7	7.1	66.7
Durst Mountain	4	13	19	19	4.7	66.7
Folley Ridge	4	15	19	18	5.5	82.4
Guildersleeve	4	8	10	10	3.8	75.0
Hell Canyon	4	18	19	19	3.5	94.1
Skull Crack	4	8	9	9	4.6	88.9
Woodruff Creek	4	11	17	16	5.1	66.7
Big Mountain	5	26	27	27	3.3	95.0
Hardscrabble	5	8	16	16	3.9	50.0
Jacobs Creek	5	3	4	4	1.8	75.0
Lone Tree-Taylor Hollow	5	12	17	17	4.0	70.0
Clark Canyon	6	9	12	12	2.7	77.8
East Fork Chalk Creek	6	8	25	22	4.0	37.5
Grass Valley	6	16	21	21	3.4	76.9
State Corner	6	18	33	33	5.8	53.6
Two Bear	6	29	30	29	2.7	100.0
Weber Florence Creek	6	31	63	59	4.1	52.2
Minnie Maud Ridge	11	21	32	32	6.7	65.5
Pagano-Conover	11	14	18	18	4.3	76.5
Preston Nutter Ranch	11	12	18	18	3.8	69.2
Castle Valley Outdoors	16	1	3	3	6.7	33.3
JB Ranch	13	3	7	7	4.4	40.0
Redd Ranches	13	17	18	18	3.8	94.1
Piute Springs	14	2	3	3	16.0	50.0
Spring Creek-Dodge	14	11	11	11	5.7	100.0
Summit Point	14	4	5	5	8.2	80.0

CWMU bull elk harvest, Utah 2006 (cont.).

CWMU	Unit	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Bear Mountain	16	6	6	6	5.0	100.0
Crab Creek	16	4	4	4	6.0	100.0
Hiawatha	16	5	5	5	18.4	100.0
Old Women Plateau	16	9	10	10	7.5	87.5
Scofield Canyons	16	7	7	7	7.3	100.0
Scofield East	16	7	7	7	5.3	100.0
Scofield West	16	6	6	6	4.3	100.0
Soldier Summit	16 / 17	15	15	15	4.3	100.0
Coyote-Little Pole	17	6	6	6	4.5	100.0
Emma Park	17	9	9	9	3.2	100.0
Little Red Creek	17	8	8	8	2.1	100.0
Moon Ranch	17	7	7	7	4.0	100.0
Sandwash-Sink Draw	17	3	4	4	12.0	66.7
Three C	17	9	10	9	5.3	100.0
Wallsburg	17	6	7	7	3.3	85.7
Heaston East	18	14	14	14	1.6	100.0
Missouri Flat	21	4	4	4	2.8	100.0
Bar J Ranch	25	10	11	11	3.1	90.0
Boobe Hole	25	14	14	14	3.4	100.0
Grazing Pasture	25	5	5	5	3.6	100.0
Johnson Mountain Ranch	25	17	18	18	4.6	94.1
Alton	27	5	5	5	2.0	100.0
Mt. Carmel	29	0	1	1	6.0	0.0
Statewide totals		603	781	768	4.6	78.5

CWMU antlerless elk harvest, Utah 2006.

CWMU	Unit	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
		Cow	Calf	Total				
Double Cone	1	5	0	5	6	6	1.4	80.0
Grouse Creek	1	—	—	—	4	—	—	—
Chournos Legacy	2	0	0	0	5	5	4.5	0.0
SJ Ranch	2	3	0	3	6	6	3.5	50.0
Broadmouth	3	0	0	0	4	4	4.0	0.0
Coldwater Ranch	3	3	2	5	5	5	10.0	100.0
Mt. Pisgah	3	4	0	4	5	5	5.5	75.0
South Canyon	3	0	0	0	5	5	1.5	0.0
Cedar Canyon	4	19	0	19	25	25	2.1	75.0
Deseret	4	277	55	332	361	358	1.5	92.7
Dry Bread	4	—	—	—	2	—	—	—
Durst Mountain	4	15	3	18	40	40	3.0	43.8
Folley Ridge	4	0	0	0	5	3	5.0	0.0
Gildersleeve	4	10	2	12	15	15	1.8	77.8
Hell Canyon	4	11	8	19	30	26	5.3	71.4
Skull Crack	4	0	0	0	10	10	3.0	0.0
Woodruff Creek South	4	3	0	3	5	5	2.5	50.0
Big Mountain	5	8	6	14	20	20	1.3	71.4
Hardscrabble	5	0	0	0	8	8	7.0	0.0
Lone Tree-Taylor Hollow	5	5	0	5	5	5	1.0	100.0
Clark Canyon	6	8	0	8	10	10	2.0	75.0
East Fork Chalk Creek	6	0	0	0	14	11	15.3	0.0
Grass Valley	6	12	3	15	15	15	1.6	100.0
State Corner	6	3	3	6	10	10	4.6	57.1
Two Bear	6	6	4	10	10	10	2.4	100.0
Weber Florence Creek	6	8	0	8	25	22	8.8	37.5
Minnie Maud Ridge	11	2	0	2	20	20	9.0	10.0
Pagano-Conover	11	2	0	2	15	15	4.3	14.3
Preston Nutter Ranch	11	10	5	15	30	30	2.5	50.0
JB Ranch	13	23	0	23	25	25	5.2	91.7
Redd Ranches	13	10	2	12	25	21	4.4	54.5
Piute Springs	14	5	0	5	18	18	5.8	25.0
Spring Creek-Dodge	14	19	10	29	54	49	3.8	60.0
Summit Point	14	32	4	36	46	44	4.0	81.0

CWMU antlerless elk harvest, Utah 2006 (cont.).

CWMU	Unit	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
		Cow	Calf	Total				
Bear Mountain Ranch	16	11	0	11	17	17	2.2	66.7
Castle Valley Outdoors	16	9	8	17	27	27	3.3	61.5
Crab Creek	16	0	0	0	6	6	2.0	0.0
Hiawatha	16	10	0	10	10	10	1.0	100.0
Scofield Canyons	16	3	2	5	14	11	4.8	50.0
Scofield East	16	7	0	7	11	9	3.3	75.0
Scofield West	16	12	0	12	28	26	3.8	46.2
Soldier Summit	16 / 17	21	3	24	27	27	2.9	88.9
Coyote-Little Pole	17	24	2	26	37	37	2.9	71.4
Emma Park	17	10	4	14	31	26	3.7	53.3
Little Red Creek	17	10	0	10	10	10	3.0	100.0
Moon's Ranch	17	6	0	6	10	10	4.2	57.1
Sandwash-Sink Draw	17	41	2	43	57	55	3.4	78.6
Three C	17	5	0	5	9	8	3.0	60.0
Wallsburg	17	0	0	0	18	15	2.2	0.0
Heaston East	18	18	0	18	20	18	3.3	100.0
Missouri Flat	21	7	0	7	12	12	2.3	55.6
Alton	27	4	0	4	10	10	9.1	37.5
Statewide totals	16	701	129	829	1237	1185	3.2	70.0

Free mitigation elk harvest by management unit / subunit, Utah 2006.

Unit	Subunit	Permits	Antlerless harvest			Hunters afield	Mean days hunted	Success rate (%)
			Cow	Calf	Total			
1 Box Elder	A West Box Elder	10	4	0	4	4	1.0	100.0
	B Hansel Mountain	4	0	0	0	2	60.0	0.0
	Unit totals	14	4	0	4	6	20.7	66.7
2 Cache	A North Cache	13	0	0	0	4	6.0	0.0
	B South Cache	22	10	2	12	16	4.8	62.5
	Unit totals	35	10	2	12	20	5.0	50.0
3 Ogden	A Ogden	24	0	5	5	19	2.9	15.8
4 Morgan Rich	A Morgan Rich	28	16	3	19	26	6.1	73.1
5 East Canyon	A East Canyon	50	23	0	23	38	3.1	60.5
6 Chalk Creek	A Chalk Creek	31	18	0	18	26	3.5	61.5
7 Kamas	A Kamas	18	6	0	6	14	14.4	42.9
8 North Slope	A Summit	—	—	—	—	—	—	—
	B West Daggett	10	3	2	5	8	1.0	62.5
	C Three Corners	6	3	0	3	6	6.5	50.0
	Unit totals	16	6	2	8	14	3.4	57.1
9 South Slope	A Yellowstone	196	48	3	51	116	5.7	38.8
	B Vernal	44	30	0	30	30	4.3	83.3
	C Diamond Mtn	—	—	—	—	—	—	—
	D Bonanza	8	8	0	8	8	1.0	100.0
	Unit totals	248	86	3	89	154	5.2	50.6
10 Book Cliffs	AB Bitter Creek-South	2	2	0	2	2	1.0	100.0
	C Little Creek	—	—	—	—	—	—	—
	Unit totals	2	2	0	2	2	1.0	100.0
11 Nine Mile	A Anthro	18	6	0	6	15	20.4	40.0
	B Range Creek	28	14	0	14	28	7.5	50.0
	Unit totals	46	20	0	20	43	12.0	46.5
12 San Rafael	A San Rafael North	3	—	—	—	—	—	—
	B San Rafael South	—	—	—	—	—	—	—
	Unit totals	3	—	—	—	—	—	—
13 La Sal	A La Sal Mtn	2	2	0	2	1	2.0	100.0
	B Dolores Triangle	—	—	—	—	—	—	—
	Unit totals	2	2	0	2	1	2.0	100.0
14 San Juan	A Abajo	4	0	0	0	4	16.0	0.0
	B Elk Ridge	—	—	—	—	—	—	—
	Unit totals	4	0	0	0	4	16.0	0.0
15 Henry Mountains	A Henry Mountains	—	—	—	—	—	—	—

Free mitigation elk harvest by management unit / subunit, Utah 2006 (cont.).

Unit	Subunit	Permits	Antlerless harvest			Hunters afield	Mean days hunted	Success rate (%)
			Cow	Calf	Total			
16 Central Mountains	A Nebo	73	21	0	21	45	11.0	46.7
	B North Manti	94	18	9	27	64	6.1	37.5
	C South Manti	47	21	0	21	29	11.4	51.7
	Unit totals	214	60	9	69	138	8.8	43.5
17 Wasatch Mountains	A West	43	14	0	14	14	5.0	50.0
	B Currant Creek	48	20	3	23	38	3.0	60.5
	C Avintaquin	13	4	2	6	13	13.3	46.2
	Unit totals	104	38	5	43	65	5.5	55.4
18 Oquirrh-Stansbury	A Oquirrh-Stansbury	2	2	0	2	2	3.0	100.0
19 West Desert	A West Desert	—	—	—	—	—	—	—
	BC East	—	—	—	—	—	—	—
	Unit totals	—	—	—	—	—	—	—
20 Southwest Desert	A Southwest Desert	7	0	0	0	0	0.0	0.0
21 Fillmore	A Oak Creek North	19	0	0	0	0	0.0	0.0
	B Pahvant	19	0	0	0	15	2.8	0.0
	Unit totals	38	0	0	0	15	2.8	0.0
22 Beaver	A Beaver	39	14	4	18	39	4.0	46.2
23 Monroe	A Monroe	11	0	0	0	0	0.0	0.0
24 Mt Dutton	A Mount Dutton	8	0	0	0	8	45.0	0.0
25 Plateau	A Fish Lake	—	—	—	—	—	—	—
	B Thousand Lakes	2	0	0	0	2	2.0	0.0
	C Boulder	30	6	0	6	24	13.5	12.5
	Unit totals	32	6	0	6	26	12.6	11.5
26 Kaiparowits	A Kaiparowits	—	—	—	—	—	—	—
27 Paunsaugunt	A Paunsaugunt	1	0	0	0	0	0.0	0.0
28 Panguitch Lake	A Panguitch Lake	22	7	0	7	17	3.6	41.2
29 Zion	A Zion	35	2	0	2	31	6.9	6.5
30 Pine Valley	A Pine Valley	4	0	0	0	0	0.0	0.0
Statewide totals		1038	322	33	355	708	7.1	44.9

Fee mitigation elk harvest by management unit / subunit, Utah 2006.

Unit	Subunit	Permits	Antlerless harvest			Hunters afield	Mean days hunted	Success rate (%)
			Cow	Calf	Total			
1 Box Elder	A West Box Elder	4	—	—	—	—	—	—
	B Hansel Mountain	—	—	—	—	—	—	—
	Unit totals	4	—	—	—	—	—	—
2 Cache	A North Cache	3	0	0	0	0	0.0	0.0
	B South Cache	56	24	5	29	51	3.0	56.9
	Unit totals	59	24	5	29	51	3.0	56.9
3 Ogden	A Ogden	8	2	0	2	8	6.3	25.0
4 Morgan Rich	A Morgan Rich	153	87	16	103	144	3.0	69.4
5 East Canyon	A East Canyon	122	88	3	91	119	2.6	76.5
6 Chalk Creek	A Chalk Creek	73	28	2	30	64	6.0	42.2
7 Kamas	A Kamas	8	3	0	3	5	5.0	60.0
8 North Slope	A Summit	6	3	0	3	6	2.5	50.0
	B West Daggett	—	—	—	—	—	—	—
	C Three Corners	14	10	0	10	12	4.8	83.3
	Unit totals	20	13	0	13	18	4.1	72.2
9 South Slope	A Yellowstone	50	22	0	22	44	4.7	50.0
	B Vernal	43	13	0	13	38	6.0	34.2
	C Diamond Mtn	29	10	5	15	29	2.7	51.7
	D Bonanza	15	15	0	15	15	1.2	100.0
	Unit totals	137	60	5	65	126	4.2	51.6
10 Book Cliffs	AB Bitter Creek-South	8	8	0	8	5	1.0	100.0
	C Little Creek	—	—	—	—	—	—	—
	Unit totals	8	8	0	8	5	1.0	100.0
11 Nine Mile	A Anthro	3	0	0	0	3	17.0	0.0
	B Range Creek	41	18	0	18	38	5.0	47.4
	Unit totals	44	18	0	18	41	5.9	43.9
12 San Rafael	A San Rafael North	6	5	0	5	6	1.0	83.3
	B San Rafael South	—	—	—	—	—	—	—
	Unit totals	6	5	0	5	6	1.0	83.3
13 La Sal	A La Sal Mtn	12	4	0	4	12	7.2	33.3
	B Dolores Triangle	—	—	—	—	—	—	—
	Unit totals	12	4	0	4	12	7.2	33.3
14 San Juan	A Abajo	24	18	0	18	21	5.0	71.4
	B Elk Ridge	—	—	—	—	—	—	—
	Unit totals	24	18	0	18	21	5.0	71.4
15 Henry Mountains	A Henry Mountains	—	—	—	—	—	—	—

Fee mitigation elk harvest by management unit / subunit, Utah 2006 (cont.).

Unit	Subunit	Permits	Antlerless harvest			Hunters afield	Mean days hunted	Success rate (%)
			Cow	Calf	Total			
16 Central Mountains	A Nebo	43	8	0	8	40	10.5	20.0
	B North Manti	160	71	7	78	138	5.4	53.6
	C South Manti	28	11	0	11	28	3.6	39.3
	Unit totals	231	90	7	97	206	6.2	45.1
17 Wasatch Mountains	A West	14	0	0	0	14	9.0	0.0
	B Currant Creek	27	17	0	17	27	8.1	63.0
	C Avintaquin	18	0	9	9	18	3.0	50.0
	Unit totals	59	17	9	26	59	6.8	44.1
18 Oquirrh-Stansbury	A Oquirrh-Stansbury	—	—	—	—	—	—	—
19 West Desert	A West Desert	6	0	6	6	6	1.0	100.0
	BC East	—	—	—	—	—	—	—
	Unit totals	6	0	6	6	6	1.0	100.0
20 Southwest Desert	A Southwest Desert	—	—	—	—	—	—	—
21 Fillmore	A Oak Creek North	22	2	0	2	20	3.5	10.0
	B Pahvant	17	0	0	0	17	6.0	0.0
	Unit totals	39	2	0	2	37	4.6	5.4
22 Beaver	A Beaver	28	13	5	18	28	9.2	64.3
23 Monroe	A Monroe	20	12	0	12	20	2.6	60.0
24 Mt Dutton	A Mount Dutton	2	2	0	2	2	15.0	100.0
25 Plateau	A Fish Lake	—	—	—	—	—	—	—
	B Thousand Lakes	—	—	—	—	—	—	—
	C Boulder	6	6	0	6	6	1.0	100.0
	Unit totals	6	6	0	6	6	1.0	100.0
26 Kaiparowits	A Kaiparowits	—	—	—	—	—	—	—
27 Paunsaugunt	A Paunsaugunt	—	—	—	—	—	—	—
28 Panguitch Lake	A Panguitch Lake	2	0	0	0	0	0.0	0.0
29 Zion	A Zion	23	4	0	4	19	5.0	21.1
30 Pine Valley	A Pine Valley	—	—	—	—	—	—	—
Statewide totals		1094	504	58	562	1003	4.7	54.4

Total general seasons spike bull elk harvest by subunit, Utah 1999–2006.

	Unit		Subunit	1999	2000	2001	2002	2003	2004	2005	2006
2	Cache	A	North	0	0	86	153	133	139	126	41
2	Cache	B	South	106	174	36	12	26	28	24	131
12	San Rafael	B	South	0	0	10	0	0	5	0	0
13	La Sal	A	La Sal Mountains	139	114	133	82	62	62	60	53
16	Central Mountains	A	Nebo	253	273	148	88	71	70	100	111
16	Central Mountains	B	Manti	1036	1129	722	516	659	568	561	675
17	Wasatch Mountains	A	Wasatch Mountains	402	472	442	390	421	318	202	263
17	Wasatch Mountains	B	Currant Creek	237	218	156	208	132	107	94	146
17	Wasatch Mountains	C	Avintaquin	22	27	35	59	25	84	34	34
22	Beaver	A	Beaver	50	97	58	20	82	73	53	101
25	Plateau	AB	Fish Lake / Thousand Lakes	618	470	275	23	92	193	168	237
25	Plateau	C	Boulder	152	175	151	51	93	92	96	105

Total general season any bull elk harvest by subunit, Utah 1999–2006.

	Unit		Subunit	1999	2000	2001	2002	2003	2004	2005	2006
1	Box Elder	B	Hansel Mountain	0	0	0	0	16	17	20	28
3	Ogden	A	Ogden	51	76	56	42	27	74	84	39
4	Morgan-South Rich	A	Morgan-South Rich	191	170	161	113	171	143	145	165
5	East Canyon	A	East Canyon	78	107	72	86	118	110	69	126
6	Chalk Creek	A	Chalk Creek	172	132	142	124	91	177	86	101
7	Kamas	A	Kamas	125	122	101	85	122	135	72	155
8	North Slope	A	Summit	220	248	205	180	246	191	166	150
8	North Slope	B	West Daggett	159	153	134	147	162	83	99	135
9	South Slope	A	Yellowstone	258	494	320	345	281	358	301	493
9	South Slope	B	Vernal	533	560	450	344	347	332	368	521
9	South Slope	D	Bonanza	0	0	0	0	0	0	11	20
11	Nine Mile	B	Range Creek	91	149	122	109	141	122	116	112
12	San Rafael	A	North	45	51	25	3	10	17	24	28
15	Henry Mountains	A	Henry Mountains	0	0	0	0	0	0	0	4
16	Central Mountains	A	Nebo*	0	0	0	0	14	4	12	15
16	Central Mountains	B	Manti*	0	0	0	0	0	0	0	4
17	Wasatch Mountains	A	Wasatch Mountains*	0	0	0	0	0	0	7	8
19	West Desert	BC	East	0	0	0	0	0	0	14	14
21	Fillmore	A	Oak Creek North	0	0	0	0	59	8	29	23
29	Zion	A	Zion	115	66	61	28	60	77	44	76
30	Pine Valley	A	Pine Valley	0	0	0	0	0	0	0	33

*Harvest from extended archery season.

Total limited entry and CWMU bull elk harvest by subunit, Utah 1999–2006.

	Unit	Subunit	1999	2000	2001	2002	2003	2004	2005	2006
1	Box Elder	A West Box Elder	15	4	7	12	9	9	11	13
1	Box Elder	B Hansel Mountain	0	0	0	0	0	0	0	0
2	Cache	A North	26	25	13	11	10	24	20	22
2	Cache	B South	29	36	25	33	20	30	37	51
3	Ogden	A Ogden	3	9	4	12	4	23	13	15
4	Morgan-South Rich	A Morgan-South Rich	169	135	108	150	111	154	157	141
5	East Canyon	A East Canyon	11	14	14	41	10	41	24	49
6	Chalk Creek	A Chalk Creek	60	60	78	92	99	100	71	111
7	Kamas	A Kamas	0	0	0	0	0	0	0	0
8	North Slope	A Summit	0	0	0	0	0	0	0	0
8	North Slope	B West Daggett	10	0	0	0	0	0	0	0
8	North Slope	C Three Corners	28	19	25	23	16	34	39	48
9	South Slope	A Yellowstone	0	0	0	0	0	0	0	0
9	South Slope	B Vernal	0	0	0	0	0	0	0	0
9	South Slope	C Diamond Mountain	42	52	60	51	42	78	93	93
9	South Slope	D Bonanza	0	0	0	0	0	0	0	0
10	Book Cliffs	AB Bitter Creek / South	66	70	72	61	65	75	79	97
10	Book Cliffs	C Little Creek	32	35	30	0	4	39	47	51
11	Nine Mile	A Anthro	13	17	10*	18	12	16	18	21
11	Nine Mile	B Range Creek	25	6	0*	16	35	28	30	54
12	San Rafael	A North	0	0	0	0	0	0	0	0
12	San Rafael	B South	0	0	0	0	0	0	0	0
13	La Sal	A La Sal Mountains	26	21	6*	27	30	45	46	55
13	La Sal	B Dolores Triangle	0	0	2	2	0	0	3	6
14	San Juan	A San Juan	33	27	19*	31	39	66	70	70
15	Henry Mountains	A Henry Mountains	0	0	0	0	0	0	0	0

*Does not include CWMU harvest.

Total limited entry and CWMU bull elk harvest by subunit, Utah 1999–2006 (cont.).

	Unit		Subunit	1999	2000	2001	2002	2003	2004	2005	2006
16	Central Mountains	A	Nebo	18	19	24*	37	35	49	62	65
16	Central Mountains	B	Manti	116	128	92*	139	156	219	199	213
17	Wasatch Mountains	A	Wasatch Mountains	76	70	68*	98	82	110	139	146
17	Wasatch Mountains	B	Currant Creek	25	25	17*	34	27	41	35	42
17	Wasatch Mountains	C	Avintaquin	14	12	10*	16	17	27	30	35
18	Oquirrh-Stansbury	A	Oquirrh-Stansbury	37	24	7*	25	10	30	31	44
19	West Desert	A	Deep Creek	6	6	6	7	7	11	13	18
19	West Desert	BC	East	0	0	0	0	0	0	0	0
20	Southwest Desert	A	Southwest Desert	20	20	18	14	19	23	34	44
21	Fillmore	A	Oak Creek	13	9	14	8	11	16	21	32
21	Fillmore	B	Pahvant	21	24	21*	25	34	38	48	63
22	Beaver	A	Beaver	1	4	4	14	27	22	38	38
23	Monroe	A	Monroe	27	21	24	17	25	38	58	66
24	Mt. Dutton	A	Mt. Dutton	28	39	30	45	58	66	66	92
25	Plateau	AB	Fish Lake / Thousand Lakes	43	69	33*	60	103	123	120	125
25	Plateau	C	Boulder	3	5	6	12	37	44	50	59
27	Paunsaugunt	A	Paunsaugunt	18	16	8*	22	21	16	18	20
28	Panguitch Lake	A	Panguitch Lake	18	19	17*	22	22	42	47	61
29	Zion	A	Zion	0	2	0*	2	0	0	1	0
30	Pine Valley	A	Pine Valley	0	0	0	0	0	0	0	0

*Does not include CWMU harvest.

Total antlerless elk harvest by subunit, Utah 1999–2006.

	Unit	Subunit	1999	2000	2001	2002	2003	2004	2005	2006
1	Box Elder	A West Box Elder	6	5	7	1	0	0	4	9
1	Box Elder	B Hansel Mountain	0	1	0	0	0	0	0	0
2	Cache	A North	23	40	109	78	90	66	98	38
2	Cache	B South	93	165	139	56	79	60	127	136
3	Ogden	A Ogden	79	110	115	81	99	107	96	74
4	Morgan-South Rich	A Morgan-South Rich	270	323	294	316	153	438	426	664
5	East Canyon	A East Canyon	76	100	143	127	185	152	155	201
6	Chalk Creek	A Chalk Creek	282	295	462	131	172	154	112	144
7	Kamas	A Kamas	108	149	157	79	57	58	36	48
8	North Slope	A Summit	58	35	38	35	26	32	25	23
8	North Slope	B West Daggett	97	94	42	43	79	21	0	13
8	North Slope	C Three Corners	21	13	6	27	11	15	25	41
9	South Slope	A Yellowstone	385	517	237	288	295	98	16	88
9	South Slope	B Vernal	474	206	181	218	144	175	20	70
9	South Slope	C Diamond Mountain	426	152	190	204	114	80	15	33
9	South Slope	D Bonanza	0	0	0	0	0	0	0	23
10	Book Cliffs	AB Bitter Creek / South	219	51	156	216	238	53	20	35
10	Book Cliffs	C Little Creek	23	35	51	0	46	0	11	25
11	Nine Mile	A Anthro	148	76	159	108	80	57	25	34
11	Nine Mile	B Range Creek	62	86	240	167	160	182	78	163
12	San Rafael	A North	4**	0	0	11	4	0	0	7
12	San Rafael	B South	—	0	0	0	0	0	0	0
13	La Sal	A La Sal Mountains	269	355	349	229	311	219	128	108
13	La Sal	B Dolores Triangle	0	0	0	0	0	0	0	0
14	San Juan	A San Juan	100	49	114	186	136	100	140	207
15	Henry Mountains	A Henry Mountains	0	0	0	4	2	4	3	2

*Starting in 2006, data includes mitigation permits.

**Harvest includes the entire unit.

Total antlerless elk harvest by subunit, Utah 1999–2006 (cont.).

	Unit		Subunit	1999	2000	2001	2002	2003	2004	2005	2006
16	Central Mountains	A	Nebo	152	232	602	196	120	132	97	162
16	Central Mountains	B	Manti	968	1292	907	714	957	648	446	673
17	Wasatch Mountains	A	Wasatch Mountains	671	779	531	559	631	333	251	238
17	Wasatch Mountains	B	Currant Creek	404	130	200	589	398	149	83	179
17	Wasatch Mountains	C	Avintaquin	101	327	92	179	158	170	49	65
18	Oquirrh-Stansbury	A	Oquirrh-Stansbury	75	54	32	25	23	40	51	87
19	West Desert	A	Deep Creek	10	4	6	8	29	33	24	28
19	West Desert	BC	East	0	0	0	0	0	0	0	8
20	Southwest Desert	A	Southwest Desert	46	60	120	86	62	170	195	102
21	Fillmore	A	Oak Creek	3	4	6	36	28	21	14	32.5
21	Fillmore	B	Pahvant	31	46	60	66	88	127	98	37.5
22	Beaver	A	Beaver	29	31	22	9	17	24	36	83
23	Monroe	A	Monroe	0	157	120	38	37	36	29	12
24	Mt. Dutton	A	Mt. Dutton	168	105	144	152	108	140	125	51
25	Plateau	AB	Fish Lake / Thousand Lakes	876	1404	612	3	0	4	0	0
25	Plateau	C	Boulder	75	271	293	13	98	94	166	48
27	Paunsaugunt	A	Paunsaugunt	6	17	23	31	32	18	0	4
28	Panguitch Lake	A	Panguitch Lake	151	127	62	60	44	57	37	63
29	Zion	A	Zion	17	14	12	15	10	36	17	33
30	Pine Valley	A	Pine Valley	0	0	0	0	0	0	3	4

*Starting in 2006, data includes mitigation permits.

**Harvest includes the entire unit.

Total bull elk hunters by subunit, Utah 1999–2006.

	Unit	Subunit	1999	2000	2001	2002	2003	2004	2005	2006
1	Box Elder	A West Box Elder	19	19	8	16	12	17	15	18
1	Box Elder	B Hansel Mountain	0	0	0	0	38	65	63	88
2	Cache	A North	52	41	1105	1349	1622	1241	962	487
2	Cache	B South	1943	1564	352	303	370	355	336	1152
3	Ogden	A Ogden	555	494	553	683	524	738	871	653
4	Morgan-South Rich	A Morgan-South Rich	1192	1203	1056	1127	915	1132	1231	1334
5	East Canyon	A East Canyon	388	494	496	846	847	748	745	1077
6	Chalk Creek	A Chalk Creek	861	757	738	837	931	1183	864	905
7	Kamas	A Kamas	1243	1042	1208	1342	1584	1530	1377	1566
8	North Slope	A Summit	1845	2046	1731	2028	2208	2075	1998	1850
8	North Slope	B West Daggett	1224	1163	1328	1597	1576	1640	1489	1206
8	North Slope	C Three Corners	30	22	26	25	25	41	49	60
9	South Slope	A Yellowstone	1734	2164	2565	2298	2635	2617	2757	2893
9	South Slope	B Vernal	3271	3329	3071	3137	2751	3002	3189	3635
9	South Slope	C Diamond Mountain	64	66	65	61	61	116	117	127
9	South Slope	D Bonanza	0	0	0	0	0	0	89	103
10	Book Cliffs	AB Bitter Creek / South	71	72	72	65	65	88	102	123
10	Book Cliffs	C Little Creek	33	38	38	0	4	45	51	57
11	Nine Mile	A Anthro	13	17	10*	19	13	22	22	26
11	Nine Mile	B Range Creek	503	568	725*	785	626	588	703	645
12	San Rafael	A North	252**	238	198	195	111	136	237	205
12	San Rafael	B South	—	15	32	26	11	24	0	56
13	La Sal	A La Sal Mountains	965	753	669*	712	522	633	447	550
13	La Sal	B Dolores Triangle	3	0	3	3	0	0	3	6
14	San Juan	A San Juan	33	34	22*	36	39	70	82	91
15	Henry Mountains	A Henry Mountains	0	0	0	0	49	36	64	90

*Does not include CWMU hunters.

**Hunters for the entire unit.

Total bull elk hunters by subunit, Utah 1999–2006 (cont.).

	Unit	Subunit	1999	2000	2001	2002	2003	2004	2005	2006
16	Central Mountains	A Nebo	1401	1342	1122*	1100	1226	1240	1149	1109
16	Central Mountains	B Manti	7404	7160	5863*	5889	5774	5578	5074	5396
17	Wasatch Mountains	A Wasatch Mountains	4205	3696	3416*	4315	3901	3555	3188	3472
17	Wasatch Mountains	B Currant Creek	1926	1346	1434*	1824	1377	1289	1127	1358
17	Wasatch Mountains	C Avintaquin	249	185	191*	293	202	554	312	242
18	Oquirrh-Stansbury	A Oquirrh-Stansbury	41	24	7*	26	11	30	31	44
19	West Desert	A Deep Creek	6	6	6	7	7	12	16	20
19	West Desert	BC East	0	0	0	0	0	0	96	148
20	Southwest Desert	A Southwest Desert	22	22	20	18	21	25	42	49
21	Fillmore	A Oak Creek	15	12	15	15	712	161	421	300
21	Fillmore	B Pahvant	27	24	24*	30	34	45	54	76
22	Beaver	A Beaver	733	841	632	579	768	791	890	934
23	Monroe	A Monroe	27	27	27	17	27	39	63	75
24	Mt. Dutton	A Mt. Dutton	43	122	35	56	108	83	97	117
25	Plateau	AB Fish Lake / 1000 Lakes	3639	3006	3605*	250	1130	1387	1529	1576
25	Plateau	C Boulder	850	759	1225	911	1035	950	918	813
27	Paunsaugunt	A Paunsaugunt	30	66	8*	28	37	30	29	33
28	Panguitch Lake	A Panguitch Lake	22	21	21*	29	30	47	63	75
29	Zion	A Zion	1092	605	601*	748	913	817	934	967
30	Pine Valley	A Pine Valley	0	0	0	0	0	0	0	429

*Does not include CWMU hunters.

**Hunters for the entire unit.

Total antlerless elk hunters by subunit, Utah 1999–2006.

	Unit	Subunit	1999	2000	2001	2002	2003	2004	2005	2006
1	Box Elder	A West Box Elder	15	22	14	2	2	0	4	10
1	Box Elder	B Hansel Mountain	0	5	10	5	5	5	5	2
2	Cache	A North	124	121	108	129	87	91	180	174
2	Cache	B South	273	275	256	254	139	113	240	314
3	Ogden	A Ogden	335	241	183	208	205	212	209	263
4	Morgan-South Rich	A Morgan-South Rich	499	521	496	522	587	630	594	932
5	East Canyon	A East Canyon	145	151	223	231	243	212	230	383
6	Chalk Creek	A Chalk Creek	780	651	712	487	560	422	326	382
7	Kamas	A Kamas	262	275	261	244	128	127	97	92
8	North Slope	A Summit	144	88	59	58	45	38	33	42
8	North Slope	B West Daggett	167	142	98	157	98	44	0	8
8	North Slope	C Three Corners	25	23	11	49	18	18	33	51
9	South Slope	A Yellowstone	1896	1804	733	819	858	303	0	160
9	South Slope	B Vernal	749	382	412	763	348	506	0	68
9	South Slope	C Diamond Mountain	787	274	326	571	256	218	60	91
9	South Slope	D Bonanza	0	0	0	0	0	0	0	23
10	Book Cliffs	AB Bitter Creek / South	295	79	220	323	391	92	36	52
10	Book Cliffs	C Little Creek	33	42	58	0	72	0	35	38
11	Nine Mile	A Anthro	192	115	298	230	227	105	30	58
11	Nine Mile	B Range Creek	101	210	516	700	637	412	342	667
12	San Rafael	A North	10**	0	0	0	0	0	0	19
12	San Rafael	B South	—	0	0	0	0	0	0	0
13	La Sal	A La Sal Mountains	395	475	504	459	532	525	238	192
13	La Sal	B Dolores Triangle	0	0	0	0	0	0	0	0
14	San Juan	A San Juan	136	54	156	271	253	184	249	363
15	Henry Mountains	A Henry Mountains	0	0	5	10	16	11	14	10

*Starting in 2006, data includes mitigation permits.

**Hunters for the entire unit.

Total antlerless elk hunters by subunit, Utah 1999–2006 (cont.).

	Unit	Subunit	1999	2000	2001	2002	2003	2004	2005	2006
16	Central Mountains	A Nebo	208	398	985	505	203	225	226	305
16	Central Mountains	B Manti		1856	1846	1257	1064	1478	935	754
17	Wasatch Mountains	A Wasatch Mountains	1251	1370	794	1312	1112	486	335	278
17	Wasatch Mountains	B Currant Creek	783	188	381	1099	777	274	86	198
17	Wasatch Mountains	C Avintaquin	242	575	172	492	526	466	94	159
18	Oquirrh-Stansbury	A Oquirrh-Stansbury	95	96	88	47	24	45	53	120
19	West Desert	A Deep Creek	17	17	25	22	50	46	47	36
19	West Desert	BC East	0	0	0	0	0	0	0	0
20	Southwest Desert	A Southwest Desert	57	60	148	100	98	379	482	150
21	Fillmore	A Oak Creek	5	7	10	61	53	30	28	60
21	Fillmore	B Pahvant	53	68	94	141	143	180	167	84
22	Beaver	A Beaver	0	0	45	0	0	0	0	115
23	Monroe	A Monroe	0	196	196	44	47	44	47	20
24	Mt. Dutton	A Mt. Dutton	441	184	480	330	476	546	647	289
25	Plateau	AB Fish Lake / 1000 Lakes	1382	2051	1509	0	0	0	0	2
25	Plateau	C Boulder	98	672	885	0	175	184	462	54
27	Paunsaugunt	A Paunsaugunt	30	42	53	53	82	49	9	10
28	Panguitch Lake	A Panguitch Lake	346	217	107	104	96	119	149	158
29	Zion	A Zion	31	34	39	30	38	33	38	88
30	Pine Valley	A Pine Valley	0	0	0	0	0	0	15	15

*Starting in 2006, data includes mitigation permits.

**Hunters for the entire unit.

Elk population estimates and objectives by management unit/subunit, Utah 2002–2006.

Management unit	Objective	Winter population estimate				
		2002	2003	2004	2005	2006
Box Elder	675	330	330	300	300	380
Cache	2300	1950	1950	2030	2000	2050
Ogden	1200	650	650	690	700	700
Morgan-South Rich	3500	4500	4300	4100	5100	4502
East Canyon	1000	800	1500	1200	1580	2125
Chalk Creek	1900	2200	2100	2000	2000	2150
Kamas	650	500	600	600	600	600
North Slope, Summit	300	120	270	270	270	280
North Slope, West Daggett	1300	1400	950	1000	1100	1015
North Slope, Three Corners	500	420	435	450	435	1075
South Slope, Yellowstone	5500	5300	5000	5270	5300	5600
South Slope, Vernal / Diamond Mountain	2500	2600	2470	2250	2260	3030
Book Cliffs	7500	3200	2850	2830	2525	3900
Nine Mile, Anthro	700	810	750	720	720	1000
Nine Mile, Range Creek	1000	1780	1350	1300	2000	2100
San Rafael	0	50	50	50	50	30
La Sal	2650	2650	2600	1970	1900	2100
San Juan	1300	1130	1140	1350	1400	1100
Henry Mountains	0	25	25	25	25	25
Central Mountains, Manti	12000	11100	8800	9400	10500	10000
Central Mountains, Nebo	1450	1450	1530	1500	1580	1373
Wasatch Mountains, Currant Creek	1200	1440	1200	1140	1200	1200
Wasatch Mountains, Avintaquin	1250	1250	1150	915	1200	1250
Wasatch Mountains, Central Region	2600	3160	2850	2850	2800	3184
Oquirrh-Stansbury	800	700	700	700	740	600
West Desert, Deep Creek	200	200	200	200	200	175
Southwest Desert	975	970	1400	1600	1100	1206
Fillmore	1425	1400	1400	1250	1150	1350
Beaver	950	300	300	900	900	875
Monroe	1800	1300	1430	1575	900	1000
Mt. Dutton	1500	1400	1635	1625	1600	1270
Plateau, Fish Lake / Thousand Lakes	4800	2700	3070	3500	4000	4350
Plateau, Boulder	1500	1500	1540	1700	400	500
Kaiparowits	25	20	25	25	25	25
Paunsaugunt	200	60	80	80	75	24
Panguitch Lake	1100	900	1065	1125	1150	872
Zion	300	300	300	300	300	300
Pine Valley	50	30	30	50	50	50
Statewide totals	68600	60595	58025	58840	60135	63366

Average age of harvested bull elk on limited entry units, 2002-2006.

Management unit	Age objective	2002	2003	2004	2005	2006
Box Elder, Pilot Mountain	6-7	6.7	5.5	7.0	7.5	7.3
Box Elder, Grouse Creek	4-5	4.0	—	5.0	—	6.4
Cache, North	4-5	4.4	4.0	3.8	4.7	4.4
Cache, South	5-6	6.4	6.3	4.7	6.5	6.6
Cache, Meadowville	5-6	—	6.0	6.0	7.2	6.8
North Slope, Three Corners	4-5	4.3	4.6	5.1	5.1	5.5
South Slope, Diamond Mountain	5-6	4.4	5.7	5.2	5.5	5.5
Book Cliffs, Bitter Creek / South	5-6	6.5	5.8	6.4	6.5	6.6
Book Cliffs, Little Creek	6-7	—	7.6	6.8	6.9	7.8
Nine Mile, Anthro	5-6	6.9	8.0	6.7	6.4	6.6
Nine Mile, Range Creek South	5-6	—	—	—	—	5.3
La Sal	5-6	5.8	6.3	5.7	5.7	5.9
San Juan	6-7	7.7	8.0	7.7	7.5	7.6
Central Mountains, Manti	5-6	7.0	7.1	6.7	6.9	7.3
Central Mountains, Nebo	5-6	6.0	6.3	6.3	6.6	7.6
Wasatch Mountains	5-6	6.1	6.4	6.8	7.1	7.2
Oquirrh-Stansbury	5-6	5.0	5.7	5.9	7.0	6.6
West Desert, Deep Creek	6-7	7.8	6.5	6.9	8.8	8.0
Southwest Desert, Indian Peaks	6-7	8.1	7.2	7.7	8.1	8.2
Fillmore, Oak Creek	4-5	5.8	4.5	4.8	5.3	4.8
Fillmore, Pahvant	6-7	7.6	7.1	7.5	8.5	7.7
Beaver	5-6	7.0	6.0	7.5	7.1	6.8
Monroe	5-6	7.5	7.1	7.2	7.8	8.2
Mount Dutton	5-6	6.5	5.9	6.2	6.7	6.8
Plateau, Fish Lake / Thousand Lakes	5-6	7.2	6.8	6.3	6.4	7.6
Plateau, Boulder / Kaiparowits	5-6	6.0	5.9	7.2	7.0	8.4
Paunsaugunt	5-6	6.6	4.8	5.5	5.4	6.0
Panguitch Lake	5-6	6.3	7.1	6.1	7.0	7.0

Elk classification and trend count data by subunit, Utah 1998–2007.

Box Elder, Pilot Mountain

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	160	43	39	22
2000–2001	—	—	—	—	85	25	15	14
2001–2002	—	—	—	—	58	42	45	45
2002–2003	—	—	—	—	47	33	180	66
2003–2004	—	—	—	—	45	56	39	30
2004–2005	—	—	—	—	98	51	77	60
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	—	—	—	—

Cache

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	1068	36	29	17
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	1304	31	23	17
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	1621	54	25*	17*
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	—	—	—	—

*Bulls /100 antlerless.

Ogden

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	385	28	46	11
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	346	33	25	19
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	562	—	19*	8*
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	—	—	—	—

*Bulls /100 antlerless.

Elk classification and trend count data by subunit, Utah 1998–2007 (cont.).

Morgan-South Rich

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	3340	49	60	38
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	4003	44	46	41
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	4564	43	72	55
2006–2007	—	—	—	—	—	—	—	—

East Canyon

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	233	70	50	28
2003–2004	—	—	—	—	1316	51	46	28
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	1846	37	33	19

Chalk Creek

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	2229	57	62	42
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	1851	54	58	37
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	1606	61	78	52
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	1914	49	40	22

Elk classification and trend count data by subunit, Utah 1998–2007 (cont.).

Kamas

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	268	62	17	10
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	399	47	31	19
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	486	55	18	5

North Slope, Summit

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	101	—	—	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	215	48	58	23
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	228	—	12	—

North Slope, West Daggett

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	923	41	18	—
2001–2002	47	39	13	7	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	716	34	16	1
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	32	50	50	—	863	39	11	1

Elk classification and trend count data by subunit, Utah 1998–2007 (cont.).

North Slope, Three Corners

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	186	25	49	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	348	57	77	41
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	912	35	54	26

South Slope, Yellowstone

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	5758	—	14*	5*
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	3954	40	35	11
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	3305	37	19	6
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	4745	43	23	6

*Bulls /100 antlerless.

South Slope, Vernal

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	1025	62	14	—
1999–2000	84	57	21	—	—	—	—	—
2000–2001	—	—	—	—	1244	47	15	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	783	50	9	1
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	941	48	17	2

Elk classification and trend count data by subunit, Utah 1998–2007 (cont.).

South Slope, Diamond Mountain

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	1758	51	18	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	1278	42	28	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	1067	36	47	27
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	1633	47	27	8

Book Cliffs, Bitter Creek / Little Creek

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	424	43	28	15	2048	42	52	28
2001–2002	286	35	24	9	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	237	37	18	7	1396	41	54	25
2004–2005	391	37	19	8	—	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	310	39	15	5	2590	39	31	12

Book Cliffs, South

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	47	72	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	—	31	74	29
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	789	40	74	32

Elk classification and trend count data by subunit, Utah 1998–2007 (cont.).

Nine Mile, Anthro

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	608	—	28*	12*
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	662	43	36	18
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	453	39	57	29
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	848	33	27	—

*Bulls /100 antlerless.

Nine Mile, Range Creek

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	416	40	—	—	—	—	—	—
1999–2000	656	42	13	7	—	—	—	—
2000–2001	329	40	14	3	1496	30	28	9
2001–2002	268	38	12	1	—	—	—	—
2002–2003	301	45	14	11	—	—	—	—
2003–2004	332	20	15	3	952	25	40	21
2004–2005	384	48	6	4	—	—	—	—
2005–2006	384	51	17	6	1826	38	34	14
2006–2007	552	48	—	—	—	—	—	—

La Sal, La Sal Mountains

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	—	33	24	—
2000–2001	—	48	16	—	—	—	—	—
2001–2002	—	48	—	—	—	—	—	—
2002–2003	—	—	—	—	—	35	19	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	—	37	24	14
2005–2006	—	—	—	—	—	—	—	—
2006–2007	447	54	17	4	—	—	—	—

Elk classification and trend count data by subunit, Utah 1998–2007 (cont.).

La Sal, Dolores Triangle

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	1677	30	24	13
2000–2001	—	37	—	—	—	—	—	—
2001–2002	—	52	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	—	36	40	32
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	—	—	—	—

San Juan

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	946	47	65	41
2000–2001	—	53	22	—	—	—	—	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	33	79	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	—	42	65	51
2005–2006	—	—	—	—	—	—	—	—
2006–2007	304	50	26	3	—	—	—	—

Central Mountains, Nebo

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	1493	52	35	20	—	—	—	—
2000–2001	1411	45	18	3	—	51	20	15
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	1144	—	16	8

Elk classification and trend count data by subunit, Utah 1998–2007 (cont.).

Central Mountains, Manti

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	2170	42	10	2	—	—	—	—
2000–2001	1509	56	15	3	—	29	16	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	42	11	—	—	—	—	—
2003–2004	—	42	16	—	—	31	15	11
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	478	48	20	2	7742	—	15	7

Wasatch Mountains, West

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	3026	—	21*	11*
1999–2000	1381	56	26	11	—	—	—	—
2000–2001	1441	50	24	8	—	—	—	—
2001–2002	771	56	15	6	3220	—	28*	26*
2002–2003	566	54	12	4	—	—	—	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	2659	—	30*	21*
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	—	—	—	—

*Bulls /100 antlerless.

Wasatch Mountains, Currant Creek

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	1339	—	9*	2*
1999–2000	439	53	24	2	—	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	1413	—	15*	7*
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	853	—	14*	7*
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	—	—	—	—

*Bulls /100 antlerless.

Elk classification and trend count data by subunit, Utah 1998–2007 (cont.).

Wasatch Mountains, Avintaquin

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	937	—	23*	10*
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	1124	—	26*	18*
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	830	—	13*	7*
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	—	—	—	—

*Bulls /100 antlerless.

Oquirrh-Stansbury

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	452	33	46	39	—	—	—	—
1999–2000	190	45	41	40	541	57	81	62
2000–2001	210	44	30	29	320	—	80	63
2001–2002	319	53	52	37	—	—	—	—
2002–2003	—	—	—	—	351	—	42*	25*
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	642	—	41*	21*
2006–2007	—	—	—	—	—	—	—	—

*Bulls /100 antlerless.

West Desert, Deep Creek

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	351	31	41	28	—	—	—	—
1999–2000	—	—	—	—	—	—	—	—
2000–2001	76	66	51	20	—	—	—	—
2001–2002	—	—	—	—	—	—	—	—
2002–2003	—	—	—	—	112	—	28*	24*
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	—	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	—	—	—	—

*Bulls /100 antlerless.

Elk classification and trend count data by subunit, Utah 1998–2007 (cont.).

Southwest Desert

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	366	54	22	14	—	—	—	—
1999–2000	332	56	28	17	—	—	—	—
2000–2001	402	40	34	13	732	—	—	—
2001–2002	176	47	29	12	—	—	—	—
2002–2003	358	39	18	11	—	—	—	—
2003–2004	345	34	32	15	945	—	—	—
2004–2005	332	57	24	9	—	—	—	—
2005–2006	333	54	23	9	—	—	—	—
2006–2007	337	42	27	14	965	—	21	9

Fillmore, Pahvant

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	270	52	16	12	738	—	41*	29*
1999–2000	287	57	36	14	—	—	—	—
2000–2001	327	46	34	20	—	—	—	—
2001–2002	266	55	53	36	1136	55	56	33
2002–2003	283	39	45	33	—	—	—	—
2003–2004	246	49	32	19	—	—	—	—
2004–2005	191	52	63	45	929	—	—	—
2005–2006	570	48	21	14	—	—	—	—
2006–2007	268	43	30	20	—	—	—	—

*Bulls /100 antlerless.

Beaver

Year	Preseason				Trend			
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	353	60	17	11	317	—	14*	9*
1999–2000	271	54	19	13	—	—	—	—
2000–2001	216	49	22	14	—	—	—	—
2001–2002	249	46	58	39	243	—	51	45
2002–2003	156	48	31	17	—	—	—	—
2003–2004	141	50	26	16	—	—	—	—
2004–2005	208	57	10	3	737	—	—	—
2005–2006	479	49	21	14	—	—	—	—
2006–2007	249	60	53	29	—	—	—	—

*Bulls /100 antlerless.

Elk classification and trend count data by subunit, Utah 1998–2007 (cont.).

Monroe

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	827	54	17	8	—	—	—	—
1999–2000	640	57	32	18	1420	—	36	27
2000–2001	937	52	37	27	—	—	—	—
2001–2002	299	50	51	35	920	—	—	—
2002–2003	572	44	45	36	1056	44	57	48
2003–2004	336	53	40	23	—	—	—	—
2004–2005	354	52	50	41	—	—	—	—
2005–2006	378	49	43	28	704	—	50*	29*
2006–2007	541	48	21	13	—	—	—	—

*Bulls /100 antlerless.

Mt. Dutton

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	376	48	30	17	—	—	—	—
1999–2000	461	57	60	42	—	—	—	—
2000–2001	243	49	44	26	1360	—	40	27
2001–2002	407	35	17	3	—	—	—	—
2002–2003	374	44	44	31	—	—	—	—
2003–2004	210	44	50	44	1308	—	—	—
2004–2005	301	58	83	58	—	—	—	—
2005–2006	226	50	57	39	—	—	—	—
2006–2007	105	46	46	36	1016	—	39	18

Plateau, Fish Lake / Thousand Lakes

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	4840	—	22	16
2000–2001	1512	53	17	6	—	—	—	—
2001–2002	1465	42	26	12	1449	—	—	—
2002–2003	640	46	13	8	2210	—	—	—
2003–2004	791	53	26	19	—	—	—	—
2004–2005	446	44	25	18	—	—	—	—
2005–2006	355	53	46	31	3223	—	13*	7*
2006–2007	1291	45	13	6	—	—	—	—

*Bulls /100 antlerless.

Elk classification and trend count data by subunit, Utah 1998–2007 (cont.).

Plateau, Boulder

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	—	—	—	—
1999–2000	—	—	—	—	1675	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	1094	—	—	—
2002–2003	330	41	16	8	1219	—	—	—
2003–2004	248	48	33	26	—	—	—	—
2004–2005	306	55	32	22	—	—	—	—
2005–2006	75	62	51	31	293	—	42*	31*
2006–2007	168	38	12	11	—	—	—	—

*Bulls /100 antlerless.

Paunsaugunt

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	57	48	100	91	—	—	—	—
1999–2000	121	48	68	46	—	—	—	—
2000–2001	221	59	12	10	51	—	—	—
2001–2002	83	64	25	7	—	—	—	—
2002–2003	144	55	42	22	—	—	—	—
2003–2004	114	63	27	20	64	—	—	—
2004–2005	101	55	29	7	—	—	—	—
2005–2006	71	46	27	20	—	—	—	—
2006–2007	65	56	85	81	19	—	—	—

Panguitch Lake

Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	563	54	26	17	—	—	—	—
1999–2000	125	53	97	63	—	—	—	—
2000–2001	282	56	79	55	731	—	99	14
2001–2002	372	48	15	11	—	—	—	—
2002–2003	276	44	41	33	—	—	—	—
2003–2004	176	51	35	29	851	—	—	—
2004–2005	191	62	22	7	—	—	—	—
2005–2006	179	69	15	13	—	—	—	—
2006–2007	106	57	59	43	697	—	20	9

Elk classification and trend count data by subunit, Utah 1998–2007 (cont.).

Zion


Year	Preseason			Trend				
	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
1998–1999	—	—	—	—	262	—	8*	3*
1999–2000	—	—	—	—	—	—	—	—
2000–2001	—	—	—	—	—	—	—	—
2001–2002	—	—	—	—	248	—	—	—
2002–2003	—	—	—	—	—	—	—	—
2003–2004	—	—	—	—	—	—	—	—
2004–2005	—	—	—	—	257	—	—	—
2005–2006	—	—	—	—	—	—	—	—
2006–2007	—	—	—	—	—	—	—	—

*Bulls /100 antlerless.

PRONGHORN



Statewide trends of pronghorn harvest statistics, Utah 1946–2006.



*Data not available in 1948, 1951, 1952, and 1953.

Statewide pronghorn harvest statistics, Utah 1946–2006.

Year	Buck harvest	Doe / fawn harvest	Total harvest	Hunters afield
1946	62	0	62	66
1947	85	0	85	96
1948	—	—	—	—
1949	43	0	43	45
1950	26	0	26	35
1951	—	—	—	—
1952	—	—	—	—
1953	—	—	—	—
1954	39	25	64	75
1955	41	15	56	96
1956	47	0	47	102
1957	34	0	34	93
1958	33	0	33	84
1959	74	0	74	142
1960	99	0	99	161
1961	92	0	92	153
1962	74	0	74	122
1963	50	0	50	190
1964	56	0	56	96
1965	51	0	51	81
1966	73	0	73	105
1967	93	0	93	122
1968	114	0	114	151
1969	139	0	139	169
1970	158	0	158	181
1971	174	0	174	218
1972	198	0	198	251
1973	169	0	169	253
1974	183	0	183	254
1975	190	0	190	232
1976	180	0	180	224
1977	208	0	208	242
1978	276	0	276	314
1979	270	0	270	310
1980	280	2	282	310
1981	323	0	323	339
1982	365	35	400	445
1983	425	38	463	515
1984	500	169	669	733
1985	514	151	665	730

Statewide pronghorn harvest statistics, Utah 1946–2006 (cont.).

Year	Buck harvest	Doe / fawn harvest	Total harvest	Hunters afield
1986	491	288	779	859
1987	534	446	980	1054
1988	584	205	789	883
1989	617	373	990	1092
1990	605	647	1252	1347
1991	634	773	1407	1577
1992	720	821	1541	1730
1993	602	947	1549	1873
1994	632	470	1102	1301
1995*	605	195	800	1310
1996	535	92	627	704
1997	514	294	808	928
1998	522	581	1103	1195
1999	504	564	1068	1195
2000	503	128	631	791
2001	493	235	728	826
2002	512	166	678	840
2003	345	272	617	717
2004	431	420	851	848
2005	603	518	1121	1129
2006	820	535	1355	1672

*Some hunters had 2-doe permits.

Total pronghorn harvest by management unit, Utah 2006.

Management unit	Buck harvest	Doe / fawn harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
Box Elder	31	19	50	100	3.1	50.0
Cache	36	47	83	100	2.1	68.0
Morgan-South Rich	34	77	111	129	1.9	86.0
North Slope	19	18	37	47	1.8	78.7
South Slope	36	5	41	50	3.1	82.0
Book Cliffs	29	0	29	30	1.7	96.7
Nine Mile	30	0	30	30	1.8	100.0
San Rafael	40	10	50	58	3.3	86.2
San Juan	2	0	2	2	1.5	100.0
West Desert	49	33	82	85	1.6	85.9
Southwest Desert / Beaver / Pine Valley	36	19	55	57	2.2	96.5
Fillmore	2	0	2	3	1.0	66.7
Mt. Dutton / Paunsaugunt	31	0	31	31	1.8	100.0
Plateau	433	307	740	938	2.0	78.9
Kaiparowits	5	0	5	5	1.8	100.0
Panguitch Lake	5	0	5	5	2.4	100.0
Statewide Sportsman / Conservation	2	0	2	2	3.0	100.0
Statewide totals	820	535	1355	1672	2.1	79.6

Limited entry archery buck pronghorn harvest, Utah 2006.

Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Pilot Mountain	0	1	1	7.0	0.0
Box Elder, Promontory	0	2	1	5.0	0.0
Box Elder, Puddle Valley	1	1	1	2.0	100.0
Box Elder, Snowville	0	2	1	6.0	0.0
Cache, North Rich	4	5	5	4.8	75.0
North Slope, West Daggett / Three Corners	2	3	3	6.0	66.7
South Slope, Vernal	0	1	1	6.0	0.0
South Slope, Bonanza / Diamond Mountain	3	5	4	3.8	75.0
Book Cliffs, Bitter Creek	1	1	1	1.0	100.0
Book Cliffs, South	2	4	3	3.0	66.7
Nine Mile, Anthro	2	2	2	1.0	100.0
San Rafael, North	5	7	7	9.3	71.4
San Rafael, Desert	1	2	2	10.5	50.0
West Desert, Riverbed	3	3	3	1.0	100.0
West Desert, Rush Valley	1	1	1	3.0	100.0
West Desert, Snake Valley	1	1	1	2.0	100.0
Southwest Desert / Beaver / Pine Valley	5	6	6	6.0	80.0
Mt. Dutton / Paunsaugunt	3	5	3	5.0	100.0
Plateau	47	90	86	4.0	54.1
Statewide totals	81	142	132	4.4	61.4

Limited entry any weapon buck pronghorn harvest, Utah 2006.

Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Pilot Mountain	5	5	5	3.4	100.0
Box Elder, Promontory	8	8	8	1.6	100.0
Box Elder, Puddle Valley	1	2	2	3.0	50.0
Box Elder, Snowville	9	10	10	1.4	90.0
Cache, North Rich	27	27	27	1.1	100.0
Morgan-South Rich	3	3	3	1.0	100.0
North Slope, Summit	2	2	2	1.0	100.0
North Slope, West Daggett / Three Corners	15	17	16	1.7	93.8
South Slope, Vernal	8	8	8	2.3	100.0
South Slope, Bonanza / Diamond Mountain	25	28	26	1.9	96.0
Book Cliffs, Bitter Creek	6	6	6	1.3	100.0
Book Cliffs, South	20	20	20	1.7	100.0
Nine Mile, Anthro	11	11	11	1.5	100.0
Nine Mile, Range Creek	8	9	8	1.3	100.0
San Rafael, North	29	29	29	2.2	100.0
San Rafael, Desert	5	5	5	2.0	100.0
San Juan, Hatch Point	2	2	2	1.5	100.0
West Desert, Riverbed	19	19	19	1.5	100.0
West Desert, Rush Valley	6	7	7	2.3	83.3
West Desert, Snake Valley	8	8	8	2.8	100.0
Southwest Desert / Beaver / Pine Valley	31	32	32	2.3	96.8
Fillmore, Black Rock Desert	2	3	3	1.0	66.7
Mt. Dutton / Paunsaugunt	28	28	28	1.5	100.0
Plateau (early)	204	220	207	1.5	98.4
Plateau (late)	182	218	206	1.8	88.4
Kaiparowits	5	5	5	1.8	100.0
Panguitch Lake	5	5	5	2.4	100.0
Statewide Sportsman / Conservation	2	2	2	3.0	100.0
Statewide totals	676	739	710	1.7	95.2

Limited entry doe / fawn pronghorn harvest, Utah 2006.

Hunt name	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
	Doe	Fawn	Total				
Box Elder, Promontory	0	0	0	30	30	1.5	0.0
Cache, North Rich	4	7	11	30	26	2.1	42.9
North Slope, Lucerne Point	13	0	13	22	18	1.6	75.0
North Slope, Summit	5	0	5	5	5	1.0	100.0
Plateau	132	6	138	250	219	2.0	62.9
Plateau	150	15	165	250	216	1.7	76.1
Statewide totals	304	28	332	587	514	1.8	64.6

CWMU buck pronghorn, Utah 2006.

CWMU	Unit	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Rose Ranch	1	3	3	3	1.0	100.0
Sanda Rosa	1	1	3	3	7.0	33.3
Taylor Farms	1	3	3	3	2.0	100.0
Chournos-Legacy	2	5	5	5	1.4	100.0
Deseret	4	31	32	32	2.3	96.0
Antelope Creek	11	6	6	6	3.5	100.0
Leland Bench	11	3	3	3	2.0	100.0
Allen Ranch	19	3	3	3	2.3	100.0
West Lake	19	8	8	8	1.4	100.0
Statewide totals		63	66	66	2.3	95.5

CWMU doe / fawn pronghorn harvest, Utah 2006.

CWMU	Unit	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
		Doe	Fawn	Total				
Taylor Farms	1	4	0	4	4	4	1.0	100.0
Chournos Legacy	2	2	0	2	2	2	1.0	100.0
Deseret	4	60	5	65	96	80	1.6	80.6
Allen Ranch	19	4	0	4	6	6	1.2	60.0
Westlake*	19	15	2	17	10	8	1.2	100.0
Statewide totals		85	7	92	118	100	1.5	83.0

*2 doe permits. Success rates are per hunter.

Free mitigation pronghorn harvest, Utah 2006.

Management unit	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
	Doe	Fawn	Total				
Pilot Mtn	0	0	0	10	4	31.0	0.0
Promontory	0	0	0	6	6	2.0	0.0
Puddle Valley	—	—	—	—	—	—	—
Snowville	—	—	—	5	—	—	—
North Rich	30	0	30	45	15	2.0	100.0
Morgan-South Rich	0	0	0	5	2	7.0	0.0
Summit	—	—	—	—	—	—	—
West Daggett-Three Corners	—	—	—	—	—	—	—
Vernal	5	0	5	47	10	6.5	50.0
Bonanza-Diamond Mountain	0	0	0	2	1	2.0	0.0
Bitter Creek	—	—	—	—	—	—	—
South	—	—	—	—	—	—	—
Anthro	—	—	—	—	—	—	—
Range Creek	—	—	—	2	—	—	—
North	6	0	6	14	11	2.5	50.0
Desert	—	—	—	6	—	—	—
Hatch Point	—	—	—	—	—	—	—
Riverbed	—	—	—	—	—	—	—
Rush Valley	3	0	3	6	3	1.0	100.0
Snake Valley	0	0	0	13	7	2.0	0.0
Southwest Desert / Beaver / Pine Valley	10	0	10	24	10	1.0	100.0
Black Rock Desert	—	—	—	—	—	—	—
Mt. Dutton-Paunsaugunt	—	—	—	—	—	—	—
Plateau	4	0	4	25	4	7.0	100.0
Kaiparowits	—	—	—	—	—	—	—
Panguitch	—	—	—	—	—	—	—
Statewide totals	58	0	58	210	73	4.5	58.9

*Some hunters had multiple permits. Success rates are per hunter.

Fee mitigation pronghorn harvest, Utah 2006.

Management unit	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
	Doe	Fawn	Total				
Pilot Mtn	7	0	7	10	10	1.7	66.7
Promontory	8	0	8	8	8	1.0	100.0
Puddle Valley	—	—	—	—	—	—	—
Snowville	—	—	—	—	—	—	—
North Rich	4	0	4	20	20	3.0	20.0
Morgan-South Rich	12	0	12	12	12	1.6	100.0
Summit	0	0	0	3	3	1.0	0.0
West Daggett-Three Corners	—	—	—	—	—	—	—
Vernal	—	—	—	—	—	—	—
Bonanza-Diamond Mountain	—	—	—	—	—	—	—
Bitter Creek	—	—	—	—	—	—	—
South	—	—	—	—	—	—	—
Anthro	—	—	—	—	—	—	—
Range Creek	—	—	—	—	—	—	—
North	—	—	—	—	—	—	—
Desert	4	0	4	4	4	1	100.0
Hatch Point	0	0	0	2	0	—	—
Riverbed	—	—	—	1	—	—	—
Rush Valley	9	0	9	11	11	1	83.3
Snake Valley	—	—	—	—	—	—	—
Southwest Desert / Beaver / Pine Valley	9	0	9	9	9	1	100.0
Black Rock Desert	—	—	—	3	—	—	—
Mt. Dutton-Paunsaugunt	—	—	—	—	—	—	—
Plateau	—	—	—	—	—	—	—
Kaiparowits	—	—	—	5	—	—	—
Panguitch	—	—	—	—	—	—	—
Statewide totals	53	0	53	88	77	1.7	68.8

Total buck pronghorn harvest by subunit, Utah 1999–2006.

Unit	Unit name	Subunit name	1999	2000	2001	2002	2003	2004	2005	2006
1	Box Elder	Pilot Mountain	4	4	4	4	3	4	5	5
1	Box Elder	Promontory	2	3	7	5	5	8	8	8
1	Box Elder	Puddle Valley	6	6	6	6	6	5	2	2
1	Box Elder	Snowville	11	13	11	10	6	12	18	16
2	Cache	North Rich	27	21	18	23	22	27	28	36
4	Morgan-South Rich	Morgan-South Rich	32	24	20	19	15	29	38	34
8	North Slope	Summit	0	0	2	1	1	1	1	2
8	North Slope	West Daggett / Three Corners	21	22	22	26	16	14	21	17
9	South Slope	Vernal	11	11	9	8	6	6	7	8
9	South Slope	Bonanza / Diamond Mountain	89	95	60	43	28	27	31	28
10	Book Cliffs	Bitter Creek	10	13	33	10	4	6	0	7
10	Book Cliffs	South	33	33	25	24	10	9	14	22
11	Nine Mile	Anthro	40	37	51	28	13	21	15	22
11	Nine Mile	Range Creek	10	9	9	11	4	3	8	8
12	San Rafael	North	32*	32*	37*	37*	18	22	24	34
12	San Rafael	Desert	—	—	—	—	4	5	4	6
14	San Juan	Hatch Point	0	3	3	3	2	2	2	2
19	West Desert	Riverbed	19	16	15	36	24	29	20	22
19	West Desert	Rush Valley	5	0	5	18	9	17	19	18
19	West Desert	Snake Valley	48	46	40	22	13	10	8	9
20–22–30	Southwest Desert / Beaver / Pine Valley	Southwest Desert / Beaver / Pine Valley	24	33	31	60	32	38	30	36
21	Fillmore	Black Rock Desert	0	0	0	0	0	0	2	2
24–27	Mt. Dutton / Paunsaugunt	Mt. Dutton / Paunsaugunt	9	17	16	24	20	26	29	31
25	Plateau	Plateau	67	62	34	52	44	106	264	433
26	Kaiparowits	Kaiparowits	0	0	31	38	36	0	0	5
28	Panguitch	Panguitch	4	4	4	4	4	4	5	5

*Harvest is for the entire unit.

Total doe / fawn pronghorn harvest by subunit, Utah 1999–2006.

Unit	Unit name	Subunit name	1999	2000	2001	2002	2003	2004	2005	2006
1	Box Elder	Pilot Mountain	0	10	4	0	0	0	0	7
1	Box Elder	Promontory	0	0	0	0	0	0	0	8
1	Box Elder	Puddle Valley	0	0	0	0	0	0	0	0
1	Box Elder	Snowville	0	0	0	0	0	0	0	4
2	Cache	North Rich	129	42	52	17	0	0	30	47
4	Morgan-South Rich	Morgan-South Rich	23	27	54	40	38	85	101	77
8	North Slope	Summit	3	2	4	4	0	0	0	5
8	North Slope	West Daggett / Three Corners	45	10	10	19	4	18	7	13
9	South Slope	Vernal	19	22	33	22	0	0	0	5
9	South Slope	Bonanza / Diamond Mountain	158	25	44	19	19	0	0	0
10	Book Cliffs	Bitter Creek	42	0	0	0	0	0	0	0
10	Book Cliffs	South	0	0	8	7	0	0	0	0
11	Nine Mile	Anthro	145	0	0	0	0	0	0	0
11	Nine Mile	Range Creek	0	0	0	0	0	0	0	0
12	San Rafael	North	0	0	0	0	0	0	0	6
12	San Rafael	Desert	0	0	0	0	0	0	0	4
14	San Juan	Hatch Point	0	0	0	0	0	0	0	0
19	West Desert	Riverbed	0	0	0	0	0	0	0	0
19	West Desert	Rush Valley	0	0	0	0	0	11	10	33
19	West Desert	Snake Valley	0	0	0	0	0	0	0	0
20–22–30	Southwest Desert / Beaver / Pine Valley	Southwest Desert / Beaver / Pine Valley	0	0	26	38	0	0	0	19
21	Fillmore	Black Rock Desert	0	0	0	0	0	0	0	0
24–27	Mt. Dutton / Paunsaugunt	Mt. Dutton / Paunsaugunt	0	0	0	0	0	0	0	0
25	Plateau	Plateau	0	0	0	0	154	269	344	307
26	Kaiparowits	Kaiparowits	0	0	0	0	0	0	0	0
28	Panguitch	Panguitch	0	0	0	0	0	0	0	0

*Starting in 2006, data includes mitigation permits.

Total buck pronghorn hunters afield by subunit, Utah 1999–2006.

Unit	Unit name	Subunit name	1999	2000	2001	2002	2003	2004	2005	2006
1	Box Elder	Pilot Mountain	4	4	4	4	3	5	6	6
1	Box Elder	Promontory	3	3	7	9	5	10	9	9
1	Box Elder	Puddle Valley	6	6	6	6	6	6	3	3
1	Box Elder	Snowville	12	13	11	12	6	14	19	20
2	Cache	North Rich	29	25	22	26	22	30	32	37
4	Morgan-South Rich	Morgan-South Rich	35	24	23	20	15	32	39	35
8	North Slope	Summit	2	0	2	1	1	1	1	2
8	North Slope	West Daggett / Three Corners	21	22	24	26	18	17	22	19
9	South Slope	Vernal	13	11	13	8	7	8	7	9
9	South Slope	Bonanza / Diamond Mountain	97	99	60	49	28	27	31	30
10	Book Cliffs	Bitter Creek	13	13	33	10	4	6	1	7
10	Book Cliffs	South	35	33	32	24	16	11	15	23
11	Nine Mile	Anthro	43	45	51	36	17	22	17	22
11	Nine Mile	Range Creek	10	9	9	11	4	3	8	8
12	San Rafael	North	36*	37*	39*	39*	20	22	24	36
12	San Rafael	Desert	—	—	—	—	4	6	5	7
14	San Juan	Hatch Point	0	3	3	3	2	2	2	2
19	West Desert	Riverbed	19	19	15	36	24	30	20	22
19	West Desert	Rush Valley	5	0	5	18	9	18	19	19
19	West Desert	Snake Valley	53	46	45	24	13	11	9	9
20–22–30	Southwest Desert / Beaver / Pine Valley	Southwest Desert / Beaver / Pine Valley	24	34	34	62	41	42	36	38
21	Fillmore	Black Rock Desert	0	0	0	0	0	0	3	3
24–27	Mt. Dutton / Paunsaugunt	Mt. Dutton / Paunsaugunt	9	17	17	24	24	27	31	31
25	Plateau	Plateau	71	73	44	54	50	115	284	499
26	Kaiparowits	Kaiparowits	0	0	31	38	38	0	0	5
28	Panguitch	Panguitch	4	4	4	4	4	4	5	5

*Hunters afield for the entire unit.

Total doe / fawn pronghorn hunters afield by subunit, Utah 1999–2006.

Unit	Unit name	Subunit name	1999	2000	2001	2002	2003	2004	2005	2006
1	Box Elder	Pilot Mountain	0	18	8	5	0	0	0	14
1	Box Elder	Promontory	0	0	0	0	0	0	0	44
1	Box Elder	Puddle Valley	0	0	0	0	0	0	0	0
1	Box Elder	Snowville	0	0	0	0	0	0	0	4
2	Cache	North Rich	137	122	89	98	0	0	30	63
4	Morgan-South Rich	Morgan-South Rich	29	30	54	40	43	90	143	94
8	North Slope	Summit	4	4	4	4	0	0	0	8
8	North Slope	West Daggett / Three Corners	53	22	15	22	7	18	15	18
9	South Slope	Vernal	26	33	33	48	0	0	0	10
9	South Slope	Bonanza / Diamond Mountain	165	25	48	25	19	0	0	1
10	Book Cliffs	Bitter Creek	50	0	0	0	0	0	0	0
10	Book Cliffs	South	0	0	13	7	0	0	0	0
11	Nine Mile	Anthro	181	0	0	0	0	0	0	0
11	Nine Mile	Range Creek	0	0	0	0	0	0	0	0
12	San Rafael	North	0	0	0	0	0	0	0	11
12	San Rafael	Desert	0	0	0	0	0	0	0	4
14	San Juan	Hatch Point	0	0	0	0	0	0	0	0
19	West Desert	Riverbed	0	0	0	0	0	0	0	0
19	West Desert	Rush Valley	0	0	0	0	0	11	10	28
19	West Desert	Snake Valley	0	0	0	0	0	0	0	7
20–22–30	Southwest Desert / Beaver / Pine Valley	Southwest Desert / Beaver / Pine Valley	0	0	28	47	0	0	0	19
21	Fillmore	Black Rock Desert	0	0	0	0	0	0	0	0
24–27	Mt. Dutton / Paunsaugunt	Mt. Dutton / Paunsaugunt	0	0	0	0	0	0	0	0
25	Plateau	Plateau	0	0	0	0	175	182	191	439
26	Kaiparowits	Kaiparowits	0	0	0	0	0	0	0	0
28	Panguitch	Panguitch	0	0	0	0	0	0	0	0

*Starting in 2006, data includes mitigation permits.

Pronghorn classification and trend count data by subunit, Utah 1999–2007.

Box Elder, Pilot Mountain

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	87	11	54	22	—
2000	—	—	—	23	6	13	4	—
2001	—	—	—	—	—	—	—	—
2002	—	—	—	—	—	—	—	—
2003	—	—	—	—	—	—	—	—
2004	—	—	—	116	19	62	35	—
2005	—	—	—	97	14	52	31	—
2006	—	—	—	183	26	103	54	—
2007	—	—	—	150	25	90	35	—

Box Elder, Promontory

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	37	5	25	7	—
2000	—	—	—	89	14	54	21	—
2001	—	—	—	61	11	36	14	—
2002	—	—	—	95	10	63	22	—
2003	—	—	—	—	—	—	—	—
2004	—	—	—	73	6	44	23	—
2005	—	—	—	138	17	74	47	—
2006	—	—	—	64	6	38	20	—
2007	—	—	—	75	10	51	14	—

Box Elder, Puddle Valley

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	—	—	—	—	—
2000	—	—	—	—	—	—	—	—
2001	91	35	54	183	39	144	—	—
2002	—	—	—	—	—	—	—	—
2003	48	12	77	75	26	49	—	—
2004	—	15	38	64	7	43	14	—
2005	—	21	71	—	—	—	—	—
2006	42	26	30	—	—	—	—	—
2007	—	—	—	—	—	—	—	—

Pronghorn classification and trend count data by subunit, Utah 1999–2007 (cont.).

Box Elder, Snowville

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	201	33	126	42	—
2000	—	—	—	144	27	95	22	—
2001	—	—	—	139	27	83	29	—
2002	—	—	—	192	18	115	51	8
2003	—	—	—	—	—	—	—	—
2004	—	—	—	104	20	55	29	—
2005	—	—	—	88	11	54	23	—
2006	—	—	—	263	49	135	79	—
2007	—	—	—	52	16	25	11	—

Cache, North Rich

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	206	75	42	71	—	—	—	71
2000	189	52	69	148	—	—	—	148
2001	189	72	51	143	—	—	—	143
2002	—	—	—	—	—	—	—	—
2003	—	—	—	—	—	—	—	—
2004	—	—	—	—	—	—	—	—
2005	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—
2007	—	—	—	357	34	65	44	214

Morgan-South Rich

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	—	—	—	—	—
2000	—	—	—	—	—	—	—	—
2001	—	—	—	—	—	—	—	—
2002	305	86	45	—	—	—	—	—
2003	—	—	—	471	—	—	—	471
2004	—	—	—	—	—	—	—	—
2005	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—
2007	—	—	—	458	37	27	28	366

Pronghorn classification and trend count data by subunit, Utah 1999–2007 (cont.).

North Slope, West Daggett / Three Corners

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	187	40	27	—	—	—	—	—
2000	158	34	36	368	—	—	—	368
2001	145	59	54	—	—	—	—	—
2002	181	49	57	—	—	—	—	—
2003	200	72	39	280	33	239	—	8
2004	161	48	67	—	—	—	—	—
2005	224	56	60	489	80	409	—	—
2006	251	51	63	—	—	—	—	—
2007	278	58	59	605	166	439	—	—

South Slope, Vernal

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	508*	25*	47*	—	—	—	—	—
2000	149	29	33	263	62	201	—	—
2001	74	16	18	—	—	—	—	—
2002	195	24	49	—	—	—	—	—
2003	160	35	25	183	28	128	—	27
2004	74	16	18	—	—	—	—	—
2005	106	36	16	161	27	102	—	32
2006	124	51	6	121	42	76	—	3
2007	92	59	21	205	28	177	—	—

*Includes Vernal, Diamond Mountain, and Bonanza subunits.

South Slope, Diamond Mountain / Bonanza

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	508*	25*	47*	—	—	—	—	—
2000	295	30	37	896	—	—	—	896
2001	282	30	47	—	—	—	—	—
2002	201	21	57	—	—	—	—	—
2003	258	48	32	836	184	611	—	41
2004	174	26	54	—	—	—	—	—
2005	211	68	67	768	117	454	—	197
2006	228	32	73	464	97	358	—	9
2007	233	28	32	589	138	418	—	33

*Includes Vernal, Diamond Mountain, and Bonanza subunits.

Pronghorn classification and trend count data by subunit, Utah 1999–2007 (cont.).

Book Cliffs, Bitter Creek

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	116	9	59	—	—	—	—	—
2000	64	18	43	369	99	270	—	—
2001	99	43	28	—	—	—	—	—
2002	89	11	24	—	—	—	—	—
2003	101	20	23	155	33	113	—	9
2004	72	40	40	—	—	—	—	—
2005	106	81	65	152	31	116	—	5
2006	98	49	79	276	47	201	—	28
2007	57	28	50	283	73	204	—	6

Book Cliffs, South

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	750	238	504	—	—
2000	—	—	—	536	153	383	—	—
2001	—	—	—	495	115	380	—	—
2002	—	—	—	343	76	267	—	—
2003	—	—	—	172	43	129	—	—
2004	—	—	—	339	43	296	—	—
2005	—	—	—	395	74	321	—	—
2006	—	—	—	366	86	280	—	—
2007	—	—	—	644	140	504	—	—

Nine Mile, Anthro

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	402	26	58	1158	—	—	—	1158
2000	246	5	41	637	163	474	—	—
2001	156	51	71	—	—	—	—	—
2002	116	15	78	—	—	—	—	—
2003	110	20	35	264	64	189	—	11
2004	132	46	39	—	—	—	—	—
2005	304	—	26	311	63	241	—	7
2006	99	28	37	386	49	337	—	—
2007	30	33	67	327	62	258	—	7

Pronghorn classification and trend count data by subunit, Utah 1999–2007 (cont.).

Nine Mile, Range Creek

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	249	68	181	—	—
2000	—	—	—	183	33	150	—	—
2001	—	—	—	248	56	192	—	—
2002	—	—	—	146	21	125	—	—
2003	—	—	—	164	33	131	—	—
2004	—	—	—	57	10	41	—	—
2005	—	—	—	179	38	141	—	—
2006	—	—	—	193	38	155	—	—
2007	—	—	—	237	59	178	—	—

San Rafael, North

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	697	159	538	—	—
2000	—	—	—	639	170	469	—	—
2001	—	—	—	674	182	492	—	—
2002	—	—	—	518	125	393	—	—
2003	—	—	—	482	123	359	—	—
2004	—	—	—	479	111	368	—	—
2005	—	—	—	418	100	318	—	—
2006	—	—	—	762	194	568	—	—
2007	—	—	—	778	167	611	—	—

San Rafael, Desert

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	106	36	70	—	—
2000	—	—	—	98	28	70	—	—
2001	—	—	—	—	—	—	—	—
2002	—	—	—	67	20	47	—	—
2003	—	—	—	54	22	32	—	—
2004	—	—	—	28	5	23	—	—
2005	—	—	—	104	26	78	—	—
2006	—	—	—	50	20	30	—	—
2007	—	—	—	209	57	152	—	—

Pronghorn classification and trend count data by subunit, Utah 1999–2007 (cont.).

San Juan, Hatch Point

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	168	34	134	—	—
2000	—	—	—	197	33	164	—	—
2001	—	—	—	154	25	129	—	—
2002	—	—	—	114	25	89	—	—
2003	—	—	—	132	26	106	—	—
2004	—	—	—	109	16	93	—	—
2005	—	—	—	126	18	108	—	—
2006	—	—	—	127	19	108	—	—
2007	—	—	—	111	26	85	—	—

West Desert, Riverbed

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	—	—	—	—	—
2000	—	—	—	—	—	—	—	—
2001	217*	58*	43*	866	231	635	—	—
2002	116	32	52	—	—	—	—	—
2003	—	55*	78*	66	29	37	—	—
2004	—	25*	—	139	14	125	—	—
2005	—	58*	75*	—	—	—	—	—
2006	351	75	66	—	—	—	—	—
2007*	—	—	—	231	77	135	19	—

*Includes Riverbed and Snake Valley.

West Desert, Rush Valley

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	—	—	—	—	—
2000	—	—	—	—	—	—	—	—
2001	107	56	20	293	121	172	—	—
2002	99	23	37	—	—	—	—	—
2003	—	—	—	—	—	—	—	—
2004	—	23	32	—	—	—	—	—
2005	—	45	28	—	—	—	—	—
2006	227	59	32	—	—	—	—	—
2007	—	—	—	84	33	40	11	—

Pronghorn classification and trend count data by subunit, Utah 1999–2007 (cont.).

West Desert, Snake Valley

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	—	—	—	—	—
2000	—	—	—	—	—	—	—	—
2001	217*	58*	43*	430	115	315	—	—
2002	90	6	58	—	—	—	—	—
2003	—	55*	78*	—	—	—	—	—
2004	—	25*	—	80	4	76	—	—
2005	—	58*	75*	—	—	—	—	—
2006	201	20	61	369	76	293	—	0
2007*	—	—	—	231	77	135	19	0

*Includes Riverbed and Snake Valley.

Southwest Desert

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	323	57	41	—	—	—	—	—
2000	340	57	41	1277	—	—	—	1277
2001	355	56	34	—	—	—	—	—
2002	164	14	32	1159	—	—	—	1159
2003	188	33	34	—	—	—	—	—
2004	227	48	33	1159	—	—	—	1159
2005	197	57	55	—	—	—	—	—
2006	302	47	50	1404	280	1101	—	23
2007	212	42	54	—	—	—	—	—

Fillmore, Black Rock Desert

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	—	—	—	—	—
2000	—	—	—	—	—	—	—	—
2001	—	—	—	—	—	—	—	—
2002	—	—	—	—	—	—	—	—
2003	—	—	—	—	—	—	—	—
2004	—	—	—	—	—	—	—	—
2005	99	51	51	—	—	—	—	—
2006	51	56	48	90	17	73	—	—
2007	—	—	—	—	—	—	—	—

Pronghorn classification and trend count data by subunit, Utah 1999–2007 (cont.).

Mt. Dutton / Paunsaugunt

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	274	58	27	381	—	—	—	381
2000	502	69	53	362	—	—	—	362
2001	275	43	32	483	—	—	—	483
2002	226	44	42	229	54	175	—	—
2003	221	54	22	438	—	—	—	438
2004	212	57	21	488	—	—	—	488
2005	248	62	25	608	—	—	—	608
2006	96	50	35	706	—	—	—	706
2007	320	55	31	611	121	490	—	0

Plateau

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	527	60	66	1364	—	—	—	1364
2000	580	47	54	1456	—	—	—	1456
2001	481	71	56	1272	—	—	—	1272
2002	823	30	31	1566	—	—	—	1566
2003	736	57	47	2130	—	—	—	2130
2004	646	95	67	2232	—	—	—	2232
2005	417	62	84	2230	—	—	—	2230
2006	270	78	78	1605	—	—	—	1605
2007	—	—	—	—	—	—	—	—

Kaiparowits

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	—	—	—	—	—	—	—	—
2000	—	—	—	—	—	—	—	—
2001	—	—	—	—	—	—	—	—
2002	—	—	—	—	—	—	—	—
2003	—	—	—	49	—	—	—	49
2004	—	—	—	65	—	—	—	65
2005	—	—	—	150	—	—	—	150
2006	79	22	92	198	—	—	—	198
2007	56	47	108	109	38	71	—	0

Pronghorn classification and trend count data by subunit, Utah 1999–2007 (cont.).

Panguitch Lake

Year	Preseason			Trend				
	n	Fawns / 100 does	Bucks / 100 does	n	Bucks	Does	Fawns	Unclassified
1999	182	60	45	125	—	—	—	125
2000	111	43	66	121	—	—	—	121
2001	120	41	41	109	—	—	—	109
2002	174	35	37	58	8	50	—	—
2003	75	42	15	99	—	—	—	99
2004	57	54	83	91	—	—	—	91
2005	56	58	75	115	—	—	—	115
2006	56	55	26	101	—	—	—	101
2007	58	41	16	84	7	77	—	0

MOOSE



Statewide trends of moose harvest statistics, Utah 1958–2006.



Statewide moose harvest statistics, Utah 1958–2006.

Year	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
1958	7	—	7	10	—	70.0
1959	5	—	5	9	—	55.6
1960	10	—	10	19	—	52.6
1961	8	—	8	14	—	57.1
1962	7	—	7	15	—	46.7
1963	9	—	9	15	—	60.0
1964	8	—	8	14	—	57.1
1965	8	—	8	15	—	53.3
1966	5	—	5	9	—	55.6
1967	13	—	13	15	—	86.7
1968	14	—	14	15	—	93.3
1969	22	—	22	25	—	88.0
1970	24	—	24	34	—	70.6
1971	32	—	32	63	—	50.8
1972	71	—	71	105	—	67.6
1973	56	—	56	101	—	55.4
1974	16	—	16	25	—	64.0
1975	20	—	20	25	—	80.0
1976	55	—	55	60	—	91.7
1977	30	18	48	50	—	96.0
1978	65	16	81	89	—	91.0
1979	57	65	122	127	—	96.1
1980	81	21	102	118	—	86.4
1981	78	18	96	116	—	82.8
1982	94	0	94	106	—	88.7
1983	89	0	89	107	—	83.2
1984	113	0	113	130	—	86.9
1985	105	0	105	120	—	87.5
1986	134	15	149	155	—	96.1
1987	140	14	154	155	3.8	99.4
1988	141	26	167	176	3.6	94.9
1989	181	25	206	209	3.6	98.6
1990	192	90	282	283	3.3	99.6
1991	192	99	291	296	3.3	98.3
1992	198	100	298	303	2.7	98.3
1993	174	59	233	299	—	77.9
1994	110	47	157	157	—	100.0
1995	140	16	156	177	5.7	88.1

Statewide moose harvest statistics, Utah 1958–2006 (cont.).

Year	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
1996	139	11	150	153	5.5	98.0
1997	142	25	167	171	5.2	97.7
1998	137	27	164	170	4.1	96.5
1999	110	35	145	147	—	98.6
2000	97	26	123	123	—	100.0
2001	169	34	203	204	4.9	99.5
2002	174	56	230	233	4.4	98.7
2003	139	24	163	163	5.1	100.0
2004	201	14	215	228	4.4	94.3
2005	205	21	226	240	4.9	94.2
2006	223	81	304	325	4.9	93.5

Total moose harvest by management unit / subunit, Utah 2006.

	Unit	Subunit	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
2	Cache	A Cache	31	8	39	43	7.6	90.7
3	Ogden	A Ogden	29	0	29	30	5.0	96.7
4	Morgan-South Rich	A Morgan-South Rich	31	32	63	67	3.7	94.0
5	East Canyon	A East Canyon	22	12	34	42	4.9	81.0
6	Chalk Creek	A Chalk Creek	29	12	41	44	3.2	93.2
7	Kamas	A Kamas	5	3	8	8	4.2	100.0
8	North Slope	A Summit	23	14	37	37	2.8	100.0
8	North Slope	BC West Daggett / Three Corners	13	0	13	14	8.5	92.9
9	South Slope	A Yellowstone	8	0	8	8	9.6	100.0
9	South Slope	BC Vernal / Diamond Mountain	3	0	3	3	10.0	100.0
17	Wasatch Mountains	A Wasatch Mountains West	18	0	18	18	5.4	100.0
17	Wasatch Mountains	BC Currant Creek / Avintaquin	9	0	9	9	3.4	100.0
Statewide Sportsman / Conservation			2	0	2	2	6.5	100.0
Statewide totals			223	81	304	325	4.8	93.5

Once-in-a-lifetime bull moose harvest, Utah 2006.

Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Cache	29	30	29	9.3	100.0
Ogden	21	21	21	5.5	100.0
Morgan-South Rich	3	4	4	5.8	75.0
East Canyon	8	8	8	3.3	100.0
East Canyon, Morgan-Summit	3	4	4	12.0	75.0
Chalk Creek	4	4	4	5.5	100.0
Kamas	5	5	5	5.8	100.0
North Slope, Summit	21	21	21	3.2	100.0
North Slope, West Daggett / Three Corners	13	14	14	8.5	92.9
South Slope, Yellowstone	8	8	8	9.6	100.0
South Slope, Vernal / Diamond Mountain	3	3	3	10.0	100.0
Wasatch Mountains	21	21	21	4.0	100.0
Statewide Sportsman / Conservation	2	2	2	6.5	100.0
Statewide totals	141	145	144	6.4	97.9

Limited entry antlerless moose harvest, Utah 2006.

Hunt name	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
	Cow	Calf	Total				
Cache	8	0	8	10	10	4.0	80.0
Morgan-South Rich	13	2	15	15	15	4.8	100.0
East Canyon, Davis-North Salt Lake	7	3	10	10	10	3.3	100.0
East Canyon, Morgan-Summit	2	0	2	5	5	7.0	33.3
Chalk Creek, Private Lands	4	0	4	6	6	2.0	66.7
Kamas	3	0	3	3	3	1.5	100.0
North Slope, Henry's Fork-Burnt Fork	6	1	7	7	7	2.0	100.0
North Slope, West Summit	6	1	7	7	7	2.2	100.0
Statewide totals	49	7	56	63	63	3.6	88.9

CWMU bull moose harvest, Utah 2006.

CWMU	Unit	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
SJ Ranch	2	0	1	1	2.0	0.0
Chournos-Legacy	2	2	3	3	5.0	66.7
Bear Spring	3	1	1	1	1.0	100.0
Broadmouth	3	3	3	3	2.0	100.0
La Plata	3	3	3	3	1.0	100.0
South Canyon	3	1	2	2	12.5	50.0
Beaver Hollow	4	3	3	3	2.7	100.0
Cedar Canyon	4	1	2	2	4.0	50.0
Deseret	4	3	3	3	3.7	100.0
Dry Bread	4	3	3	3	4.0	100.0
Durst Mountain	4	5	5	5	2.2	100.0
Folley Ridge	4	2	3	3	5.3	66.7
Hell Canyon	4	1	1	1	2.0	100.0
Middle Ridge Moose	4	2	3	3	7.3	66.7
Skull Crack	4	5	5	5	3.2	100.0
Woodruff Creek	4	3	3	3	3.3	100.0
Big Mountain	5	5	5	5	5.2	100.0
Hardscrabble	5	2	3	3	4.0	50.0
Jacobs Creek	5	1	2	2	4.0	50.0
Lonetree-Taylor Hollow	5	3	3	3	4.0	100.0
Clark Canyon	6	3	3	3	3.7	100.0
East Fork Chalk Creek	6	3	3	3	2.3	100.0
Ensign Ranches	6	3	3	3	3.7	100.0
Grass Valley	6	3	3	3	2.7	100.0
State Corner	6	2	2	2	2.0	100.0
Two Bear	6	3	3	3	4.3	100.0
Weber-Florence Creek	6	8	8	8	4.5	100.0
Elizabeth Mountain	8	2	2	2	3.5	100.0
Coyote-Little Pole	17	2	2	2	15.0	100.0
Little Red Creek	17	2	2	2	2.0	100.0
Moon Ranch	17	1	1	1	5.0	100.0
Three C	17	—	2	—	—	—
Wallsburg	17	1	1	1	5.0	100.0
Statewide totals		82	92	90	4.1	91.1

CWMU antlerless moose harvest, Utah 2006.

CWMU	Unit	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
		Cow	Calf	Total				
Beaver Hollow	4	—	—	—	1	—	—	—
Cedar Canyon	4	1	0	1	1	1	2.0	100.0
Deseret	4	—	—	—	2	—	—	—
Dry Bread	4	2	0	2	3	2	2.0	100.0
Durst Mountain	4	3	0	3	3	3	1.3	100.0
Ensign Ranches	4	1	0	1	1	1	2.0	100.0
Folley Ridge	4	—	—	—	1	—	—	—
Middle Ridge Moose	4	2	0	2	2	2	2.0	100.0
Skull Crack	4	5	0	5	5	5	2.5	100.0
Woodruff Creek South	4	3	0	3	3	3	3.0	100.0
Big Mountain	5	—	—	—	2	—	—	—
Hardscrabble	5	0	0	0	2	2	2.0	0.0
Lone Tree Taylor Hollow	5	—	—	—	1	—	—	—
Clark Canyon	6	2	0	2	2	2	1.0	100.0
East Fork Chalk Creek	6	1	0	1	2	2	4.0	50.0
Grass Valley	6	2	0	2	2	2	2.5	100.0
Two Bear	6	2	0	2	2	2	1.0	100.0
Weber Florence Creek	6	1	0	1	1	1	1.0	100.0
Statewide totals		25	0	25	36	28	2.1	89.3

Total bull moose harvest by subunit, Utah 1999–2006.

	Unit		Subunit	1999	2000	2001	2002	2003	2004	2005	2006
2	Cache	A	Cache	15	15	16	13	14	22	21	31
3	Ogden	A	Ogden	15	20	19	25	21	27	28	29
4	Morgan-South Rich	A	Morgan-South Rich	18	9	43	39	20	41	46	31
5	East Canyon	A	East Canyon	7	4	12	18	11	20	19	22
6	Chalk Creek	A	Chalk Creek	11	5	24	25	11	27	26	29
7	Kamas	A	Kamas	4	4	4	4	4	4	3	5
8	North Slope	A	Summit	13	12	11	10	10	12	12	23
8	North Slope	BC	West Daggett / Three Corners	8	8	11	10	12	12	14	13
9	South Slope	A	Yellowstone	4*	4*	5	5	5	4	6	8
9	South Slope	BC	Vernal / Diamond Mountain	—	—	1	1	1	4	5	3
17	Wasatch Mountains	A	Wasatch Mountains	11	8	11	13	17	15	17	18
17	Wasatch Mountains	BC	Currant Creek / Avintaquin	8	8	12	11	11	12	8	9

*Harvest is for the entire unit.

Total antlerless moose harvest by subunit, Utah 1999–2006.

	Unit		Subunit	1999	2000	2001	2002	2003	2004	2005	2006
2	Cache	A	Cache	6	6	3	6	0	0	0	8
3	Ogden	A	Ogden	17	6	8	10	0	0	0	0
4	Morgan-South Rich	A	Morgan-South Rich	0	0	0	0	0	0	2	32
5	East Canyon	A	East Canyon	0	0	0	7	11	10	11	12
6	Chalk Creek	A	Chalk Creek	0	0	3	3	3	4	8	12
7	Kamas	A	Kamas	0	0	0	0	0	0	0	3
8	North Slope	A	Summit	12	12	20	20	10	0	0	14
8	North Slope	BC	West Daggett / Three Corners	0	0	0	0	0	0	0	0
9	South Slope	A	Yellowstone	0	0	0	0	0	0	0	0
9	South Slope	BC	Vernal / Diamond Mountain	0	0	0	0	0	0	0	0
17	Wasatch Mountains	A	Wasatch Mountains	0	0	0	10	0	0	0	0
17	Wasatch Mountains	BC	Currant Creek / Avintaquin	0	0	0	0	0	0	0	0

Total bull moose hunters afield by subunit, Utah 1999–2006.

	Unit		Subunit	1999	2000	2001	2002	2003	2004	2005	2006
2	Cache	A	Cache	15	15	16	13	14	22	22	33
3	Ogden	A	Ogden	15	20	20	25	21	28	29	30
4	Morgan-South Rich	A	Morgan-South Rich	20	9	43	39	20	42	47	35
5	East Canyon	A	East Canyon	7	4	12	18	11	22	22	25
6	Chalk Creek	A	Chalk Creek	11	5	24	25	11	27	27	29
7	Kamas	A	Kamas	4	4	4	4	4	4	5	5
8	North Slope	A	Summit	13	12	11	11	10	13	14	23
8	North Slope	BC	West Daggett / Three Corners	8	8	11	11	12	14	14	14
9	South Slope	A	Yellowstone	4*	4*	5	5	5	4	6	8
9	South Slope	BC	Vernal / Diamond Mountain	—	—	1	1	1	4	5	3
17	Wasatch Mountains	A	Wasatch Mountains	11	8	11	14	17	16	18	18
17	Wasatch Mountains	BC	Currant Creek / Avintaquin	8	8	12	11	11	12	8	9

*Hunters afield for the entire unit.

Total antlerless moose hunters afield by subunit, Utah 1999–2006.

	Unit		Subunit	1999	2000	2001	2002	2003	2004	2005	2006
2	Cache	A	Cache	6	6	3	6	0	0	0	10
3	Ogden	A	Ogden	17	6	8	10	0	0	0	0
4	Morgan-South Rich	A	Morgan-South Rich	0	0	0	0	0	0	2	32
5	East Canyon	A	East Canyon	0	0	0	7	11	13	13	17
6	Chalk Creek	A	Chalk Creek	0	0	3	3	3	8	8	15
7	Kamas	A	Kamas	0	0	0	0	0	0	0	3
8	North Slope	A	Summit	12	12	20	20	10	0	0	14
8	North Slope	BC	West Daggett / Three Corners	0	0	0	0	0	0	0	0
9	South Slope	A	Yellowstone	0	0	0	0	0	0	0	0
9	South Slope	BC	Vernal / Diamond Mountain	0	0	0	0	0	0	0	0
17	Wasatch Mountains	A	Wasatch Mountains	0	0	0	10	0	0	0	0
17	Wasatch Mountains	BC	Currant Creek / Avintaquin	0	0	0	0	0	0	0	0

Moose population estimates and objectives by management units, Utah 2000–2005.

Management unit	Population objective	Population estimate 2000	Population estimate 2005
Cache	200	200	300
Ogden	700	700	650
Morgan-South Rich	640	640	1050
East Canyon	150	150	350
Chalk Creek	550	550	575
Kamas	65	65	90
North Slope	400	300	200
South Slope	225	175	200
Book Cliffs	100	10	10
Nine Mile	40	10	0
Central Mountains	150	40	40
Wasatch Mountains	800	550	550
Plateau	150	25	20
Statewide totals	4170	3415	4035

Moose trend count data by subunit, Utah 1998–2007.

Cache

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	148	72	45	59
2000	—	—	—	—
2001	—	—	—	—
2002	—	—	—	—
2003	122	33	16	102
2004	—	—	—	—
2005	275	39	20	96
2006	—	—	—	—
2007	—	—	—	—

Ogden

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	579	47	26	83
2000	—	—	—	—
2001	—	—	—	—
2002	—	—	—	—
2003	420	25	14	78
2004	—	—	—	—
2005	541	52	30	74
2006	—	—	—	—
2007	—	—	—	—

Morgan-South Rich

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	511	39	23	72
2000	—	—	—	—
2001	—	—	—	—
2002	—	—	—	—
2003	844	39	19	106
2004	—	—	—	—
2005	800	42	25	66
2006	—	—	—	—
2007	—	—	—	—

Moose trend count data by subunit, Utah 1998–2007 (cont.).

East Canyon

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	126	62	33	90
1999	—	—	—	—
2000	—	—	—	—
2001	—	—	—	—
2002	—	—	—	—
2003	—	—	—	—
2004	284	44	21	106
2005	—	—	—	—
2006	—	—	—	—
2007	300	49	26	93

Chalk Creek

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	438	52	29	77
2000	—	—	—	—
2001	542	30	17	75
2002	—	—	—	—
2003	—	—	—	—
2004	478	37	20	86
2005	—	—	—	—
2006	—	—	—	—
2007	449	42	24	76

Kamas

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	51	83	59	39
1999	—	—	—	—
2000	—	—	—	—
2001	59	67	31	114
2002	—	—	—	—
2003	—	—	—	—
2004	70	44	21	115
2005	—	—	—	—
2006	—	—	—	—
2007	53	22	11	104

Moose trend count data by subunit, Utah 1998–2007 (cont.).

North Slope, Summit

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	229	23	15	54
1999	—	—	—	—
2000	—	—	—	—
2001	243	32	15	106
2002	—	—	—	—
2003	—	—	—	—
2004	150	49	27	82
2005	—	—	—	—
2006	—	—	—	—
2007	181	62	30	108

North Slope, West Daggett / Three Corners

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	84	16	10	70
1999	—	—	—	—
2000	—	—	—	—
2001	109	44	17	156
2002	—	—	—	—
2003	—	—	—	—
2004	107	29	13	121
2005	—	—	—	—
2006	—	—	—	—
2007	103	38	17	115

South Slope, Yellowstone

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	35	46	17	172
2000	—	—	—	—
2001	31	50	11	300
2002	—	—	—	—
2003	29	—	—	—
2004	76	35	13	158
2005	—	—	—	—
2006	—	—	—	—
2007	97	54	26	105

Moose trend count data by subunit, Utah 1998–2007 (cont.).

South Slope, Vernal / Diamond Mountain

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	—	—	—	—
2000	—	—	—	—
2001	12	20	9	120
2002	—	—	—	—
2003	—	—	—	—
2004	69	17	8	121
2005	—	—	—	—
2006	—	—	—	—
2007	62	38	19	100

Wasatch Mountains, Wasatch Mountains

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	181	45	31	46
2000	—	—	—	—
2001	—	—	—	—
2002	221	—	—	72
2003	—	—	—	—
2004	—	—	—	—
2005	188	44	25	74
2006	—	—	—	—
2007	—	—	—	—


Wasatch Mountains, Currant Creek / Avintaquin

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
1998	—	—	—	—
1999	66	44	22	100
2000	—	—	—	—
2001	—	—	—	—
2002	68	31	17	81
2003	—	—	—	—
2004	—	—	—	—
2005	63	41	21	92
2006	—	—	—	—
2007	—	—	—	—

BISON



Statewide trends of bison harvest statistics, Utah 1960–2006.



*Data not available in 1964, 1965, 1972, and 1973.

Statewide bison harvest statistics, Utah 1950–2006.

Year	Permits			Harvest				Hunters afield	Success rate (%)
	Hunter's choice	Cow	Total	Bull	Cow	Calf	Total		
1950	10	—	10	6	4	0	10	10	100.0
1951	—	—	—	—	—	—	—	—	—
1952	—	—	—	—	—	—	—	—	—
1953	—	—	—	—	—	—	—	—	—
1954	—	—	—	—	—	—	—	—	—
1955	—	—	—	—	—	—	—	—	—
1956	—	—	—	—	—	—	—	—	—
1957	—	—	—	—	—	—	—	—	—
1958	—	—	—	—	—	—	—	—	—
1959	—	—	—	—	—	—	—	—	—
1960	10	—	10	7	3	0	10	10	100.0
1961	12	—	12	8	4	0	12	12	100.0
1962	20	—	20	9	11	0	20	20	100.0
1963	14	—	14	1	6	0	7	14	50.0
1964	—	—	—	—	—	—	—	—	—
1965	—	—	—	—	—	—	—	—	—
1966	10	—	10	7	3	0	10	10	100.0
1967	10	—	10	4	6	0	10	10	100.0
1968	15	—	15	15	0	0	15	15	100.0
1969	10	—	10	8	0	0	8	10	80.0
1970	10	—	10	6	0	0	6	10	60.0
1971	15	—	15	8	2	0	10	15	66.7
1972	—	—	—	—	—	—	—	—	—
1973	—	—	—	—	—	—	—	—	—
1974	10	—	10	4	3	0	7	9	77.8
1975	10	—	10	7	2	0	9	9	100.0
1976	10	—	10	8	2	0	10	10	100.0
1977	10	—	10	9	1	0	10	10	100.0
1978	22	—	22	11	9	1	21	22	95.5
1979	27	—	27	14	12	1	27	27	100.0
1980	27	—	27	16	6	1	23	27	85.2
1981	27	—	27	20	5	0	25	27	92.6
1982	28	—	28	16	10	2	28	28	100.0
1983	28	—	28	20	8	0	28	28	100.0
1984	36	—	36	28	7	0	35	36	97.2
1985	45	—	45	29	12	0	41	45	91.1
1986	56	—	56	39	17	0	56	56	100.0
1987	56	—	56	40	14	1	55	56	98.2
1988	45	22	67	32	32	0	64	67	95.5
1989	45	22	67	31	28	1	60	67	89.6
1990	55	129	184	47	103	0	150	184	81.5


Statewide bison harvest statistics, Utah 1950–2006 (cont.).

Year	Permits			Harvest				Hunters afield	Success rate (%)
	Hunter's choice	Cow	Total	Bull	Cow	Calf	Total		
1991	70	22	92	44	32	2	78	91	85.7
1992	18	—	18	17	1	0	18	18	100.0
1993	51	—	51	41	7	0	48	51	94.1
1994	24	66	90	20	58	2	80	90	88.9
1995	36	66	102	32	44	0	76	102	74.5
1996	48	—	48	38	7	0	45	48	93.8
1997	29	27	56	24	28	0	52	56	92.9
1998	47	34	81	39	35	0	74	81	91.4
1999	37	66	103	30	52	0	82	102	80.4
2000	28	25	53	21	24	0	45	52	86.5
2001	62	30	92	39	38	0	77	92	83.7
2002	32	15	47	26	17	0	43	47	91.5
2003	41	19	60	34	14	0	48	60	80.0
2004	22	19	41	17	24	0	41	41	100.0
2005	15	10	25	12	11	0	23	23	100.0
2006	12	10	22	12	10	0	22	22	100.0

Once-in-a-lifetime bison harvest, Utah 2006.

Hunt name	Bull harvest	Cow harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Henry Mountains (early)	4	0	4	4	4	3.0	100.0
Henry Mountains (late)	6	0	6	6	6	3.0	100.0
Henry Mountains, cow only	0	10	10	10	10	2.3	100.0
Conservation permits	2	0	2	2	2	2.5	100.0
Totals	12	10	22	22	22	2.6	100.0

Historic bison population estimates, Henry Mountains, Utah 1949–2006.



Historic bison preseason population estimates, Henry Mountains, Utah 1949–2007.

Year	Estimated Adults	Estimated calves	Total population estimate
1949	35	5	40
1950	30	12	42
1951	32	3	35
1952	26	3	29
1953	28	4	32
1954	31	4	35
1955	28	7	35
1956	20	3	23
1957	40	3	43
1958	35	12	47
1959	38	10	48
1960	60	14	74
1961	63	13	76
1962	68	18	86
1963	58	15	73
1964	45	14	59
1965	64	13	77
1966	75	17	92
1967	74	10	84
1968	—	—	—
1969	82	12	94
1970	—	—	75
1971	56	17	73
1972	49	12	61
1973	99	22	121
1974	92	47	139
1975	95	31	126
1976	67	17	84
1977	—	—	151
1978	196	47	243
1979	232	64	296
1980	232	68	300
1981	211	63	274
1982	191	61	252
1983	246	62	308
1984	245	69	314
1985	328	37	365
1986	224	128	352
1987	222	146	368
1988	322	73	395
1989	272	73	345
1990	479	80	559

Historic bison preseason population estimates, Henry Mountains, Utah 1949–2007 (cont.).

Year	Estimated Adults	Estimated calves	Total population estimate
1991	368	58	426
1992	270	54	324
1993	381	93	474
1994	393	77	470
1995	314	46	360
1996	350	66	416
1997	342	55	397
1998	374	86	460
1999	345	75	420
2000	368	65	433
2001	341	38	379
2002	318	74	392
2003	318	34	352
2004	268	67	335
2005	196	69	265
2006	311	90	401
2007	486	105	591


Historic bison classification, Henry Mountains, Utah, 1997–2007.

Year	n	Calves / 100 cows	Bulls / 100 cows
1997	397	25	55
1998	460	35	54
1999	420	36	65
2000	433	28	57
2001	379	18	57
2002	392	36	56
2003	352	17	56
2004	335	42	42
2005	265	49	38
2006	381	39	36
2007	563	35	60

DESERT BIGHORN SHEEP



Statewide trends of desert bighorn sheep harvest statistics, Utah 1967–2006.



*Data not available in 1973 and 1974.

Statewide desert bighorn sheep harvest statistics, Utah 1967–2006.

Year	Ram harvest	Permits issued	Hunters afield	Mean days hunted	Success rate (%)
1967	9	10	9	2.7	100.0
1968	3	10	10	5.2	30.0
1969	6	10	10	5.5	60.0
1970	4	10	10	7.4	40.0
1971	1	10	10	—	10.0
1972	1	10	8	—	12.5
1973	—	—	—	—	—
1974	—	—	—	—	—
1975	2	5	5	6.2	40.0
1976	4	10	10	8.7	40.0
1977	10	25	25	9.0	40.0
1978	7	23	23	8.6	30.4
1979	3	18	18	13.1	16.7
1980	10	19	19	12.7	52.6
1981	5	18	18	12.6	27.8
1982	6	11	11	9.9	54.5
1983	9	10	10	15.0	90.0
1984	5	14	14	13.4	35.7
1985	12	15	15	8.3	80.0
1986	10	14	14	8.0	71.4
1987	7	12	12	8.2	58.3
1988	12	15	15	8.1	80.0
1989	10	12	12	10.5	83.3
1990	12	15	15	7.1	80.0
1991	10	13	13	12.2	76.9
1992	10	11	11	6.5	90.9
1993	17	17	17	7.9	100.0
1994	18	19	19	0.0	94.7
1995	30	32	30	0.0	100.0
1996	28	29	29	8.7	96.6
1997	28	29	29	7.5	96.6
1998	31	31	31	8.4	100.0
1999	31	32	32	8.5	96.9
2000	33	33	33	6.3	100.0
2001	30	31	30	11.4	100.0
2002	39	40	40	6.4	97.5
2003	43	44	44	7.3	97.7
2004	40	42	42	8.7	95.2
2005	39	40	40	8.5	97.5
2006	37	43	41	8.2	90.2

Total desert bighorn sheep harvest by hunt, Utah 2006.

Hunt Name	Ram harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
San Rafael, North	9	9	9	8.0	100.0
San Rafael, South	6	8	8	5.9	75.0
San Rafael, Dirty Devil	2	2	2	2.5	100.0
La Sal, Potash	3	3	3	6.0	100.0
San Juan, South	1	2	1	12.0	100.0
San Juan, Lockhart	1	1	1	10.0	100.0
Henry Mountains	3	3	3	9.3	100.0
Kaiparowits, East	2	2	2	15.0	100.0
Kaiparowits, West	1	1	1	6.0	100.0
Kaiparowits, Escalante	5	8	7	9.6	66.7
Kaiparowits, All subunits (Conservation)	1	1	1	10.0	100.0
Pine Valley, Virgin River	2	2	2	11.0	100.0
Statewide Sportsman permit	1	1	1	8.0	100.0
Statewide totals	37	43	41	8.2	90.2

*When possible, conservation and nonresident permits were added to the hunt where the harvest occurred.

Total ram desert bighorn sheep harvest by hunt, Utah 1997–2006.

Unit	Hunt name	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
12	San Rafael, North	7	7	8	9	8	12	11	11	9	9
12	San Rafael, South	6	8	6	5	6	9	10	8	8	6
12	San Rafael, Dirty Devil	—	—	—	—	—	—	3	1	2	2
13	La Sal, Potash	4	4	4	4	3	3	3	3	3	3
14	San Juan, South	1	2	3	4	3	4	2	3	2	1
14	San Juan, Lockhart	—	1	1	2	1	0	1	1	1	1
15	Henry Mountains	—	—	—	—	—	—	—	—	—	3
26	Kaiparowits, East	5*	9**	9**	4*	4*	5*	2	4	5	2
26	Kaiparowits, West	—	—	—	—	—	—	4	0	1	1
26	Kaiparowits, Escalante	5	—	—	5	5	5	6	7	6	5
30	Pine Valley, Virgin River	—	—	—	—	—	1	1	2	2	2

*Includes Kaiparowits East and West.

**Includes Kaiparowits East, West, and Escalante.

Total ram desert bighorn sheep hunters afield by hunt, Utah 1997–2006.

Unit	Hunt name	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
12	San Rafael, North	7	7	8	9	8	12	11	11	9	9
12	San Rafael, South	6	8	6	5	6	9	10	8	9	8
12	San Rafael, Dirty Devil	—	—	—	—	—	—	3	2	2	2
13	La Sal, Potash	4	4	4	4	3	3	3	3	3	3
14	San Juan, South	1	2	3	4	3	4	2	3	2	1
14	San Juan, Lockhart	—	1	1	2	1	1	1	1	1	1
15	Henry Mountains	—	—	—	—	—	—	—	—	—	3
26	Kaiparowits, East	6*	9**	10**	4*	4*	5	2	4	5	2
26	Kaiparowits, West	—	—	—	—	—	—	4	1	1	1
26	Kaiparowits, Escalante	5	—	—	5	5	5	7	7	6	7
30	Pine Valley, Virgin River	—	—	—	—	—	1	1	2	2	2

*Includes Kaiparowits East and West.

**Includes Kaiparowits East, West, and Escalante.

Desert bighorn sheep trend count data by subunit, Utah 1996–2006.

San Rafael, North

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997*	416	46	84
1998	—	—	—
1999*	429	47	59
2000	—	—	—
2001*	641	38	74
2002	—	—	—
2003*	456	42	68
2004	—	—	—
2005*	442	42	68
2006	—	—	—

*Includes North and South

San Rafael, South

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997*	416	46	84
1998	—	—	—
1999*	429	47	59
2000	—	—	—
2001*	641	38	74
2002	—	—	—
2003*	456	42	68
2004	—	—	—
2005*	442	42	68
2006	—	—	—

*Includes North and South

San Rafael, Dirty Devil

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	—	—	—
1998*	47	11	22
1999	—	—	—
2000	39	13	147
2001	—	—	—
2002	62	23	83
2003	—	—	—
2004	77	48	85
2005	—	—	—
2006	76	54	75

*Includes Dirty Devil and Little Rockies.

Desert bighorn sheep trend count data by subunit, Utah 1996–2006 (cont.).

La Sal, Potash

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	116	44	98
1997	—	—	—
1998	147	57	84
1999	—	—	—
2000	85	33	69
2001	—	—	—
2002	102	31	78
2003	—	—	—
2004	123	53	79
2005	—	—	—
2006	140	67	52

San Juan, Lockhart

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996*	104	22	52
1997	—	—	—
1998*	156	49	64
1999	—	—	—
2000*	140	46	67
2001	—	—	—
2002*	135	33	52
2003	—	—	—
2004*	230	46	56
2005	—	—	—
2006	87	35	83

*Includes Lockhart, North, and South.

San Juan, North

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996*	104	22	52
1997	—	—	—
1998*	156	49	64
1999	—	—	—
2000*	140	46	67
2001	—	—	—
2002*	135	33	52
2003	—	—	—
2004*	230	46	56
2005	—	—	—
2006	29	20	73

*Includes Lockhart, North, and South.

Desert bighorn sheep trend count data by subunit, Utah 1996–2006 (cont.).

San Juan, South

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996*	104	22	52
1997	—	—	—
1998*	156	49	64
1999	—	—	—
2000*	140	46	67
2001	—	—	—
2002*	135	33	52
2003	—	—	—
2004*	230	46	56
2005	—	—	—
2006	166	33	70

*Includes Lockhart, North, and South.

Henry Mountains

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	—	—	—
1998	47	11	22
1999	—	—	—
2000*	50	41	44
2001	—	—	—
2002*	54	33	67
2003	—	—	—
2004*	66	25	62
2005	—	—	—
2006	44	20	56

*Includes Little Rockies and North Wash.

Kaiparowits, East / West

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997*	198	43	70
1998*	203	47	69
1999	108	33	51
2000	—	—	—
2001	123	39	32
2002	—	—	—
2003	84	61	54
2004	—	—	—
2005	136	49	51
2006	—	—	—

*Includes East, West, and Escalante.

Desert bighorn sheep trend count data by subunit, Utah 1996–2006 (cont.).

Kaiparowits, Escalante

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	126	49	72
1997*	198	43	70
1998*	203	47	69
1999	—	—	—
2000	123	42	74
2001	—	—	—
2002	144	41	68
2003	—	—	—
2004	151	55	70
2005	—	—	—
2006	99	47	64

*Includes East, West, and Escalante.

Pine Valley, Virgin River


Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	—	—	—
1998	—	—	—
1999	35	30	45
2000	—	—	—
2001	—	—	—
2002	72	33	167
2003	—	—	—
2004	55	46	12
2005	—	—	—
2006	—	—	—

ROCKY MOUNTAIN BIGHORN SHEEP



Carrie Knapp

Statewide trends of Rocky Mountain bighorn sheep harvest statistics, Utah 1991–2006.



Statewide Rocky Mountain bighorn sheep harvest statistics, Utah 1991–2006.

Year	Ram harvest	Permits issued	Hunters afield	Mean days hunted	Success rate (%)
1991	3	3	3	—	100.0
1992	3	3	3	—	100.0
1993	6	6	6	—	100.0
1994	6	6	6	6.7	100.0
1995	6	6	6	—	100.0
1996	5	6	6	5.0	83.3
1997	3	3	3	5.0	100.0
1998	5	5	5	10.2	100.0
1999	4	4	4	—	100.0
2000	9	9	9	—	100.0
2001	12	12	12	—	100.0
2002	12	13	13	—	92.3
2003	13	13	13	17.1	100.0
2004	12	12	12	8.6	100.0
2005	13	13	13	9.1	100.0
2006	19	20	20	7.7	95.0

Total Rocky Mountain bighorn sheep harvest by hunt, Utah 2006.

Hunt name	Ram harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Box Elder, Newfoundland Mountain	2	2	2	3.0	100.0
North Slope, West Daggett (Sheep Creek)	2	2	2	4.5	100.0
North Slope, Three Corners (Bare Mountain)	2	2	2	16.0	100.0
Book Cliffs, South (Rattlesnake)	5	5	5	5.4	100.0
Nine Mile, Range Creek (Bighorn Mountain)	6	7	7	9.4	85.7
Statewide Sportsman / Conservation	2	2	2	7.0	100.0
Statewide totals	19	20	20	7.7	95.0

*When possible, conservation permits were added to the hunt where the harvest occurred.

Total ram Rocky Mountain bighorn sheep harvest by hunt, Utah 1997–2006.

Unit	Hunt name	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
1	Box Elder, Newfoundland Mountain	—	—	—	—	—	—	—	—	—	2
8	North Slope, West Daggett (Sheep Creek)	0	1	1	1	1	0	1	0	2	2
8	North Slope, Three Corners (Bare Mountain)	0	1	1	1	1	2	2	2	2	2
10	Book Cliffs, South (Rattlesnake)	3	3	2	5	5	4	5	5	5	5
11	Nine Mile, Range Creek (Bighorn Mountain)	0	0	0	2	5	6	5	5	4	6

Total ram Rocky Mountain bighorn sheep hunters afield by hunt, Utah 1997–2006.

Unit	Hunt name	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
1	Box Elder, Newfoundland Mountain	—	—	—	—	—	—	—	—	—	2
8	North Slope, West Daggett (Sheep Creek)	0	1	1	1	1	0	1	0	2	2
8	North Slope, Three Corners (Bare Mountain)	0	1	1	1	1	2	2	2	2	2
10	Book Cliffs, South (Rattlesnake)	3	3	2	5	5	4	5	5	5	5
11	Nine Mile, Range Creek (Bighorn Mountain)	0	0	0	2	5	7	5	5	4	7

Rocky Mountain bighorn sheep trend count data by subunit, Utah 1996–2006.

North Slope, West Daggett (Sheep Creek)

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	33	50	86
1997	26	21	64
1998	33	77	77
1999	40	25	42
2000	41	78	50
2001	52	52	56
2002	52	74	52
2003	46	65	106
2004	43	61	78
2005	58	65	58
2006*	96	52	87

*Sheep Creek/Carter Creek combined.

North Slope, Three Corners (Bare Top)

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	57	62	35
1997	52	57	91
1998	59	57	40
1999	54	44	56
2000	91	50	57
2001	92	51	97
2002	62	63	67
2003	61	62	73
2004	72	63	77
2005	68	66	69
2006	86	48	68

North Slope, West Daggett (Carter Creek / South Red Canyon)

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	—	—	—
1998	—	—	—
1999*	10	13	13
2000	29	32	21
2001	33	61	22
2002	29	67	27
2003	40	77	59
2004	37	61	44
2005	38	59	65
2006**	96	52	87

*Start of a transplanted population.

**Sheep Creek/Carter Creek combined.

Rocky Mountain bighorn sheep trend count data by subunit, Utah 1996–2006 (cont.).

North Slope, Three Corners (Goslin Mountain)

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	—	—	—
1998	—	—	—
1999	—	—	—
2000	—	—	—
2001	—	—	—
2002	—	—	—
2003	—	—	—
2004*	34	19	12
2005	45	73	32
2006	62	56	38

*Start of a transplanted population.

Book Cliffs, South (Rattlesnake)

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	118	47	67
1998	—	—	—
1999	187	49	66
2000	—	—	—
2001	108	44	64
2002	—	—	—
2003	111	44	64
2004	—	—	—
2005	200	57	67
2006	—	—	—


Nine Mile, Range Creek (Bighorn Mountain)

Year	n	Lambs / 100 ewes	Rams / 100 ewes
1996	—	—	—
1997	56	80	100
1998	106	47	69
1999	—	—	—
2000	128	53	72
2001	179	54	70
2002	—	—	—
2003	213	39	69
2004	—	—	—
2005	293	44	73
2006	—	—	—

ROCKY MOUNTAIN GOAT



Statewide trends of Rocky Mountain goat harvest statistics, Utah 1981–2006.



Statewide Rocky Mountain goat harvest statistics, Utah 1981–2006.

Year	Billy harvest	Nanny harvest	Total harvest	Permits issued	Hunters afield	Mean days hunted	Success rate (%)
1981	1	0	1	1	1	2.0	100.0
1982	0	1	1	1	1	2.0	100.0
1983	3	0	3	3	3	4.3	100.0
1984	2	1	3	4	4	4.0	75.0
1985	3	0	3	3	3	5.3	100.0
1986	2	2	4	4	4	6.5	100.0
1987	3	1	4	4	4	3.8	100.0
1988	3	1	4	4	4	3.5	100.0
1989	4	1	5	5	5	3.6	100.0
1990	4	0	4	6	6	4.8	66.7
1991	3	3	6	6	6	7.0	100.0
1992	8	0	8	8	8	5.8	100.0
1993	6	1	7	7	7	4.3	100.0
1994	10	0	10	10	10	—	100.0
1995	10	2	12	12	12	—	100.0
1996	16	2	18	19	19	4.2	94.7
1997	17	2	19	19	19	—	100.0
1998	18	0	18	19	19	3.5	94.7
1999	18	2	20	20	20	—	100.0
2000	19	9	28	29	29	3.2	96.6
2001	21	9	30	30	30	—	100.0
2002	25	10	35	36	36	—	97.2
2003	32	9	41	41	41	2.3	100.0
2004	31	15	46	46	46	2.6	100.0
2005	42	21	63	68	65	3.5	96.9
2006	48	38	86	94	93	3.3	92.5

Total Rocky Mountain goat harvest by hunt, Utah 2006.

Hunt Name	Billy harvest	Nanny harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Ogden, Willard Peak	5	0	5	5	5	5.6	100.0
Ogden, Willard Peak (Female)	1	8	9	10	10	1.5	90.0
Ogden, Willard Peak (Female)	2	7	9	10	9	1.8	100.0
Kamas / Chalk Creek	2	0	2	2	2	1.5	100.0
North Slope / South Slope							
High Uintas West	5	2	7	8	8	3.6	87.5
High Uintas Central	6	2	8	8	8	3.6	100.0
High Uintas East	5	1	6	6	6	3.8	100.0
High Uintas Liedy Peak	5	0	5	5	5	3.0	100.0
Wasatch Mountains							
Lone Peak	2	4	6	6	6	3.2	100.0
Box Elder Peak	4	2	6	6	6	2.3	100.0
Timpanogos	3	2	5	5	5	3.4	100.0
Provo Peak	1	1	2	4	4	4.0	50.0
Beaver	5	0	5	6	6	6.8	83.3
Beaver (Female)	0	9	9	11	11	4.0	80.0
Statewide Sportsman / Conservation	2	0	2	2	2	1.0	100.0
Statewide totals	48	38	86	94	93	3.3	92.5

*When possible, conservation and nonresident permits were added to the hunt where the harvest occurred.

Total billy Rocky Mountain goat harvest by hunt, Utah 1997–2006.

Unit	Hunt name	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
3	Ogden, Willard Peak	0	0	0	0	1	1	1	1	3	8
7	Kamas / Chalk Creek	1	1*	1	1	1	0	1	1	2	2
8–9	North Slope / South Slope										
	High Uintas West	0	—	0	1	0	4	4	1	4	5
	High Uintas Central	0	—	0	0	0	1	3	3	5	6
	High Uintas East	0	—	0	0	1	2	3	3	4	5
	High Uintas Liedy Peak	1	—	1	0	0	0	3	3	3	5
17	Wasatch Mtns., Lone Peak	5	4	4	4	5	4	4	6	7	2
17	Wasatch Mtns., Box Elder Peak	5	6	5	4	4	3	6	5	4	4
17	Wasatch Mtns., Timpanogos	4	4	3	5	3	4	3	4	4	3
17	Wasatch Mtns., Provo Peak	0	2	3	3	4	4	2	1	2	1
22	Beaver	1	1	1	1	2	2	2	3	4	5

*Include Kamas, North Slope, and South Slope areas.

Total nanny Rocky Mountain goat harvest by hunt, Utah 1997–2006.

Unit	Hunt name	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
3	Ogden, Willard Peak	0	0	0	0	0	0	0	0	0	15
7	Kamas / Chalk Creek	0	0	0	0	2	1	0	0	0	0
8–9	North Slope / South Slope										
	High Uintas West	0	0	0	1	0	0	1	4	4	2
	High Uintas Central	0	0	0	0	0	1	0	0	3	2
	High Uintas East	0	0	0	0	1	1	0	0	1	1
	High Uintas Liedy Peak	0	0	0	0	0	0	0	0	1	0
17	Wasatch Mtns., Lone Peak	0	0	0	2	2	3	0	1	1	4
17	Wasatch Mtns., Box Elder Peak	0	0	0	2	1	2	0	5	0	2
17	Wasatch Mtns., Timpanogos	1	0	2	2	2	1	5	0	0	2
17	Wasatch Mtns., Provo Peak	1	0	0	2	1	1	1	1	1	1
22	Beaver	0	0	0	0	0	0	2	4	10	9

Total Rocky Mountain goat hunters afield by hunt, Utah 1997–2006.

Unit	Hunt name	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
3	Ogden, Willard Peak	0	0	0	0	1	1	1	1	3	24
7	Kamas / Chalk Creek	1	2*	1	1	3	2	1	1	2	2
8–9	North Slope / South Slope										
	High Uintas West	0	—	0	2	0	4	5	5	8	8
	High Uintas Central	0	—	0	0	0	2	3	3	8	8
	High Uintas East	0	—	0	0	2	3	3	3	6	6
	High Uintas Liedy Peak	1	—	1	0	0	0	3	3	4	5
17	Wasatch Mtns., Lone Peak	5	4	4	7	7	7	4	7	8	6
17	Wasatch Mtns., Box Elder Peak	5	6	5	6	5	5	6	10	4	6
17	Wasatch Mtns., Timpanogos	5	4	5	7	5	5	8	4	5	5
17	Wasatch Mtns., Provo Peak	1	2	3	5	5	5	3	2	3	4
22	Beaver	1	1	1	1	2	2	4	7	14	17

*Include Kamas, North Slope, and South Slope areas.

Rocky Mountain goat trend count data by subunit, Utah 1996–2006.

Ogden, Willard Peak

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	17	—	—	—	17
1998	13	—	—	6	7**
1999	—	—	—	—	—
2000*	28	—	—	9	19**
2001*	26	—	—	10	16**
2002	32	—	—	10	22**
2003	46	—	—	—	46
2004	105	—	—	35	70**
2005	151	—	—	51	100**
2006	72	—	—	31	41**

*Data based on ground counts. **Unclassified adults.

Kamas / Chalk Creek

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	—	—	—	—	—
1998	—	—	—	—	—
1999	—	—	—	—	—
2000	—	—	—	—	—
2001	8	2	4	2	—
2002	—	—	—	—	—
2003	—	—	—	—	—
2004	34	7	19	8	—
2005	—	—	—	—	—
2006	24	8	13	3	—

North Slope / South Slope, High Uintas West

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	—	—	—	—	—
1998	—	—	—	—	—
1999	—	—	—	—	—
2000	—	—	—	—	—
2001	46	3	32	11	—
2002*	171	—	—	51	120**
2003*	156	—	—	42	114**
2004	131	26	72	33	—
2005*	208	—	—	36	172**
2006	169	36	94	39	—

*Includes all North Slope and South Slope areas. **Unclassified adults.

Rocky Mountain goat trend count data by subunit, Utah 1996–2006 (cont.).

North Slope / South Slope, High Uintas Central

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	—	—	—	—	—
1998	—	—	—	—	—
1999	—	—	—	—	—
2000	—	—	—	—	—
2001	62	6	41	15	—
2002*	171	—	—	51	120**
2003*	156	—	—	42	114**
2004	183	15	121	47	—
2005*	208	—	—	36	172**
2006	228	48	112	68	—

*Includes all North Slope and South Slope areas. **Unclassified adults.

North Slope / South Slope, High Uintas East

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	—	—	—	—	—
1998	—	—	—	—	—
1999	—	—	—	—	—
2000	—	—	—	—	—
2001	59	3	42	14	—
2002*	171	—	—	51	120**
2003*	156	—	—	42	114**
2004	139	24	81	34	—
2005*	208	—	—	36	172**
2006	166	31	97	38	—

*Includes all North Slope and South Slope areas. **Unclassified adults.

North Slope / South Slope, High Uintas Liedy Peak

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	—	—	—	—	—
1998	—	—	—	—	—
1999	—	—	—	—	—
2000	—	—	—	—	—
2001	40	7	24	9	—
2002*	171	—	—	51	120**
2003*	156	—	—	42	114**
2004	96	9	63	24	—
2005*	208	—	—	36	172**
2006	111	19	57	35	—

*Includes all North Slope and South Slope areas. **Unclassified adults.

Rocky Mountain goat trend count data by subunit, Utah 1996–2006 (cont.).

Wasatch Mountains, Lone Peak

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	227	—	—	77	150*
1997	—	—	—	—	—
1998	—	—	—	—	—
1999	130	25	69	36	—
2000	—	—	—	—	—
2001	—	—	—	—	—
2002	99	—	—	—	99
2003	—	—	—	—	—
2004	165	20	77	42	26
2005	—	—	—	—	—
2006	—	—	—	—	—

*Unclassified adults.

Wasatch Mountains, Box Elder Peak

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	—	—	—	—	—
1998	—	—	—	—	—
1999	143	16	85	42	—
2000	—	—	—	—	—
2001	—	—	—	—	—
2002	161	—	—	—	161
2003	—	—	—	—	—
2004	50	8	16	4	22
2005	—	—	—	—	—
2006	—	—	—	—	—

Wasatch Mountains, Timpanogos

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	79	—	—	21	58*
1997	84	—	—	—	84
1998	—	—	—	—	—
1999	87	18	40	29	—
2000	—	—	—	—	—
2001	—	—	—	—	—
2002	102	—	—	—	102
2003	—	—	—	—	—
2004	109	7	72	23	7
2005	—	—	—	—	—
2006	—	—	—	—	—

*Unclassified adults.

Rocky Mountain goat trend count data by subunit, Utah 1996–2006 (cont.).

Wasatch Mountains, Provo Peak

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	29	—	—	—	29
1997	37	—	—	—	37
1998	—	—	—	—	—
1999	94	12	54	28	—
2000	—	—	—	—	—
2001	—	—	—	—	—
2002	69	—	—	—	69
2003	—	—	—	—	—
2004	88	3	16	11	58
2005	—	—	—	—	—
2006	—	—	—	—	—

Beaver

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
1996	—	—	—	—	—
1997	—	—	—	—	—
1998	69	14	36	19	—
1999	79	15	46	18	—
2000	104	14	71	19	—
2001	95	19	58	18	—
2002	90	35	41	14	—
2003	128	44	56	28	—
2004	133	46	57	30	—
2005	153	63	69	21	—
2006	140	49	62	29	—